
. 

# **CHEVROLET**



1997

		k*• <b>∳</b>
		i



Fraditionally the Olympic Games are a venue for athletes to stance But at the recent Ashatzgames, Circus Trucks Sharelines

Hardis opening accremonics, 30 C/K-Pickups were used to bring dancers onto the field at Olympic Stadium, as well as perform a few "careographed" moves of their own. Each of the pickups wore a special chrome finish over its entire exterior. Because chrome-plating an entire pickup would have made the vehicle prohibitively heavy, each was instead covered with a chrome-finish appliqué.

The trucks were an integral part of the Opening Ceremonies and provided a great way for Chevy to break through the marketing philater of the Obampies, says Cynthia Babcock, assistant manager, passenger car-Events and Sponsorship.

The chrome finish was developed by GM North American Operations Prototype Design and 3M. Several shifts of Chevrolet/Geo employees took nearly a month to cover each of. the 30 special C/Ks. With the conclusion of the Olympics, the unique trucks will stay in the limelight a little longer. Some will tour various farm shows throughout the country and a couple will appear at various Chevrolet functions. Eventually, the majority of the trucks will be stripped of their chrome appliqués and auctioned off (each vehicle will come with a certificate of authenticity stating it was one of the chromed Olympic trucks).

		٠	



## C/K Pickup and Crew-Cab


Dealer Order Littlide inserts अंद अधाः चेहरा CANTAGE Truck models ... 1997. Overan unprovements. changes and acietions are highlighted, use these inserts to assist you in ordering cour initial sitionnents. NOTE: some intermation is preuminary


and is subject т знанего

#### **Positioning Statement**

The dependable, full-size pickup that's built for tough, rugged use.

Crew-Cab is the ideal truck for transporting up to six people in solid comfort.







The Focus

vehicle is the

model chosen

#### C1500 Fleetside Regular-Cab Long-Box Pickup with Cheyenne Trim and PEG Group 1SA

mage above, tops

The Focus vehicle for 1997 is the C1500 Fleetside Regular-Cab Long-Box Pickup with Chevenne trim and Preferred Equipment Group 1SA. This vehicle is engineered to outperform driver expectations.

#### Ordering Recommendations:

The recommended C1500 Fleetside Regular-Cab Long-Box Pickup with Cheyenne content, based on national sales volume, is listed below to assist your dealership in ordering.

C1500 Fleetside Regular-Cab Long-Box Pickup with Cheyenne trim with Preferred Equipment Group 1SA includes:

- Chevenne Decor
- · AM/FM Stereo with Seek-Scan and Digital Clock.



The Feature vehicle is the "image" model Chevy Truck will profile most in its advertising. Generally, it does the best job of capturing attention and creating consumer awareness.

## K1500 Fieetside Extended-Cab Short-Box Pickup with Silverado Trim and PEG

Group 1SB timage above, bottom:

The 1997 C/K Pickup Feature vehicle is the K1500 Fleetside Extended-Cab Short-Box Pickup with Silverado Preferred Equipment Group 1SB. This C/K Pickup model also has the available third door and a comfortable passenger cab, while Silverado trim enhances the interior and exterior appeal for an attractive, versatile truck.

In addition to or replacing items in Chevenne decor. the Silverado model includes:

- Silverado Decor (YE9) includes bright deluxe grille with dual composite halogen headlamps
- Air Conditioning
- AM/FM Stereo with Seek-Scan, Automatic Tone Control. Digital Clock and Cassette Player
- Tilt-Wheel™ Adjustable Steering Column and Electronic Speed Control
- · Power Windows and Power Door Locks
- Body-Side Moldings.

for its sateability. It is campped with the product scatures that Justomers want most. Generally, it is the "volume" ·chicle that comprises the majority of the Parid, You'll want to be sure you have several of these models in stock, NOTE: model, PEG and optional cuupment auv vare m

чит юданих.

#### **Trim Colors and Seat Styles**




Vinyl available in Neutral, Blue, Gray and Red.



Bench seat -WT1500 and Cheyenne.



Reclining split-bench seat --Extended-Cab.



Cloth available in Neutral, Blue, Gray and Red.



Bench seat — Regular-Cab.



Reclining high-back bucket seats -Extended-Cab.



Reclining 60/40 split-bench seat -Silverado.



Custom Cloth available in Neutral, Blue, Gray and Red.



Reclining bench seat -Silverado Regular-Cab.



Reclining 60/40 split-bench seat -Silverado.



Reclining high-back bucket seats -




Custom Leather seating surfaces available in Neutral, Blue, Gray and Red — all models.



Reclining bench seat -Silverado Regular-Cab.



60/40 split-bench seat —



Reclining high-back bucket seats -Silverado.

#### Wheels



Standard 15" or 16" steel painted silver with black hub ornament - W/T1500, Cheyenne (Base).



(RPO PO6) 15" or 16" Rally Wheel trim - standard on Silverado, optional on Cheyenne (Base).



Standard 16" front wheel for 3500 Series when equipped with dual rear wheels.



(RPO N90) Optional 15" cast-aluminum **—** C1500.



(RPO PF4) Optional 16" cast-aluminum - K1500.



(RPO N83) Optional chromeplated wheel with chrome hub ornament — C1500 Series only.

# C/K Pickup and Crew-Cab

#### Most Popular Exterior Colors with Corresponding Interior Color Availability

## C/K Pickup INTERIOR MATERIAL COLORS

Ν	leutral	Blue	Gray	Red
EXTERIOR COL	ORS	•		
Emerald Green Metallic	~		/	
Summit White	/	V	1	V
Victory Red	~		<b>V</b>	

## Crew-Cab INTERIOR MATERIAL COLORS

	Neutral	Blue	Gray	Red
EXTERIOR CO	LORS			
Emerald Green Metall	ic 🗸		~	
Onyx Black	1		/	~
Summit White	/	V	1	V
Victory Red	1		/	·

#### **Most Popular Exterior Colors by Percentage**

Below clockwise are the anticipated most popular C/K Pickup and Crew-Cab colors for 1997, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).

#### C/K Pickup

Summit White	22%
Emerald Green Metallic	15%
Dark Carmine Red Metallic	11%
Victory Red	11%
Other colors	41%

#### Crew-Cab

Summit White	40%
Onxy Black	11%
Emerald Green Metallic	10%
Victory Red	10%
Other colors	29%

#### **Competitive Models**

- Ford F-Series
- Dodge Ram
- Toyota T-100.

#### **Additional Information on Significant Features**

- An important addition this year is the standard front-passenger air bag.\* Since safety is a major consideration among today's buyers, the front-passenger air bag helps makes Chevy C/K Pickup more competitive in the full-size market segment.
- \*Included on models with GVWRs under 8600 lbs. only.
- New natural gas vehicle (KL6). Municipalities and fleets are placing increased emphasis on alternative fuel systems, and this model helps answer the call. Available only with an 8600-lb. GVW (C6P) with Vortec 5700 V8, 4L80-E automatic transmission and 3.73 rear axle ratio, this newcomer should have wide appeal. Available on C2500 Fleetside model only. Order RPO KL6.
- New manual transmission (MW3). All C/K2500 models at or above 8600 lb. GVWR and all C/K3500 models get added sales appeal, thanks to this improved manual transmission. Features include quieter operation and improved shift feel. Added torsional damping is a big plus for models equipped with diesel engines.
- New 4WD improved turning radius (K1500 gasoline models only).
   Maneuverability is important to four-wheel-drive afficionados, and especially off-road enthusiasts. This new system uses revised components and increased turn angles to make possible a shorter turning radius. Affects all 4WD 1500 Series models except diesel.
- New Electronic Variable Orifice steering, standard on all models, reduces low speed and static steering effort while maintaining steering effort and road feedback at highway speeds.

#### **Deletions**

Three exterior colors have been deleted for 1997:
 Indigo Blue Metallic (#39), Dark Garnet Red Metallic (#84) and Bright
 Teal Metallic (#38) and have been replaced by three new colors:
 Medium Royal Blue Metallic (#25), Medium Blue-Green Metallic (#35)
 and Dark Carmine Red Metallic (#51).



Chevy Truck Dealer Order Guide

## C/K Pickup and Crew-Cab

P.D.S.E.L. helps explain 1997 models for this brand. Overall improvements, changes and deletions are highlighted. Please review the supplied information, keeping in mind that this material is provided to vou before production startup --and may change.

P.D.S.E.I. (New-for-'97 features appear first and in color.)



#### **PERFORMANCE**

MANUAL TRANSMISSION (MW3) — All C/K2500 models above 8600 lb. GVWR and all C/K3500 models gain improved shift feel and quieter operation compared to last year's transmission.

NATURAL GAS MODEL (8600 LBS. GVW, VORTEC 5700 V8 ENGINE ONLY) — allows bifuel capability. • SHORTER TURNING RADIUS FOR 4WD 1500 SERIES MODELS (EXCEPT DIESEL MODELS) — provides shorter turning radius for easier maneuvering. • ELECTRONIC VARIABLE ORIFICE STEERING — reduces low speed and static steering effort, yet maintains effort level and road feedback at highway speeds. • STANDARD VORTEC 4300 V6 L35 ENGINE WITH SEQUENTIAL FUEL INJECTION (SFI) — provides impressive power, smooth, quiet performance and extended maintenance intervals. • AVAILABLE DIESEL POWER — eager 6.5 Liter Turbo-Diesel V8 is available in most C/K Pickup models. An ideal choice for fleets and trailer towing.



#### DURABILITY

• 100,000-MILE SPARK PLUGS — for extended service intervals.\* • SERPENTINE BELT ACCESSORY DRIVE — designed to last 100,000 miles. • NO NEED TO CHECK ENGINE TIMING — ever. • TWO-

SIDE-GALVANIZED STEEL — on all exterior body panels (except roof), providing maximum corrosion protection.

• BUMPER TO BUMPER LIMITED WARRANTY — protection for 3 years or 36,000 miles, with no deductible.

\*Warranty needs vary with different uses and driving conditions.



#### **SAFETY**

 PASSENGER AIR BAG\* — added safety for front-seat passengers. Always wear safety belts, even with air bags.
 CHILD SECURITY REAR-DOOR LOCK SYSTEM FOR CREW-CAB MODELS — when engaged

prevents the rear doors from being opened from the inside. • DRIVER AIR BAG\*— helps reduce the chance of injury in certain moderate to severe frontal collisions. • 4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS) — helps maintain steering control and minimizes wheel lockup on most slippery surfaces. • STANDARD DAYTIME RUNNING LAMPS—help make vehicle more visible during daylight hours.

\*On vehicles under 8600 lbs. GVW.



#### **EXTERIOR**

• BASECOAT/CLEARCOAT PAINT — resists fading and provides a high-gloss shine, for long-lasting exterior beauty. • ANTI-CHIP FEATURE — color-keyed primer surfacer helps prevent damage to finish.

• TRIM LEVELS -- choice of Cheyenne or Silverado trim levels.



#### INTERIOR

• OPTIONAL EXTENDED-CAB THIRD DOOR (C/K1500 SERIES ONLY) — makes entry and exit from rear seat easy. • AVAILABLE CUSTOM LEATHER SEATING SURFACES (SILVERADO ONLY) — Bring the

luxury of real leather to Regular-, Extended- and Crew-Cab models. • EXTENDED-CAB FOLD DOWN REAR SEAT — rear seatback folds down to make handy load shelf, lower cushion folds up for added storage area. • SCOTCHGARD<sup>TM</sup> PROTECTOR — on cloth seats, door panels and floor carpeting, resists stains for easy cleanup.

## '97

#### Forecasted Percent of Mix

Regular-Cab				35%	Extended-Cab				65%	Crew-Cab	100%
C/K1500				78%	C/K1500				85%	C/K3500	100%
C/K2500				3%	C/K2500				2%		
C/K2500 HD				7%	C/K2500 HD -				11%		
C/K3500				12%	C/K3500				2%		
TOTAL MODELS	•			100%	TOTAL MODELS				100%	TOTAL MODELS	100%
	C/K 1500	C/K 2500	C/K 2500HD	C/K 3500		C/K 1500	C/K 2500	C/K 2500 HD	C/K 3500		C/K 3500
Long Wheelbase	50%	100%	100%	100%	Long Wheelbase	5%	0%	70%	100%	2WD	60%
Short Wheelbase	50%	NA	NA	NA	Short Wheelbase	95%	100%	30%	NA	4WD	40%
TOTAL	100%	100%	100%	100%	TOTAL	100%	100%	100%	100%	TOTAL	100%
Sportside Box	25%	NA	NA	NA	Sportside Box	15%	NA	NA	NA	Sportside Box	NA
Fleetside Box	75%	100%	100%	100%	Fleetside Box	85%	100%	100%	100%	Fleetside Box	100%
TOTAL	100%	100%	100%	100%	TOTAL	100%	100%	100%	100%	TOTAL	100%
Work Truck	35%	NA	NA	NA	Work Truck	NA	NA	NA	NA	Work Truck	NA
Cheyenne	15%	65%	60%	45%	Cheyenne	4%	10%	15%	5%	Cheyenne	20%
Silverado	50%	35%	40%	55%	Silverado	96%	90%	85%	95%	Silverado	80%
TOTAL	100%	100%	100%	100%	TOTAL	100%	100%	100%	100%	TOTAL	100%
4-Speed Automatic	80%	80%	75%	65%	4-Speed Automatic	93%	96%	81%	71%	4-Speed Automatic	80%
5-Speed Manual	20%	20%	NA	NA	5-Speed Manual	7%	4%	NA	0%	5-Speed Manual	NA
5-Speed HD Manual	NA	NA	25%	35%	5-Speed HD Manual	NA	NA	19%	29%	5-Speed HD Manual	20%
TOTAL	100%	100%	100%	100%	TOTAL	100%	100%	100%	100%	TOTAL	100%
Vortec 4300 V6*	66%	0%	NA	NA	4300 V6	5%	NA	NA	NA	4300 V6	NA.
Vortec 5000 V8	25%	25%	NA	NA	5000 V8	41%	15%	0%	NA	5000 V8	NA NA
Vortec 5700 V8	6%	65%	77%	58%	5700 V8	52%	75%	70%	8%	5700 V8	10%
6.5L Turbo-Diesel	3%	10%	23%	28%	6.5L Turbo-Diesel	2%	10%	30%	6%	6.5L Turbo-Diesel	65%
Vortec 7400 V8	NA	0%	0%	14%	7400 V8	NA	0%	0%	86%	7400 V8	25%
TOTAL	100%	100%	100%	100%	TOTAL	100%	100%	100%	100%	TOTAL	100%

<sup>\*</sup>Engine split is for non-W T models.



## **1997 NEW PRODUCT HIGHLIGHTS**

#### CK1500 PICKUP

AIR BAG FOR FRONT PASSENGER

SPEED SENSITIVE POWER STEERING

DEALERS WILL BE REQUIRED TO ORDER OPTION YG6 (AIR CONDITIONING NOT DESIRED) IF AIR CONDITIONING IS NOT ORDERED OR IS NOT STANDARD.

THREE NEW COLORS. GREEN BLUE METALLIC, ROYAL BLUE METALLIC AND DARK CARMINE RED METALLIC.



#### 1500 PICKUP **EQUIPMENT SUMMARY**

STANDARD INTERIOR FEATURES			
	X81	CHEYENNE	SILVERADO
AIR BAGS: DRIVER'S SIDE & PASSENGER (FRONT)	S	S	S
CUPHOLDERS: DUAL IN DASH	S	S	S
DOOR BEAMS: SIDE IMPACT	S	S	S
GAGES: TRIP ODOMETER, OIL PRESSURE, VOLTMETER			
AND TACHOMETER .	S	S	S
GLASS: SOLAR RAY TINTED, ALL WINDOWS	S	S	S
JACK: WITH WHEEL WRENCH	S	S	S
INSULATION: UNDER DASH & FLOOR COVERING	S	S	S
LIGHTING: DOME W/LH & RH DOOR SWITCH W/DELAYED			
ENTRY FEATURE, READING, ASHTRAY,			
GLOVE-BOX, UNDERHOOD & CARGO LAMPS	S	S	S
POWER POINTS: DUAL COVERED	S	S	S
SCOTCHGARD: ALL CLOTH AND CARPET SURFACES	S	S	S
SEAT BELTS: ADJUSTABLE HEIGHT, FRONT	S	S	S
WARNING TONE: KEY-IN-IGNITION BUZZER	S	S	S
STANDARD EXTERIOR FEATURES			
;	X81	CHEYENNE	SILVERADO
AIR DAM: DARK ARGENT	S	S	S
LAMPS: DAYTIME RUNNING	S	S	S
SPARE TIRE: FULL SIZE TIRE & WHEEL, W/WINCH TYPE	_	_	_
CARRIER MOUNTED UNDER REAR FRAME	S	S	S
TAILGATE: REMOVABLE	S	S	s
TOW HOOKS: TWO FRONT ON 4X4 MODELS	S	S	S
WIPERS: INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	S	S
WIRE HARNESS: 7 LEAD TRAILERING	S	S	S S
WINDOW: REAR QUARTER SWING-OUT (EXT CAB ONLY)		S	5
STANDARD CHASSIS FEATURES			
	X81	CHEYENNE	SILVERADO
BATTERY: HEAVY-DUTY 600 CCA	S	S	S
BRAKES: POWER ASSISTED FRONT DISC, REAR DRUM			
4-WHEEL ANTI-LOCK	S	S	S
ENGINE: VORTEC 4300 V6 SFI (W/O C/K10953)	S	Š	s
VORTEC 5000 V8 SFI (C/K10953)	S	S	S
EXHAUST SYSTEM: STAINLESS STEEL	S	S	S
FUEL TANK: 25 GAL W/SHORT BOX MODELS	S	S	S
34 GAL W/LONG BOX MODELS	S	Š	S
GENERATOR: 100 AMP	Š	Š	Š
STEERING: SPEED SENSITIVE, POWER (EVO)	s	s	s
STORAGE BOX: UNDERHOOD, COVERED	Š	Š	s
SUSPENSION FRT: INDEPENDENT COIL W/2WD	S	Š	S
INDEPENDENT TORSION BAR W/4X4	S	S	s s
SUSPENSION RR: MULTI-LEAF SPRINGS	S	s	S
TRANSMISSION: 5-SPEED MANUAL, W/OVERDRIVE	S <sup>.</sup>	s	S

BOLD. ITALICS AND UNDERLINED INDICATES NEW FOR '97

**REVISED: 8-19-96** 

1997 ORDER GUIDE

C/K 1500 PICKUP

## 1500 PICKUP TRIM DEFINITION & OPTION SUMMARY

INTERIOR TRIM		X81	CHEYENNE	SILVERADO
AIR CONDITIONING:			-	S
ASSIST HANDLES:	PASSENGER	S	S	S
CONVENIENCE GP:	POWER WINDOWS, LOCKS			S
	TILT WHEEL AND CRUISE CONTROL			S
DOOR TRIM:	MOLDED PLASTIC W/ARMREST	S	S	
	COLOR-KEYED CLOTH AND CARPET TRIMMED		**	S
FLOOR COVERING:	FULL BLACK RUBBER	S		
	COLOR-KEYED CARPET			S
	COLOR-KEYED RUBBER		S	
	RUBBER FLOOR MATS			S
HEADLINER:	VINYL	S		
	COLOR-KEYED CLOTH		\$	S
INSULATION:	ADDITIONAL SOUND-DEADENING			S
MAP POCKETS:	IN PASSENGER AND DRIVER'S DOOR	S	S	S
RADIO:	AM/FM STEREO W/SEEK-SCAN AND CLOCK	S	S	
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND			
	CASSETTE TAPE			S
SEATING:	CLOTH BENCH	**		S
	VINYL BENCH (N/A EXT CAB)	S	S	
	CLOTH 60/40 SPLIT BENCH (EXT CAB)			S
	VINYL 60/40 SPLIT BENCH (EXT CAB)		S	
STEERING WHEEL:	SIMULATED LEATHER	S	S	
	LEATHER WRAPPED			S
STORAGE TRAY:	FULL WIDTH BEHIND SEAT			S
SUNSHADES:	CLOTH COVERED W/LH STORAGE STRAP W/RH MIRROR	s	s	s

<b>EXTERIOR TRIM</b>		X81	CHEYENNE	SILVERADO
BUMPER FRT:	CHROME	S	S	
BUNIFER FRI.	CHROME W/BLACK RUB STRIP			S
BUMPER RR:	CHROME W/STEP PAD			S
GRILLE:	MOLDED, PAINTED ARGENT	s	s	
GITTELL.	CHROME DELUXE			S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	s	S	
HEADEAIN O.	DUAL COMPOSITE - HALOGEN			S
HORN:	SINGLE NOTE	S	S	
1.01	DUAL NOTE			S
MIRRORS:	BREAK-A-WAY OSRV, BLACK	S	S	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	ELECTRIC, REMOTE CONTROL, BLACK			S
MOLDINGS:	BODY SIDE WITH BRIGHT TRIM AND			
	BRIGHT WHEEL OPENING TRIM			S
NAMEPLATES:	W/T DECAL ON TAILGATE	S	, <del></del>	
	CHEYENNE BADGE ON B-PILLAR		S	
	SILVERADO BADGE ON B-PILLAR			S
PAINT:	SINGLE TONE	S	S	S
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	S	<del></del>
	RALLY WHEEL TRIM			S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

C/K 1500 PICKUP 1997 ORDER GUIDE REVISED: 8-19-96

#### **MODEL AND BODY**

Description	Model No	Body 1	Wheel Base
2-WHEEL-DRIV	E MODELS		
Sportside	CC10703	E62	117.5
Fleetside	CC10703	E63	117.5
Fleetside	CC10703	E63 & X8	1 117.5
·leetside	CC10903	E63	131.5
Fleetside	CC10903	E63 & X8	1 131.5
Sportside,			
Ext Cab	CC10753	E62	141.5
Fleetside.			
Ext Cab	CC10753	E63	141.5
Fleetside			
Ext Cab	CC10953	E63	155.5

Description	Model No	Body	Whee	Base
4-WHEEL-DRI	VE MODELS			
Sportside	CK10703	E62	1	17.5
Fleetside	CK10703	E63	1	17.5
Fleetside	CK10703	E63 &	X81 1	17.5
Fleetside	CK10903	E63	1	31.5
Fleetside	CK10903	E63 &	X81 1	31.5
Sportside,				
Ext Cab	CK10753	E62	1.	41.5
Fleetside.				
Ext Cab	CK10753	E63	1.	41.5
Fleetside.				
Ext Cab	CK10953	E63	1	55.5

#### EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements

YF5 California Emission Requirements

NG1 New York/Massachusetts Emission Requirements

NB8 California or New York/Massachusetts Emission Override (Regs FE9 Federal Emissions)

NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)

*GVWR SELECTOR	(Must Specify	v GVW Option)
----------------	---------------	---------------

				Minimum Equipment Required for GVW Rating
GVW	. GAM			
Option	Rating	GA	WR*	
Requir	ed (lbs)	Front	Rear	
<u>C1</u>	0703-C10903			
C5M	6100	3150	3686	X81 Reqs L35 Eng
K10	0703-K10903			
C5M	6100	3600	3750	X81 Reqs L35 Eng
C1	0753-C10953			
Q4B	6200	3500	3686	None
K1	0753-K10953			
Q4B	6 <b>200</b>	3600	3750	N/A F44 Chassis or L56 Eng
C5S	6600	3600	3750	Regs F44 (N/A L56 Eng w/K10953)
C5U	6800	3600	3750	Regs L56 Eng (N/A K10753)

<sup>\*</sup>GAWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

<sup>\*</sup>Includes Destination & Handling Charges

#### POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TRAI	TRANSMISSION			AXLES			
	5-SP Manual	4-Speed AUTO	3.08	3.42	3.73			
. <u></u>	Lt Duty / H Duty	Lt Duty						
CC10703								
L35 Vortec 4300 V6		•						
(262 Cu In)-SFI	MG5	M30	GU4	GU6		6100		
L30 Vortec 5000 V8	MG5		(a) GU4	(a) GU6		6100		
(305 Cu In)SFI		M30		GU6	GT4	6100		
L31 Vortec 5700 V8	M50		GU4	GU6		6100		
(350 Cu In)SFI		M30	GU4_	GU6	GT4	6100		
CK10703								
L35 Vortec 4300 V6								
(262 Cu In)SFI	MG5	M30			GT4	6100		
L30 Vortec 5000 V8	MG5			(a) GU6	(a) GT4	6100		
(305 Cu In)-SFI		M30		GU6	GT4	6100		
£31 Vortec 5700 V8								
(350 Cu in)SFI	M50	M30	••	GU6	GT4	6100		

<sup>(</sup>a) N/A YF5 California Emissions

## POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TRANSM	TRANSMISSION				GVWR
	5-SP Manual Lt Duty / H Duty	4-Speed AUTO Lt Duty / H Duty	3.08	3.42	3.73	
CC10903						
L35 Vortec 4300 V6 (262 Cu In)SFI	MG5	M30	GU4	GU6	<b></b>	6100
L30 Vortec 5000 V8	MG5		(a) GU4	(a) GU6		6100
(305 Cu In)SFI		M30		GU6	GT4	6100
L31 Vortec 5700 V8	M50		GU4	GU6		6100
(350 Cu In)SFI		M30	GU4	GU6	GT4	6100
CK10903						
L35 Vortec 4300 V6 (262 Cu In)SFI	MG5	м30			GŤ4	6100
L30 Vortec 5000 V8	MG5			(a) GU6	(a) GT4	6100
(305 Cu In)-SFI		M30		GU6	GT4	6100
L31 Vortec 5700 V8 (350 Cu In)-SFI	M50	M30	<b>.</b>	GU6	GT4	6100

<sup>(</sup>a) N/A YF5 California Emissions

#### **CONTINUED ON PAGE 5**

C/K 1500 PICKUP

1997 ORDER GUIDE

**REVISED: 8-19-96** 

Page 4
Prices Shown Are Manufacturer's Suggessed Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory & languagement Since MSRP
Prices Shown Are Manufacturer's Suggessed Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory & languagement Since MSRP
Prices Shown Are Manufacturer's Suggessed Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory & languagement Since MSRP
Prices Shown Are Manufacturer's Suggessed Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory & languagement Since MSRP
Prices Shown Are Manufacturer's Suggessed Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory & languagement Since MSRP
Prices Shown Are Manufacturer's Suggessed Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory & languagement Since MSRP
Prices Shown In The Order Sudden In Class (MSRP) At The Time Of Publication In Control of Control o

#### **POWER TEAMS (Continued)**

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TRAI		AXLES			
	5-SP Manuai	4-Speed AUTO	3.08	3.42	3.73	
	Lt Duty	Lt Duty / H Duty				
CC10753						
L35 Vortec 4300 V6		•	W-W-			
(262 Cu In)SFI	MG5	M30		GU6		6200
L30 Vortec 5000 V8	MG5		(a) GU4	(a) GU6		6200
305 Cu IniSFI		M30		GU6	GT4	6200
L31 Vortec 5700 V8	M50		GU4	GU6		6200
(350 Cu In)SFI		M30	GU4	GU6	GT4	6200
CK10753						
L35 Vortec 4300 V6						
(262 Cu In)SFI	MG5	M30			(a) GT4	6200/6600
30 Vortec 5000 V8	MG5			(a) GU6	(a) GT4	6200/6600
305 Cu In)-SFI		M30		GU6	GT4	6200/6600
L31 Vortec 5700 V8			·			
(350 Cu In)-SFI	M50	M30		GU6	GT4	6200/6600
L56 Turbo Diesel V8		-				
6.5 Liter (400 Cu In)		MT1		(a) GU6	(a) GT4	6600

<sup>(</sup>a) N/A YF5 California Emissions

#### POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

ENGINE	TRANSM	IISSION	AXLES			GVWR
	5-SP Manual	4-Speed AUTO	3.08	3.42	3.73	
	Lt Duty / H Duty	Lt Duty / H Duty				
CC10953						
L30 Vortec 5000 V8	MG5		(a) GU4	(a) GU6		6200
(305 Cu In)-SFI		M30		GU6	GT4	6200
L31 Vortec 5700 V8	M50		GU4	GU6		6200
350 Cu In)SFI		M30	GU4	GU6	GT4	6200
CK10953						
_30 Vortec 5000 V8	MG5			(a) GU6	(a) GT4	6200/6600
(305 Cu In)-SFI		M30		GU6	GT4	6200/6600
L31 Vortec 5700 V8	M50			GU6	GT4	6200
(350 Cu In)-SFI	M50			(a) .GU6	GT4	6600
		M30		GU6	GT4	6200/6600
L56 Turbo Diesel V8	- <u> </u>					•
6.5 Liter (400 Cu In)		MT1		(a) GU6	(a) GT4	6800

<sup>(</sup>a) N/A YF5 California Emissions

3925

3750

Rear

CA	٨	$\sim$	17	CC
LA	м	•	3 1 1	EJ

Rear

3500

3600

3750

Base

C10703C10903	K10	0703	К10903
SPRINGS: Front 3200 Rear 3750		RINGS: Front 3600 Rear 3750	SPRINGS: Front 360() Rear 3750
AXLES: Front 3150 Rear 3750	AX	LES: Front 3925 Rear 3750	AXLES: Front 3925 Rear 3750
C10753C10953 SPRINGS: Front	AXLES: Front	K10753-K10953 SPRINGS: Front	AXLES: Front

3600

Rear

3750

TIRES: (Must Specify Front and Rear) (Spare Tire Included)

Rear

3600

3750

		Ul Season	All	Terrain	On-Off	Road	
Description	Front	Rear	Front	Rear	Front	Rear	_
C10703-C10903							
TUBELESS Steel Belted Radial							
P235/75R15 B/W	XFL	YFL					_
a) P235/75R15 W/L	XFN_	YFN					
K10703-K10903							
TUBELESS Steel Belted Radial						<del></del>	_
P245/75R16 B/W			XGA	YGA			
P245/75R16 WOL			XGB	YGB			_
LT245/75R16-C B/W					XBN	YBN	
LT245/75R16-C WOL					XBX	YBX	_
b)P265/75R16 B/W					XGC	YGC	_
b)P265/75R16 WOL					XGD	YGD	
C10753-C10953							_
TUBELESS Steel Belted Radial							_
P235/75R15 B/W	XFL	YFL					_
P235/75R15 W/L	XFN	YFN					
K10753-K10953			· <del></del>				
TUBELESS Steel Belted Radial							
P245/75R16 B/W			XGA	YGA			
P245/75R16 WOL			XGB	YGB			
LT245/75R16-C B/W					XBN	YBN	-
LT245/75R16-C WOL					XBX	YBX	_
(b)P265/75R16 B/W					XGC	YGC	_
(b)P265/75R16 WOL					XGD	YGD	_

(a) N/A X81 Work Pkg

(b) Regs PF4 Wheels; w/o L31 Eng Regs GT4 Axle; N/A X81

Work Pkg

B/W = Blackwall W/L=White Lettered WOL=White Outlined Letter

#### C/K 1500 PICKUP

#### MUST SPECIFY:

#### AXLE, EMISSION, ENGINE, TIRES AND TRANSMISSION

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Custom Ordering Option Listing.

#### REG & EXT CAB DECOR

	* X81	CHEYENNE	SILVE	DRADO
	1	1	1	1
	s	s	s	s
	w	^	В	C
NORK TRUCK DECORX81	x			
Fleetside Body Code without BYP Sport Package (A)	x	x	x	×
SILVERADO DECOR		×		
SILVERADO DECOR (Leather)			x	_ *
Regular Cab				
Extended Cab				
Keyless Entry AU0				x
Mirror, Electrochromic ISRV w/8 Point CompassDD7				x
Seat, Power (B)AG9				x
Frim, Leather (C) AE7				x

<sup>\* 1</sup>SW PEG N/A Extended Cab

#### Preferred Equipment Group Prices

#### Preferred Equipment Group Price

N.C. 1SW

PEG Savings

\*\*(-500.00) w/MG5

N.C. 1SA

PEG Savings

\*\*(-1,200.00) w/MG5 or M50 & R9A & R9B \*\*(-1,000.00) w/MG5 or M50 & R9A

\*\*(-700.00) w/MG5 or M50 & R9B \*\*(-700.00) w/M30 or MT1 & R9A & R9B

\*\*(-500.00) w/MG5 or M50

w/M30 or MT1 & R9A \*\*(-500.00)

\*\*(-200.00) w/M30 or MT1 & R9B

w/M30 or MT1 N.C.

N.C. 1SB or 1SC **PEG Savings** \*\*{-1.250.00} w/MG5 or M50 \*\*(-750.00) w/M30 or MT1

<sup>(</sup>A) May Substitute E62 Sportside on Cheyenne or Silverado Decor w/o X81 Work Truck

<sup>(</sup>B) Extended Cab Only

<sup>(</sup>C) Must Specify Trim Color, May Upgrade to A95 Seat on Extended Cab

<sup>\* \*</sup>PEG Savings Amount represents the savings for Preferred Equipment Groups.

#### **REGULAR CAB MARKETING PACKAGES**

CONVENIENCE PACKAGE ORDERING OPTION = R9A

(Regs Peg 1SA)

Incis :

C60 Air Conditioning ZQ3 Tilt and Cruise UM6 Radio w/Cassette

BRIGHT APPEARANCE PACKAGE

w/E62

w/E63

ORDERING OPTION = R9B

(Regs Peg 1SA)

Incis:

885 Body Side Molding

V22 Chrome Grille

VB3 Chrome Rear Step Bumper

VG3 Chromed Front Bumper

P06 Rally Wheels (Upgrade Allowed)

SPORT PACKAGE

. w/2-Wheel Drive

w/4-Wheel Drive

ORDERING OPTION = BYP

(Regs C-K10703 And Peg 1SB/1SC)

(Refer Page 19 For Color/ Trim Availability)

Body Color Front and Rear Painted Bumpers

Fog Lamps and Sport Identification Decais

Non-Electric Color-Keyed Mirror N90/PF4 Aluminum Wheels

(N83 Chrome Wheels may be substituted)

BYP Sport Pkg

E62 Sportside Body

XFL, YFL on C10703

XGC, YGC on K10703

N/A VYU Snow Plow or F60 Springs

#### **EXTENDED CAB MARKETING PACKAGES**

CONVENIENCE PACKAGE ORDERING OPTION = R9A

(Reas Peg 1SA)

incis :

C60 Air Conditioning ZQ3 Tilt and Cruise UM6 Radio w/Cassette

BRIGHT APPEARANCE PACKAGE

w/E62

1 w/E63

ORDERING OPTION = R9B

(Reqs Peg 1SA)

incls :

**B85 Body Side Moldings** 

V22 Chrome Grille

VB3 Chrome Rear Step Bumper

VG3 Chromed Front Bumper

P06 Rally Wheels (Upgrade Allowed)

**REVISED: 8-19-96** 

#### **X81 WORK TRUCK 1500 PICKUP**

#### **ADDITIONAL OPTIONS**

```
OPTION
              ACKNOWLEDGEMENTS:
  R8S
                  Multiple Order Numbers
                  Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
  R8T
   K47
              AIR CLEANER: High Capacity
              AIR CONDITIONING: (One Of The Following Must Be Specified)
  YG6
                  Air Conditioning Not Desired
                  Air Conditioning: (Incls R134A Refrigerant)
  C60
              AXLES, REAR: (Refer Power Teams Chart for Availability)
  GU4
                  3.08 Ratio
  GU6
                  3.42 Ratio
  GT4
                  3.73 Ratio
  G80
                  Locking Differential (N/A GU4 Axle)
              BEDLINER: Under Rail
  BZY
              BODY CODE: 8 Ft. Fleetside
   E63
              BUMPER EQUIPMENT: Painted, Rear Step (Vehicles registered in certain states must have a rear
   V43
                  bumper to be operated on their roads. Consult your local laws.) (Work Truck does not include a
                  Rear Bumper)
   V10
              COLD-CLIMATE PACKAGE: (Incis Eng Block Heater)
              CONVENIENCE PACKAGE: Cruise and Tilt
  ZQ3
              COOLER: Engine Oil (N/A GT4 Axle) (Engine Oil Cooler comparible to KC4 is standard w/GT4 Axle)
   KC4
                     w/Z82
                     w/oZ82
              EMISSIONS: (Refer Emission Requirements Tab Section)
   FE9
                  Federal Emission Requirements
   YF5
                  California Emission Requirements
   NG1
                  New York/Massachusetts Emission Requirements
                  California Emission or New York/Massachusetts Override (Regs FE9 Federal Emissions)
  NB8
                  Federal Emission Overrida (Regs YF5 California or NG1 New York/Massachusetts Emissions)
   NC7
   L35
              ENGINE: Vortec 4300 V6 (262 Cu In)-SFI (Refer Power Teams Chart for Availability)
  C5M
              GVWR: 6100# (Must Specify) (Refer GVWR Selector Chart for Availability)
   VK3
              LICENSE PLATE BRACKET: Front
   ZY1
              PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)
              RADIO EQUIPMENT:
                  Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Stereo Cassette Tape and Digital
   UM6
                     Clock
                  Radio Delete
   UL5
              SEAT: Bench Seat
   A52
               SHOCK ABSORBERS:
   FG5
                  Front and Rear, Gas, 46MM, Bilstein (N/A K1500)
   F51
                  Front and Rear, Heavy Duty (Incl w/VYU Snow Plow Pkg)
                     w/VYUorZ82
                      w/o VYU or ZB2
   NZZ
               SKID PLATE: Off-Road (K1500 Only) (Incls Engine Front Differential and Transfer Case Shield)
   WU
               SNOW PLOW PREP PACKAGE: (K10903 Only) (Incls F60 Front Springs and F51 HD Shock
                     Absorbers)
   F60
               SPRINGS, FRONT: Heavy Duty (K10903 Only) (Inci w/VYU Snow Plow)
                     WYYU
                      W/oVYU
               TIRES: (Refer to Tire Chart for Availability and vehicle Price Schedule for Prices)
   V76
               TOW HOOKS: Two Front (Std on K1500)
               TRAILERING SPECIAL EQUIPMENT: "Resvy-Duty (Incls Trailer Hitch, F51 Shocks and KC4 Eng Oil Cooler) (Regs M30.1998 6C-K10903 Regs V43 Bumper) (N/A GU4 Axie)
   Z82
                      With GT4 Axie
                         w/YU
                         w/oVYU
                      Without GT
                         w/YU
                         w/oVYC
               TRANSMISSION: T
                                     Tower Teems Chart for Availability)
   MG5
                  5-Speed Manual water Overdrive, Light Duty
   M30
                   4-Speed Electronically Controlled Automatic with Overdrive
               TRIM CODE: (Refer Color/Trim Chart for Availability)
               WHEEL TRIM:
                  Rally Wheel Trim
   P06
   N83
                  Chrome Wheel (C1500 Only)
               WINDOWS: Sliding Rear
```

## C/K 1500 PICKUP CHEYENNE/SILVERADO

#### **ADDITIONAL OPTIONS**

INCL

W/D	ECOR	,	
CHEY-	SILVER-		
ENNE	ADO	OPTION	
			ACKNOWLEDGEMENTS:
	<b> </b>	R8S	Multiple Order Numbers Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
	ļ	R8T	AIR CLEANER: High Capacity (N/A L56 Eng)
	j	K47	AIR CONDITIONING: (One Of The Following Options Must Be Ordered w/PEG 1SA w/o Convenience
		ļ	Pkg R9A)
!	!	YG6	Air Conditioning Not Desired
	×	C60	Air Conditioning: (Incls R134A Refrigerant)
	_		w/1SB,1SCorR9A
	ł	l	w1SA
	×	V22	APPEARANCE PACKAGE: (Incls Chrome Grille, Composite Halogen Headlamps and
	1		Dual Horns)
	1	Į.	w/1SB, 1SC or R9B w/1SA
	Ì		AXLES, REAR: (Refer Power Teams Chart for Availability)
		GU4	3.08 Ratio
		GU6	3.42 Ratio
	1	GT4	3.73 Ratio
		ł	wL35
	1		w/oL35
	ļ	G80	Locking Differential (N/A GU4 Axle)
	1	TP2	BATTERY: Auxiliary (Regs L30 or L31 Eng) (N/A w/BYP Pkg) (Deletes Underhood Storage Box)
		BZY	BEDLINER: Under Rail (Regs E63 Body)
	-	E62	BODY CODE: Sportside Body
	1	E63	Fleetside Body
		203	BUMPER EQUIPMENT: (Vehicles registered in certain states must have a rear bumper to be operated
	}		on their roads, Consult your local laws.) (Cheyenne Decor does not include a Rear Bumper)
N/A	1	EF1	Rumper Delete Provisions: (N/A Z82 Trailering of BYP Sport Pkg)
	×	VB3	Bumper, Chromed, Rear Step w/Rub Strip (Reqs VG3 Bumper or Silverado Decor) (N/A BYP Pkg)
	1		w/1SB, 1SC or R9B
		1	W/1SA W/0R9B
	×	VG3	Bumper, Chromed. Front Deluxe w/Rub Strip (N/A BYP Pkg) w/1SB.1SCorR9B
	1		w/1SAw/oR9B
	N/A	V43	Bumper, Painted. Rear Step (Regs E63 Body)
	1	1	w/BYP
			w/o BYP
	1		CHASSIS EQUIPMENT:
	1	F44	Heavy-Duty (K1500 Extended only) (Regs C5S #6600 GVW) (Incl w/L56 Eng)
	1		w/Diesel Eng
		271	w/o Diesel Eng Off-Road Package (K1500 Only) (Reqs XGC, XGD, XBN or XBX Tires)
N/A	1	"	(Incls NZZ Skid Plate) (N/A F51 Shocks)
		l vno	COLD-CLIMATE PACKAGE: (Incis Eng Block Heater) (Diesel Eng Reqs Base Decor and Regular Cabi
	×	ZQ3	CONVENIENCE GROUP: Tilt Wheel and Speed Control
		""	w/1SB, 1SCorR9A
	ļ	1	w/1SAw/oRSA
			COOLING SYSTEM: (Engine Oil Cooler comparible to KC4 is standard w/GT4 Axle and/or Diesel Eng) Cooler; Engine Oil (K107°3/K10903 Reqs L30 or L31 Eng) (N/A Diesel Eng or GT4 Axle)
	ļ	KC4	Coming Engine Unit(K107 - 3/K10903 Nets ESD of EST Eng/N4/A Dioset Engine C114-Action
	1		
	ļ	KNP	Transmission, Many-Duty, Auxiliary (Regs Auto Trans) (N/A L35 or L30 Eng) (L31 Eng and
	1		M29 Trans 1914 (\$144 Ayle) (Incl w/Z82 Trailering when L31 Eng w/o GU4 or L56 Eng,
Ì			valPassands Transers specified Also, included w/MT1 Trans)
N/A		C49	DE DESCRIPTION Window Electric (N/A A28 Window) (N/A C-K10°03)
N/A		E24	THIND BOOK Mass C* 10753, L30 or L31 Eng and M30 Trans) (N/A BOS Floor Counting Vinyl Trim or ZY4 Paint) (Door Lock Latch is Non-Electric)
[	1	[	EMISSIONS: (Refer Editional Requirement Tab Section)
•		FE9	Federal Emission Regularements
	1	YF5	California Emission Requirements
1	-	NGI	New York/Massachusetts Emission Requirements
	1	NB8	California or New York/Massachusetts Emission Override (Regs FE9 Federal Emissions)
	l	NC7	Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)
1		1	ENGINES: (Refer Power Teams Chart for Availability)
		L35	Vortec 4300 V6 (262 Cu in)—SFI
l	ĺ	130	Vortec 5000 V8 (305 Cu In)-SFI w/CK10953
			w/c/K10953
	İ	1	
	ļ		
1	j		

#### C/K 1500 PICKUP

#### C/K 1500 PICKUP CHEYENNE/SILVERADO

INCL W/DECOR		•	ADDITIONAL OPTIONS
CHEY-	SILVER- ADO	OPTION	
			ENGINES: (Continued)
	:	131	Vortec 5700 V8 (350 Cu ln)−SFI w/C/K10953
		L56	w/oC/K10953 6.5 Liter V8 Turbo Diesel (400 Cu In) (Deletes Underhood Storage Box) w/C/K10953
			WOCK10953 FLOOR COVERING:
N/A	!	BG9	Full Floor, Rubber, Color-Keyed (Replaces Carpeting and Floor Mats) (N/A BYP Sport Pkg) wCK10*03 wCK10*53
	N/A	830	Carpet Floor Covering wCK10*03 wCK10*53
į	N/A	832	Floor Mats (Regs B30 Floor Covering)
1	N/A	B33	Floor Mats (N/A YG4 Seat Delete) (Regs B30 Carpet, B32 Floor Mats and C-K * * * 53)
		AJ1	GLASS: Deep Tinted Solar-Ray (C-K10*03 Reqs A28 Sliding Rear Window) (When C49 Defogger is Specified, Rear Window is Light Tint Glass) C10*03wlA28
			w/C49 w/oC49
			GVWR: (Must Specify One) (Refer GVWR Selector Chart for Availability)
		C5M	6100#
		048	6200#
		C5S C5U	6600# 6800#
N/A		AUO	KEYLESS ENTRY: Remote
			w/ISC
		VK3	w/o1SC LICENSE PLATE BRACKET: Front
	×	AU3	LOCKS: Power door
		1	MIRRORS:
		DF2	Camper Type. Stainless Steel 7.5" W x 10.5" H, Exterior (N/A BYP Sport Pkg) w/1SB or 1SC w/1SA w/1SA
N/A		007	10" Electrochromic ISRV with 8 Point Compass, Interior
			w/ISC w/ISB
	×	885	MOLDING: Exterior, Bright (Incls Bright Wheel Opening w/E63 Fleetside) (N/A BYP PKG) w/1SB or 1SC or R9B
		Į	w/E62 and 1SA w/o R9B
		Ī	w/E63 and 1SA w/o R9B
			PAINT, EXTERIOR: (Refer Color/Trim Chart for Availability)
	<u> </u>	ZYI	Solid
N/A	<u> </u>	ZY2	Conventional Two-Tone
N/A	1	ZY4	Deluxe Two-Tone (N/A E62 Body) RADIO EQUIPMENT:
	×	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape
			w/1SB, 1SC or RSA w/1SB
N/A		υω	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System)
N/A		UNO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (w/Silverado Decor Incls an Enhanced Performance Speaker System)
N/A		UPO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Seerch and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (w/Silverado Decor Incls an Enhanced Performance Speaker System) (Regs M30 or MT1 Trans)
	N/A	UL5	Radio Delete
N/A		AG9	SEAT: Power Driver's Seat (N/A Vinyl Trim or A52 Bench Seat) (N/A C-K 10°03) w1SC w/o 1SC
	N/A	YG4	SEAT DELETE: Rear (N/A C-K10°03) SEAT TYPE: (Refer Color/Trim Chart for Availability)
		A52	Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/o Leather w/Leather

REVISED: 8-19-96

1997 ORDER GUIDE

**C/K 1500 PICKUP** 

### C/K 1500 PICKUP CHEYENNE/SILVERADO

#### **ADDITIONAL OPTIONS**


		ADDITIONAL OPTIONS
CHEY- SILVER-	OPTION	
EMME ADO	OFTION	SEAT TYPE: (Continued)
	AE7	Reclining 60/40 Split Bench Seat (Incis Storage Armrest and Power Lumbar vi/Custom Cloth or Leather Trim) w:15C
		Extended Cab
		w/1SA or 1SB w/o Leather w/1SB and Leather
		Regular Cab w/1SAor1SB w/o Leather
	A95	w/1SBand Leather * Reclining High Back Bucket Seats (Incls Power Lumbar and Floor Console; Also Includes Overhead
	~33	Console on Extended Cab) Extended Cab
		w/1SC w/1SBand Cloth w/1SBand Leather
		Regular Cab w/1SB and Cloth
		w/15Band Leather SHOCK ABSORBERS:
	FG5	Front and Rear, Gas, 46MM, Bilstein (N/A 4-Wheel Drive) (N/A Z82 Trailering on Ext Cab Models)
	F51	Front and Rear, Heavy Duty (N/A Z71 Off-Road Chassis ) (Incl w/Z82 Trailering or VYU Snow Plow Pkg) w/Z82 or VYU
	NZZ	w/o Z82 or VYU  SKID PLATE: Off-Road (K1500 Only) (Incls Front Differential and Transfer Case Shield)  (Incl w/Z71 Off-Road Chassis)  w/Z71
		wioZ71
	VYU	SNOW PLOW PREP PACKAGE: (K1500 Only) (N/A Diesel Eng) (GU6 Axle w/o Z82 Trailering Regs KC4 Eng Oil Cooler) (N/A CK10*53) (w/o Z71 Off-Road Package Incls F60 Front Springs and F51 Shock Absorbers) (GU6 Axle N/Aw/Z71 On/Off Road Pkg)
		wZ71 w/oZ71
	F60	SPRINGS: Front, Heavy Duty (K1500 Only) (N/A Diesel Eng or Z71 Off-Road Chassis) (Incl w/VYU Snow Plow Pkg) w/VYU w/o VYU
	V76	TIRES: Tubeless, Steel Belted Radial (Refer Tire Chart for Availability; Vehicle Price Schedule for Prices) TOW HOOKS: Two Front (Standard on K1500 Models) (N/A BYP Pkg on C1500 Model)
	<b>Z</b> 82	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Trailer Hitch Platform) (w/o Z71 or FG5 Incls F51 Shock Absorbers) (Incls KC4 Eng Oil Cooler w/o GT4 Axle or Diesel Eng) (C-K10903 or C-K10953 Regs VB3 or V43 Bumper) (C10**3 w/L35 Eng Regs GU6 Axle) (Regs Automatic Trans) (K10**3 w/Z71 Off Road Pkg and L30 Eng Regs GT4 Axle) (N/A Extended Cab w/FG5)
		With Diesel Engine or GT4 Axle w/Z71 or VYU
		w/o Z71 or VYU Without Diesei Engine or GT4 Axle w/VYU or Z71
		w/oVYUcrZ71  TRANSFER CASE: Electronic Shift Control, 2-Speed (Regs 4-Wheel Drive and Automatic Transmission)
	NP1	(Regs ZQ3 Convenience Pkg or Silverado Decor) (K10°53 Regs MT1 Trans) TRANSMISSIONS: (Refer Power Teams Chart for Availability)
	MG5	5-Speed Manual with Overdrive, Light Duty
ļ	M50	5-Speed Manual with Overdrive, Light Duty
1	M30	4-Speed Electronically Controlled Automatic with Overdrive
	MT1	4-Speed Electronically Controlled Automatic with Overdrive, Heavy-Duty
X	P06	WHEEL TRIM: Rally Wheel Trim w/1SB, 1SC or R9B w/ISA
	N9O	WHEELS: (Spare is Base Steel) Aluminum (C1500 Only)
	1,00	w/BYP w/1SB,1SCarw/R9B
	PF4	w/1SA and w/o R98 Aluminum (K1500 Only) w/BYP
		w/1SB, 1SC or R9B w/1SA and w/o R9B
	N83	Chrome Wheel (C1500 Only) w/BYP w/1SB, 1SC or R9B
	1	w/1SA and w/o R9B
	A28	WINDOWS: Sliding Rear (N/A C49 Defogger)

C/K 1500 PICKUP


#### 1997 ORDER GUIDE

**REVISED: 8-19-96** 


#### C/K 1500 PICKUP **PAINT APPLICATIONS** WITH ZY1, ZY2 AND ZY4 PAINT SCHEMES (ZY4 N/A w/E62 BODY CODE)



SOLID PAINT - ZY1 (w/E63 Fleetside)




SOLID PAINT - ZY1 (w/E62 Sportside)



CONVENTIONAL TWO-TONE PAINT-ZY2 (w/E63 Fleetside)

CONVENTIONAL TWO-TONE PAINT-ZY2 (w/E62 Sportside)



DELUXE TWO-TONE PAINT - ZY4 (Reqs E63 Fleetside) (Incls Decal Striping)

**REVISED: 12-16-96** 

1997 ORDER GUIDE

**C/K 1500 PICKUP** 

#### C/K 1500 PICKUPS INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT SCHEMES

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)		SEAT	INTERIOR COLORS				
Seat Type	OPT	Neutral	Blue	Gray	Red		
CHEYENNE/X81 WORK TRUCK PKG (STD DEC REGULAR CAB	COR)						
Vinyl Bench Seat	i	A52	52V	26∨	13V	79V	
Cloth Bench Seat		A52	52C	26C	13C		
EXTENDED CAB Vinyl Reclining Split Bench Seat		AE7	52V	26∨	137/	79V	
Cloth Reclining Split Bench Seat		AE7	52C	26C	13C	79C	
		7,127					
SILVERADO DECOR REGULAR CAB Vinyl Bench Seat		A52	52V		13V_	79V	
Custom Cloth Bench Seat		A52	52D	26D	13D	790	
Custom Leather Bench Seat		A52	522	262	132	792	
Custom Cloth Reclining Split Bench Seat	1	AE7	52D	26D	13D	79D	
Custom Leather Reclining Split Bench Seat		<u>AE7</u>	522	262	132	792	
Custom Cloth Reclining High Back Bkt Seats		A95	52D	26D	13D	790	
EXTENDED CAB Vinyl Reclining Split Bench Seat		AE7	52V	26V	13V	79V	
Custom Cloth Reclining Split Bench Seat		AE7	52D	26D	13D	79D	
Custom Leather Reclining Split Bench Seat		AE7	522	262	132	792	
Custom Cloth Reclining High Back Bkt Seats		A95	52D	26D	13D	79D	
Custom Leather Reclining High Back Bkt Seats		A95	522	262	132	792	
EXTERIOR COLORS	Color Code	PAINT SCHEME		INATIONS	& EXTERIO SHOWN TIONS AV	ARE TH	
AUTUMNWOOD, LT (Metallic)	55U_	ZY1	×		<u> </u>		
BLACK, ONYX	41∪	ZY1	×		×	x	
BLUE, GREEN MED (Metallic)	35U	ZY1	x	<u></u>	X	<b>├</b> ──	
BLUE, LT (Metallic)	27U 25U	ZY1		×	x	<del></del>	
BLUE, ROYAL MED (Metallic)	ZY1	×	×	x	<del> </del>		
GREEN, EMERALD (Metallic)	ZY1	×	ļ	X	<b>├</b>		
QUICKSILVER (Metallic)	ZY1	ļ	X	×	X		
RED, CARMINE DK (Metallic)	51U	ZY1	X		×	x	
RED. CARMINE DR (INDIONIE)							
RED, VICTORY	74U	ZY1	×	L	×	X	

Leather on Seating Surface Only

#### C/K 1500 PICKUPS INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **ZY2 PAINT SCHEMES**

#### REQUIRES E62/E63 BODY - N/A X81 WORK TRUCK OR BYP SPORT TRUCK

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interi	or Color)		SEAT		INTERIO	R COLOR	S
Seat Type	OPT	Neutral	Blue	Gray	Red		
SILVERADO DECOR			· [				
REGULAR_CAB			· [		1 1		
Vinyl Bench Seat			A52	52V	267	13/	791/
Custom Cloth Bench Seat			A52	52D	26D	130	79D
* Custom Leather Bench Seat			A52	522	262	132	792
Custom Cloth Reclining Split Bench Seat		- "-	AE7	52D	26D	13D	79D
<ul> <li>Custom Leather Reclining Split Bench Seat</li> </ul>			AE7	522	262	132	792
Custom Cloth Reclining High Back Bkt Sea	ets		A95	52D	26D	130	79D
EXTENDED CAB							
Vinyl Reclining Split Bench Seat			AE7	52V	267	13/	79√
Custom Cloth Reclining Split Bench Seat			AE7	52D	26D	13D	79D
<ul> <li>Custom Leather Reclining Split Bench Seat</li> </ul>	<del></del>		AE7	522	262	132	792
Custom Cloth Reclining High Back Bkt Sea			A95	52D	26D	13D	79D
* Custom Leather Reclining High Back Bkt S			A95	522	262	132	792
		<del></del>					
	Color	Color	PAINT				
EXTERIOR COLORS	Code 1	Code 2	SCHEME				
Autumnwood, Lt (Met)/Red, Carmine Dk (Met)	55U	51L	ZY2	х			×
Black, Onyx/Autumnwood, Lt (Met)	41U	55L	ZY2	x			
Black, Onyx/Quicksilver (Met)	41U	96L	ZY2	i		×	x
Black, Onyx/Red Victory (Met)	41U	74L	ZY2	×		x	l x
Blue, Green Med (Met)/Autumnwood, Lt (Met)	35U	55L	ZY2	x			
Blue, Green Med (Met)/Quicksilver (Met)	35∪	96L	ZY2			x	
Blue, Lt (Met)/Quicksilver (Met)	27U	96L	ZY2		×	×	
Blue, Royal Med (Met)/Autumnwood, Lt (Met)	25U	55L	ZY2	x	×		
Blue, Royal Med (Met)/Quicksilver (Met)	25U	96L	ZY2	-	×	x ·	ł
Green, Emerald (Met)/Autumnwood, Lt (Met)	43U	55L	ZY2	×			
Green, Emeraid (Met)/Quicksilver (Met)	43U	96L	ZY2	_ [		x	1
Quicksilver (Met)/Black, Onyx	96U	41L	ZY2			<del>-</del>	×
Quicksilver (Met)/Blue, Lt (Met)	96U	27L	ZY2		×	x	"
Quicksilver (Met)/Blue, Royal Med (Met)	96U	25L	ZY2		x x	x	
Quicksilver (Met)/Green, Emerald (Met)	96U	43L	ZY2			x	1
Quicksilver (Met)/Red, Carmine Dk (Met)	96U	51L	ZY2			x	*
Quicksilver (Met)/Red, Victory (Met)	96U	74L	ZY2			x	
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L	ZY2	×			×
Red, Carmine Dk (Met)/Quicksilver (Met)	51U	961	ZY2	^		x	Î
Red, Victory/Autumnwood, Lt (Met)	74U	55L	ZY2	х		^	<del>- ^</del> -
Red, Victory/Autumnwood, Lt (Met) 740 55L 1		ZY2	x		x	×	
Red, Victory/Black, Onlyx Red, Victory/Quicksilver (Met)	74U	96L	ZY2	· *			<b>*</b>
White, Summit/Autumnwood, Lt (Met)	50U	55L	ZY2			X	Η
White, Summit/Autumnwood, Lt (Met) White, Summit/Blue, Lt (Met)	50U	27L	ZY2	×	x		l
· · · · · · · · · · · · · · · · · · ·	50U	27L 25L	ZY2			X	l
White, Summit/Blue, Royal Med (Met)		1			x	x	l .
White, Summit/Red, Carmine Dk (Met)	50U	51L	ZY2				x

Leather on Seating Surface Only

#### C/K 1500 PICKUPS INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **ZY4 PAINT SCHEMES** (ZY4 N/A X81 WORK TRUCK OR BYP SPORT TRUCK) (REQUIRES E63 BODY)

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Sest Option and Interior Color)	SEAT	INTERIOR COLOR				
Seat Type	OPT	Neutral	Blue	Gray	Red	
SILVERADO DECOR	l i	1				
REGULAR CAB Vinyl Bench Seat	A52	52V _	267	13V	79V	
Custom Cloth Bench Seat	A52	52D	26 D	13D	79 D	
Custom Leather Bench Seat	A52	522	262	132	792	
Custom Cloth Rectining Split Bench Seat	AE7	52 D	26 D	13D	79D	
Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792	
Custom Cloth Reclining High Back Bucket Seats	A95	52D	26 D	13D	79 D	
EXTENDED CAB Vinyl Reclining Split Bench Seat	AE7_	52V	26V	13V	79V	
Custom Cloth Rectining Split Bench Seat	AE7	52D	26D	13D_	79D	
* Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792	
Custom Cloth Reclining High Back Bucket Seats	A95	52 D	26 D	13D	79 D	
Custom Leather Reclining High Back Bucket Seats	A95	522	262	132	792	

Custom Leatner Reclining Fight back book					INTERIOR	&-EXTERIO	R	STRIPE COLORS
EXTERIOR COLORS	Color Code 1	Color Code 2	PAINT SCHEME		NATIONS S			Tap-Lower/Center
			l		[			Beige/Autumnwood
Autumnwood, Lt (Met)/Blue, Green Med (Met)	55U	35L	ZY4	x	1			Beige/Autumnwood
Autumnwood, Lt (Met)/Green, Emerald (Met)	55U	43L	ZY4	x	1			Beige/Autumnwood
Autumnwood, Lt (Met)/Red, Carmine Dk (Met)	5 <b>5</b> U	51L	ZY4	x	[		x	Beige/Black
Autumnwood, Lt (Met)/Red, Victory (Met)	55U	74L	ZY4	X	<u> </u>		L	Beige/Black
Black, Onyx/Autumnwood, Lt (Met)	41U	55L	ZY4	x	1			
Black, Onyx/Quicksilver (Met)	41U	96L	ZY4		1	×	×	Gunmetal/Silver
Black, Onyx/Red, Victory (Met)	41U	74L	ZY4	x	]	ļ	ļ	Beige/Black
Black, Onyx/Red, Victory (Met)	410	74L	ZY4		<u> </u>		<u>×</u> _	Cunmetal/Silver
Blue, Green Med (Met)/Autumnwood, Lt (Met)	35U	55L	ZY4	×	<b>i</b> '	1	i	Beige/Autumnwood
Blue, Green Med (Met)/Quicksilver (Met)	350	96L	ZY4			X		Green/Silver
Blue, Lt (Met)/Quicksilver (Met)	27U	96L	ZY4		x	x	L	Lt Indigo/Dk Indigo
Blue, Royal Med (Met)/Autumnwood, Lt (Met)	25U	55L	ZY4	×		1		Eeige/Black
Blue, Royal Med (Met)/Auturnitwood, Et (Met)	25U	96L	ZY4		x	<u>x</u>		Gunmetal/Silver
Blue, Royal Med (Met)/Quicksilver (Met)	43U	96L	ZY4			×	,	Green/Silver
Green, Emerald (Met)/Quicksilver (Met)	43U	55L	ZY4	! ×		<u>L</u>	l	Beige/Black
Green, Emerald (Met)/Autumnwood, Lt (Met)	96U	41L	ZY4			×	×	Gunmetal/Silver
Quicksilver (Met)/Black, Onyx	960	27L	ZY4		x	x	1	()k Indigo/Lt Indigo
Quicksilver (Met)/Blue, Lt (Met)	96U	35L	ZY4	]	Į.	l x		Green/Silver
Quicksilver (Met)/Blue, Green Med (Met)	960	25L	ZY4		l x	l x	i	Gunmetal/Silver
Quicksilver (Met)/Blue, Royal Med (Met)	96U	43L	ZY4	{		×		Gunmetal/Silver
Quicksilver (Met)/Green, Emerald (Met)		51L	ZY4	ł		ı v	×	Gunmetal/Silver
Quicksilver (Met)/Red, Carmine Dk (Met)	<u>96U</u>	55L	ZY4			T		Beige/Autumnwood
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	510		ZY4	^		1	l x	Beige/Silver
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L		1	i	x	×	Gunmetal/Silver
Red, Carmine Dk (Met)/Quicksilver (Met)	510	96L	ZY4	<del>                                     </del>	<del></del> -	<del>  _ ^ -</del>	<del>  ~~</del>	Beige/Black
Red, Victory/Autumnwood, Lt (Met)	74U	55L	ZY4	×	i	I		Beige/Black
Red, Victory/Black, Onyx	740	41L	ZY4	1	1	×		'Sunmetal/Silver
* Red, Victory/Quicksilver (Met)	74U	96L	ZY4	1	į.	×	X	
* Red, Victory/White, Summit	740	50L	ZY4		1	×	×	Gunmetal/Silver
^ Red, Victory/White, Summit	74U	l 50 <u>L</u>	ZY4	X		<u> </u>	┸	3eige/Black


Leather on Seating Surface Only

REVISED: 12-16-96

#### C/K1500 SPORT TRUCK PICKUP INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **WITH ZY1 PAINT**

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior C	SEAT	INTERIOR COLORS			
Seat Type	OPT	Neutral	Gray	Red	
Vinyl Bench Seat		A52	52V	13V	79√
Custom Leather Bench Seat		A52	522	132	792
Custom Cloth Reclining Split Bench Seat	AE7	52D	13D	79D	
Custom Leather Reclining Split Seat	AE7	522	132	792	
Custom Cloth Reclining High Back Bkt Seat	Custom Cloth Reclining High Back Bkt Seat			13D	79D
EXTERIOR COLORS	Color Code	Paint Scheme	COMBINAT	IOR & EXTER IONS SHOWN BINATIONS A	ARE THE
BLACK, ONYX	410	ZY1	x	×	×
RED, VICTORY	740	ZY1	x	×	
WHITE, SUMMIT	ZY1	х	×	×	



SOLID PAINT - ZY1

## **NOTES**

C/K 1500 PICKUP

1997 ORDER GUIDE

REVISED: 8-19-96

### 1997 NEW PRODUCT HIGHLIGHTS

#### CK2500 PICKUP

AIR BAG FOR FRONT PASSENGER ON ALL VEHICLES BELOW 8600# GVW

SPEED SENSITIVE POWER STEERING

NATURAL GAS PROVISIONS (OPT KL6) ON C20903

DEALERS WILL BE REQUIRED TO ORDER OPTION YG6 (AIR CONDITIONING NOT DESIRED) IF AIR CONDITIONING IS NOT ORDERED OR IS NOT STANDARD.

THREE NEW COLORS. GREEN BLUE METALLIC, ROYAL BLUE METALLIC AND DARK CARMINE RED METALLIC.

<u>.</u>	 		 		
				·	
			•		
ı					

#### 2500 PICKUP EQUIPMENT SUMMARY

STANDARD INTERIOR FE	ATURES		
		CHEYENNE	SILVERADO S
AIR BAGS:	DRIVER'S SIDE & PASSENGER (FRONT) (UNDER 8600 (DUAL IN DASH	GVWR) S S	S
CUPHOLDERS: DOOR BEAMS:	SIDE IMPACT	S	S
GAGES:	TRIP ODOMETER, OIL PRESSURE, VOLTMETER	3	J
GAGES.	AND TACHOMETER	s	s
GLASS:	SOLAR RAY TINTED, ALL WINDOWS	S	Š
JACK:	WITH WHEEL WRENCH	Š	Š
INSULATION:	UNDER DASH & FLOOR COVERING	S	Š
LIGHTING:	DOME W/LH & RH DOOR SWITCH W/DELAYED ENTRY	Ŭ	ŭ
Eldittilles.	FEATURE, READING ASHTRAY, GLOVE-BOX,		
	UNDERHOOD & CARGO LAMPS	s	S
POWER POINTS:	DUAL COVERED	Š	S
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	S	S
SEAT BELTS:	ADJUSTABLE HEIGHT, FRONT	S	S
	KEY-IN-IGNITION BUZZER	S	S
	· · · · · · · · · · · · · · · · · · ·		
CTANDADD SYTEDIOD SE	ATURE		
STANDARD EXTERIOR FE	ATORES	CHEYENNE	SILVERADO
AIR DAM:	DARK ARGENT (UNDER 8600 GVW)	S	S
LAMPS:	DAYTIME RUNNING	S	S
FLARES:	WHEEL OPENING (K2500 W/C6P ONLY)	S	S
SPARE TIRE:	FULL SIZE TIRE & WHEEL, W/WINCH TYPE	_	_
	CARRIER MOUNTED UNDER REAR FRAME	S	S
TAILGATE:	REMOVABLE	S	S
TOW HOOKS:	TWO FRONT ON 4X4 MODELS	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S S	s s
WIRE HARNESS:	7 LEAD TRAILERING REAR QUARTER SWING-OUT (EXT CAB ONLY)	s S	S
WINDOW:	REAR QUARTER SWING-OUT (EXT CAB DINEY)	3	3
STANDARD CHASSIS FEA	ATURES	CHEYENNE	SILVERADO
BATTERY:	HEAVY-DUTY 600 CCA	S	S
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM		
	4-WHEEL ANTI-LOCK	S	S
ENGINE:	VORTEC 5000 V8 SFI (W/CC20903 & CC20753)	S	S
	VORTEC 5700 V8 SFI (W/O CC20903 & CC20753)	Ş	S
EXHAUST SYSTEM	1: STAINLESS STEEL	S	s
FUEL TANK:	25 GAL W/SHORT BOX MODELS	S	S
	34 GAL W/LONG BOX MODELS	S	s
GENERATOR:	100 AMP	S	S
STEERING:	SPEED SENSITIVE. POWER (EVO)	S	s s
STORAGE BOX:	UNDERHOOD, COVERED	S	S S
SUSPENSION FRT:	INDEPENDENT COIL W/2WD	S	S
	INDEPENDENT TORSION BAR W/4X4	S	
SUSPENSION RR:	MULTI-LEAF SPRINGS	S S	S S
TRANSMISSION:	5-SPEED MANUAL W/OVERDRIVE	3	J

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

REVISED: 8-19-96 1997 ORDER GUIDE C/K 2500 PICKUP

## 2500 PICKUP TRIM DEFINITION & OPTION SUMMARY

INTERIOR TRIM		CHEYENNE	SILVERADO
· · · · · · · · · · · · · · · · · · ·		CHET ENINE:	S
AIR CONDITIONING:	PASSENGER	s	\$ \$
ASSIST HANDLES:	POWER WINDOWS AND LOCKS		S
CONVENIENCE GP:	TILT W: EEL AND CRUISE CONTROL		S
2002 7044	MOLDED PLASTIC W/ARMREST	S	
DOOR TRIM:	····	3	s
	COLOR-KEYED CLOTH AND CARPET TRIMMED		S
FLOOR COVERING:	COLOR-KEYED CARPET		
	COLOR-KEYED RUBBER	S	
	RUBBER FLOOR MATS		S
HEADLINER:	COLOR-KEYED CLOTH	S	S
INSULATION:	ADDITIONAL SOUND-DEADENING		S
MAP POCKETS:	IN PASSENGER AND DRIVER'S DOOR	S	S
RADIO:	AM/FM STEREO W/SEEK-SCAN AND CLOCK	S	
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND		
	CASSETTE TAPE		S
SEATING:	CLOTH BENCH		S
	VINYL BENCH (N/A EXT CAB)	S	
	CLOTH 60/40 SPLIT BENCH (EXT CAB)		S
	VINYL 60/40 SPLIT BENCH (EXT CAB)	s	
STEERING WHEEL:	SIMULATED LEATHER	S	
<b>3,122,</b>	LEATHER WRAPPED		S
STORAGE TRAY:	FULL WIDTH BEHIND SEAT		S
SUNSHADES:	CLOTH COVERED WILH STORAGE STRAP, WIRH MIRROR	S	s

EXTERIOR TRIM	СН	EYENNE	SILVERADO
BUMPER FRT:	CHROME	S	
Boilin Err Titte	CHROME W/BLACK RUB STRIP		S
BUMPER RR:	CHROME W/STEP PAD		S
GRILLE:	MOLDED, PAINTED ARGENT	S	
OTTLEE.	CHROME DELUXE		S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	S	
· · · · · · · · · · · · · · · · · · ·	DUAL COMPOSITE - HALOGEN		S
HORN:	SINGLE NOTE	S	
	DUAL NOTE	••	S
MIRRORS:	BREAK-A-WAY OSRV, BLACK	S	
	ELECTRIC, REMOTE CONTROL, BLACK		S
MOLDINGS:	BODY SIDE WITH BRIGHT TRIM AND		
	BRIGHT WHEEL OPENING TRIM (C2500 OR K2500 W/O C6)	P}	S
NAMEPLATES:	CHEYENNE BADGE ON B-PILLAR	S	
<u>-</u>	SILVERADO BADGE ON B-PILLAR		\$
PAINT:	SINGLE TONE	S	
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	
	RALLY WHEEL TRIM		S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

C/K 2500 PICKUP 1997 ORDER GUIDE REVISED: 8-19-96

#### MODEL AND BODY

Description	Model No	Body	Wheel Base	Description	Model No	Body	Wheel Base
2-WHEEL-DRIN	/E MODEL			4-WHEEL-DR	VE MODEL	<u> </u>	=
Fleetside	. CC20903	E63	131.5	Fleetside	CK20903	E63 & C6P	131.5
Fleetside	. CC20903	E63 & C6F	131.5	Fleetside,			
Fleetside,				Ext Cab	CK20753	E63 & C6P	141.5
Ext Cab	. CC20753	E63	144.5	_ Fleetside,			
Fleetside,				Ext Cab	CK20953	E63 & C6P	155.5
Ext Cab	. CC20953	E63 & C6F	155.5				

<sup>\*</sup>Includes Destination & Handling Charges

#### **EMISSIONS (Must Specify One) (Refer Emission Requirements Section)**

FE9 Federal Emission Requirements

YF5 California Emission Requirements

NG1 New York/Massachusetts Emission Requirements

NB8 California or New York/Massachusetts Emission Override (Regs FE9 Federal Emissions)

NC7 Federal Emission Override (Regs YF5 California or NG1 New York/Massachusetts Emissions)

#### **GVWR SELECTOR (Must Specify GVW Option)**

				Minimum Equipment Required for GVW Rating
GVW	gvw			
Option	Rating	G	AWR*	
Required	(lbs)	Front	Rear	
	C20903			
C5Z	7200	3150	4670	Regs L30 or L31 Eng
C5Z	7200	3400	4670	Regs L56 Eng
C6P	8600	3600	6000	Regs C6P & YHH or YGK
	K20903			
C6P	8600	4250	6000	Regs C6P & YHH or YGK
	C20753			
C5Z	7200	3600	4670	N/A L65 Eng
	C20953			
C6P	8600	3600	6000	Regs C6P & YHH or YGK
K2	0753/K209	53		
C6P	8600	4250	6000	Regs C6P & YHH or YGK

<sup>\*</sup>GAWR's shown are the minimum for each axie with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axie, springs or tires.

# POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TR	ANSMISSION		AXLE		GVWR
	5-SP	AUTO	3.42	3.73	4.10	
	Lt Duty / H Duty	Lt Duty / H Duty				
CC20903						
L30 Vortec 5000 V8	MG5		(a) GU6	(a) GT4		7200
(305 Cu in)-SFI		M30	GU6	GT4		7200
L31 Vortec 5700 V8						
(350 Cu In)-SFI	M50	M30	GU6	GT4		7200
L31 Vortec 5700 V8 H.	D. MW3			(a) GT4	(a) GT5	8600
(350 Cu In)-SFI		MT1		GT4	GT5	8600
L29 Vortec 7400 V8 H.	D. MW3			(a) GT4	(a) GT5	8600
(454 Cu In)-SFi		MT1		GT4	GT5	8600
L56 Turbo Diesel 6.5 Lit	er V8					
(400 Cu In)		MT1	(a) GU6	(a) GT4		7200
L65 Turbo Diesel 6.5 Lit	er V8 H.D.					
(400 Cu In)	MW3	MT1		GT4	GT5	8600
—— CK20903		···				
L31 Vortec 5700 V8 H.I	D. <u>MW3</u>			(a) GT4	(a) GT5	8600
(350 Cu In)-SFI		MT1		GT4	GT5	8600
L29 Vortec 7400 V8 H.I	DMW3			(a) GT4	(a) GT5	8600
(454 Cu In)-SFI		MT1		GT4	GT5	8600
L65 Turbo Diesel 6.5 Lit	er V8 H.D.					
(400 Cu In)	MW3	MT1		GT4	GT5	8600

(a) N/A YF5 California Emissions

# POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

NGINE	TR	ANSMISSION		AXLE			GVWR
	5-SP	AUTO	3.42	3.73	4.10		
	Lt Duty / H Duty	Lt Duty / H Duty					
L30 Vortec 5000 V8	MG5	<u></u>	(a) GU6				7200
(305 Cu In)-SFI		M30	GU6	GT4			7200
L31 Vortec 5700 V8							
(350 Cu In)-SFI	M50	M30	GU6	GT4			7200
L56 Turbo Diesel V8							
6.5 Liter (400 Cu In)		MT1	(a) GU6	(a) GT4	••		7200
CC20953							
L31 Vortec 5700 V8 H.D	). MW3			(a) GT4	(a) GT5		8600
(350 Cu In)-SFI		MT1		GT4	GT5		8600
L29 Vortec 7400 V8 H.D	). MW3				(a) GT4	(a) GT5	8600
(454 Cu In)-SFI		MT1			GT4	GT5	8600
L65 Turbo Diesel H.D.							
6.5 Liter V8 (400 Cu In)	MW3	MT1		GT4	GT5		8600
CK20753 /CK2095	3						
L31 Vortec 5700 V8 H.	D <u>. MW3</u>			(a) GT4	(a) GT5		8600
(350 Cu In)-SFI		<u>MT</u> 1		GT4	GT5		8600
L29 Vortec 7400 V8 H.D	oMW3				(a) GT4	(a) GT5	8600
(454 Cu In)-SFI		MT1			GT4	GT5	8600
L65 Turbo Diesel H.D.							
6.5 Liter V8 (400 Cu In)	MW3	MT1		GT4	GT5		8600

(a) N/A YF5 California Emissions

C/K 2500 PICKUP 1997 ORDER GUIDE REVISED: 8-19-96

Page 4
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP
Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used in Discussing Vehicle Prices With Potential
Buyers. The Model Prices Shown in The Order Guide Include The Destination Preight Charges,

#### CAPACITIES

C20903		K20903	
SPRINGS:	AXLES:	SPRINGS	AXLES
-rant	-rant	=ront	Front
3150 Base	3150 Base	4250 w/C6P	4250 w/C6P
3400 w/Diesei Eng	3400 w/Diesel Eng		
3600 w/C6P	3800 w/C6P		
a ear	Rear	Rear	Rear
-800 Base	4800 Base	4800 Base	4800 Base
5084 w/C6P	6000 w/C6P	6084 w/C6P	6000 w/C6P
		. •	
C20753-C20953	· · · · · · · · · · · · · · · · · · ·	K20953	
	AVIEC	K20953	AVICE
SPRINGS:	AXLES:	K20953 SPRINGS:	AXLES:
C20753-C20953  SPRINGS:	Front	K20953 SPRINGS: Front	Front
SPRINGS:	Front 3600 Base	K20953 SPRINGS: Front 3925 Base	Front 3925 Base
SPRINGS:	Front	K20953 SPRINGS: Front	Front
SPRINGS:	Front 3600 Base 3800 w/C6P Rear	K20953  SPRINGS: Front 3925 Base 4250 w/C6P	Front 3925 <b>Base</b> 4250 w/C6P Rear
SPRINGS: Front 3600 Base	Front 3600 Base 3800 w/C6P	K20953  SPRINGS: Front 3925 Base 4250 w/C6P	Front 3925 <b>Base</b> 4250 w/C6P

### TIRES: (Must Specify Front and Rear) (Spare Tire and Tire Carrier Included) (Spare Matches Rear Tire)

	All Se	ason	(	n-Off Road	
Description	Front	Rear	Front	Rear	
C20903					
TUBELESS Steel Belted Radial					
a)LT225/75R16-D B/W	XHP	YHP			
a}LT225/75R16-D B/W	XHP	=		YHR	
LT245/75R16-E B/W	хнн	YHH			
LT245/75R16-E B/W	хнн			YGK	
K20903		_			
TUBELESS Steel Belted Radial					
LT245/75R16-E B/W			XGK	YGK	
LT245/75R16-E B/W	XHH	YHH			
C20753					
TUBELESS Steel Belted Radial					
LT225/75R16-D B/W	XHP	YHP			
LT225/75R16-D B/W	XHP			YHR	
LT245/75R16-E B/W	XHH	YHH			
LT245/75R16-E B/W	XHH			YGK	
C20953					
TUBELESS Steel Belted Radial					
LT245/75R16-E B/W	XHH	YHH			
LT245/75R16-E B/W	XHH			YGK	
K20753-K20953					
TUBELESS Steel Belted Radial					
LT245/75R16-E B/W			XGK	YGK	
LT245/75R16-E B/W	хнн	YHH			

(a) N/A C6P 8600 GVWR

WOL = White Outlined Letter B/W = Blackwall

C/K 2500 PICKUP

Page 6

Prices Shown Are Manufacturer's Suggested Reteil Prices (MSRP) At The Time Of Publication, These Prices Are To Be Used Only As An Aid To Inventory Man agement Since MSRP Prices Shown Are Manufacturer's Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Patential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

#### MUST SPECIFY:

#### **AXLE, EMISSION, ENGINE, TIRES AND TRANSMISSION**

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Custom Ordering Options Listing.

#### Reg & Ext Decar

	CHEYENNE	SILVE	ADO .
	1 S A	T S B	1 \$ C
CHEYENNE DECOR	x x	 x	 x
SILVERADO DECOR		x	×
SILVERADO DECOR (Leather) Regular Cab			•
Extended Cab			
Keyless Entry AUO			x
Mirror, 10" Electrochromic ISRV w/8 Point Compass			x
Seat, Power (A) AG9			x
Trim, Leather (B)			x

(A) Extended Cab Only

(B) Must Specify Trim Color. May Upgrade to A95 Seat on Extended Cab

# **Preferred Equipment Group Prices**

#### **Preferred Equipment Group Prices**

N.C. 1SA

**PEG Savings** 

w/R9A & R9B

\*\*(-500.00) w/R9A

\*\*(-700.00)

\*\*(-200.00) w/R9B or R9C

w/o R9A, R9B or R9C N.C.

\*\*(-750.00) 1SB or 1SC

<sup>\*\*</sup>PEG Savings Amount represents the savings for Preferred Equipment Groups.

#### **REGULAR CAB MARKETING PACKAGES**

CONVENIENCE PACKAGE ORDERING OPTION = R9A (Regs Peg 1SA)

Incls:

C60 Air Conditioning UM6 Radio w/Cassette ZQ3 Tilt and Cruise

BRIGHT APPEARANCE PACKAGE

4-Wheel Drive 2-Wheel Drive

ORDERING OPTION = R9B

(Reqs Peg 1SA)

incis :

**B85 Body Side Moldings** 

V22 Chrome Grille

VB3 Chrome Rear Step Bumper VG3 Chromed Front Bumper

P06 Wheel Trim

COMMERCIAL OPTION PACKAGE

2-Wheel Drive

4-wheel Drive Diesel Eng

4-Wheel Drive Gas Eng

ORDERING OPTION = R9C

(Reqs Peg 1SA) (N/A R9B Bright Appearance Pkg)

Incls:

**BZY Bedliner** 

E63 Fleetside

V43 Painted Step Bumper

F60 HD Front Springs (K Models Only)

V76 Tow Hooks (C Models Only)

NZZ Skid Plate (K Models Only)

A28 Sliding Rear Window

# **EXTENDED CAB MARKETING PACKAGES**

CONVENIENCE PACKAGE ORDERING OPTION = R9A

(Regs Peg 1SA)

Incls:

C60 Air Conditioning UM6 Radio w/Cassette ZQ3 Tilt and Cruise

BRIGHT APPEARANCE PACKAGE

4-Wheel Drive 2-Wheel Drive

ORDERING OPTION = R9B

(Regs Peg 1SA)

incis :

**B85 Body Side Moldings** 

V22 Chrome Grille

VB3 Chrome Rear Step Bumper

VG3 Chromed Front Bumper

PO6 Rally Wheels

COMMERCIAL OPTION PACKAGE

2-Wheel Drive

4-Wheel Drive Diesel Eng

4-Wheel Drive Gas Eng

ORDERING OPTION = R9C

(Regs Peg 1SA) (N/A R9B Bright Appearance Pkg)

Incis :

**BZY Bedliner** 

E63 Fleetside

V43 Painted Step Bumper

F60 HD Front Springs (K Models Only)

V76 Tow Hooks (C Models Only)

NZZ Skid Plate (K Models Only)

A28 Sliding Rear Window

#### **ADDITIONAL OPTIONS**

INCL W/DECOR

W/D	ECOR	•	
CHEY-	SILVER- ADO	OPTION	
CHRE	AD0	1	ACKNOWLEDGEMENTS:
		R8S	Multiple Order Numbers
		RST	Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
		K47	AIR CLEANER: High Capacity (N/A L56 Eng)
			AIR CONDITIONING: (One Of The Following Options Must Be Ordered w/PEG 1SA w/o Convenience Pkg R9A
		YG6	Air Conditioning Not Desired
	×	C60	Air Conditioning: (Incls R134A Refrigerant)
			w/1SBor 1SC or R9A w/1SA
	×	V22	APPEARANCE PACKAGE: (Incls Chrome Grille, Composite Halogen Headlamps and Dual Horns)
			w/1SB, 1SC or R9B
			WISA
		GU6	AXLES, REAR: (Refer Power Teams Chart for Availability) 3.42 Ratio (Incls Eng Oil Cooler w/Diesel Eng)
		GT4	3.73 Ratio (Incis Eng Oil Cooler)
		-,	w/C6P
			w/C5Z
		GT5	4.10 Ratio (Incis Eng Oil Cooler)
		G80	Locking Differential (N/A GU6 Axda)
		TP2	BATTERY: Heavy-Duty, Auxiliary (Reqs L29, L30, or L31 Eng) (Deletes Underhood Storage Box)
		BZY	BEDLINER: Under Rail w/R9C
			w/o R9C
		E63	BODY: Fleetside
			BUMPER EQUIPMENT: (Vehicles registered in certain states must have a rear bumper to be operated on
	ŀ		their roads. Consult your local laws.) (Cheyenne Decor does not include a Rear Bumper)
N/A		EF1 VB3	Bumper Delete Provisions:
	×	VB3	Bumper, Chromed. Rear Step w/Rub Strip (Reqs VG3 Bumper or Silverader Decor) w/1SB.1SC or R9B
			w/o 1SB, 1SC or R9B
	×	VG3	Bumper, Chromed. Front Deluxe w/Rub Strip
		1	w/1SB, 1SC or R9B
			w/o 1SB, 1SC or R9B
	N/A	V43	Bumper, Painted. Rear Step w/R9C
	1	1	w/oR9C
	į	V10	COLD-CLIMATE PACKAGE: (Incls Eng Block Heater) (Diesel Eng Regs Base Decor and Regular Cab)
	×	ZQ3	CONVENIENCE GROUP: Tilt-Wheel and Speed Control
			w/1SB, 1SC or R9A
			w/o 1SB, 1SC or R9A  COOLING SYSTEM: (Incl: w/Z82 Trailering Where Available) (Engine Oil Cooler Comparible to KC4 is
	1		Standard w/o GU6 Axie)
	1	KC4	Engine Oil (N/A Diesel Eng. GT4 Axte or C5P GVW)
			w/Z82
			w/oZ82
		KNP	Transmission, Heavy-Duty Auxiliary (Regs L31 Eng & M30 Trans) (Incl w/MT1 Trans or w/Z82 Trailering when L31 Eng and M30 Trans are ordered)
	İ		w/MT1 or w/Z82 & Auto Trans
			w/oMT1 or w/oZ82 & Auto Trans
N/A		C49	DEFOGGER: Electric Rear Window (N/A A28 Window or C-K20903)
		FE9	EMISSIONS: (Refer Emission Requirement Tab Section)
		YF5	Federal Emission Requirements California Emission Requirements
		NGI	New York/Massachusetts Emission Requirements
		NB8	California or New York/Massachusetts Emission Override (Regs FE9 Federal Emissions)
		NC7	Federal Emission Override (Regs YF5 California or NG1 New York/Massachusetts Emissions)
	1	130	ENGINES: (Refer Power Teams Chart for Availability)  Vortec 5000 V8 (305 Cu in)—SFI
		131	Vortec 5700 V8 (350 Cu in)SFI
		]	w/C6P
			w/o C6P
		L29 L56	Vortec 7400 V8 (454 Cu in)— SFI 6.5 Liter V8 Turbo Diesel (400 Cu in) (Deletes Underhood Storage Box)
		L65	6.5 Liter V8 Turbo Diesel (400 Cu in)
		KL5	Alternative Fuel (LPG and CNG Conversion Ready) (Regs L31 Eng, C6P GVW and Auto Trans) (N/A C20753)
		1	( dam Values )
	1	1	THEMIUM VAIVES
	-	1	HARDEN VALVES SEATS)
		1	
	<u> </u>	_	

REVISED: 8-19-96

# **ADDITIONAL OPTIONS**

INCL W/DECOR

		DECOR		
	CHEY-	SILVER-		
١	ENNE	ADO	OPTION	
Ī				FLOOR COVERING:
	N/A		BG9	Full Floor, Rubber, Color-Keyed (Replaces Carpeting and Floor Mats) (N/A BYP Sport Pk(i) wC-K10°03
١	J	N/A	530	wCX10*53 Carpet Floor Covering
i		1974	220	WCK10*03 WCK10*53
		N/A	B32	Floor Mats, Front (Regs B30 Floor Covering)
٠		N/A	833 AJ1	Floor Mats, Rear (N/A YG4 Seat Delete) (Regs B30 Carpet, B32 Floor Mats and C-K***53) GLASS: Deep Tinted Solar-Ray (With C49 Defogger, Rear Window is Light Tint Glass) (C-K20903 Regs A28 Stiding Rear Window)
		:		C***03:WAZ8 C***53:WC49 w/o C49
1				GVWR: (Must Specify One) (Refer GVWR Selector Chart for Availability)
ı		<b>j</b>	C5Z	7200#
٠	N/A	!	C6P AUO	8600# KEYLESS ENTRY: Remote
	11/6			w/ISC w/o ISC
į			U01	LAMPS: Roof Marker (N/A YF5 Calif Emissions)
		31/4	VK3	LICENSE PLATE BRACKET: Front LOCKS: Power Door
		N/A	AU3	w/1SBor1SC
i		1		w/o 1SB or 1SC
				MIRRORS:
	!		DF2	Camper Type. Stainless Steel, 7.5" W x 10.5" H, Exterior w/1SBor 1SC w/1SA
	N/A	1	DD7	10" Electrochromic ISRV with 8 Point Compass, Interior
				witsc witsb
		×	B85	MOLDING: Exterior, Bright (Incls Body Side and Wheel Opening) (K2500 w/C6P Incls Body Side MIdg Only) w/1SB, 1SC or R9B K2500
	1			C2500
				PAINT, EXTERIOR: (Refer Color and Trim Chart for Availability)
	1		ZY1	Solid
	N/A N/A		ZY2 ZY4	Conventional Two-Tone Deluxe Two-Tone
	"			RADIO EQUIPMENT:
٠.	ĺ	×	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Taps w/1SB, 1SC or R9A w/1SA w/o R9A
	N/A		میں ا	Electronically Tuned AM/FM Stereo Radio w/Sesk-Scan, Digital Clock, Automatic Tone Control,
	""			Cassette Tape, Theft Lock and Speed Compensated Volume (Incis an Enhanced Performance Speaker System)
	N/A		UNO	Electronically Tuned AM/FM Stereo Radio w/Seak-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (w/Silverado
				Decor Incis an Enhanced Performance Speaker System)
	N/A		UPO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control.  Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed
		İ		Compensated Volume (w/Silverado Decor Incis an Enhanced Performance Speaker System) (Regs M30 or MT1 Trans)
	ļ	N/A	ULS	Radio Delete
	N/A		AG9	SEAT: Power Driver's Seat (N/A Vinyl Trim or A52 Bench Seat) (N/A C-K 20903) w/1SC
		N/A	YG4	w/o1SC SEAT DELETE: Rear (N/A C-K20903)
	ļ	ĺ	452	SEAT TYPE: (Refer Color/Trim Chart for Availability)  Bench Seat (Incis Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)
	1		A52	w/1SA or 1SB w/o Leather
	İ		AE7	Reclining 60/40 Split Bench Seat (Incis Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISC
				Extended Cab w/1SA or 1SB w/o Leather
	:		1	w/1SBand Leather Regular Cab
	1			w/1SA or 1SB w/o Leather w/1SB and Leather
				TI, TO B BITS COULTO
	4	1	ŀ	


# C/K 2500 PICKUP

# **ADDITIONAL OPTIONS**


W/D	ECOR		
CHEY-	SILVER-		
ENNE	ADO	OPTION	
			SEAT TYPE: (Continued)
		A95	Rectining High Back Bucket Seats (Incls Power Lumbar and Floor Console; Also Includes Overhead
1	1 1		Console on Extended Cah)
			Extended Cab
į.			w1sc
1			w/1SBand Cloth
			w/1SBand Leather
l l			Regular Cab
ĺ			w/1SBand Cloth
			w/1SBand Leather
l		NZZ	SKID PLATE: Off-Road (K2500 Only) (Incls Front Differential and Transfer Case Shield)
			w/R9C
			w/o R9C
		VYU	SNOW PLOW PREP PACKAGE: (K20903 Only) (GU6 Axle w/o Z82 Trailering
			Reas KC4 Cooling) (Incls F60 H.D. Front Springs)
ŀ	l i		w/R9C
			w/o R9C
	lÌ	F60	SPRINGS, FRONT: Heavy Đưty (K2500 Only) (Incl w/VYU Snow Plow)
			w/R9C or VYU
			w/o R9C or VYU
ŀ		. ~~	TIRES: (Refer Tire Chart for Availability; Vehicle Price Schedule for Prices)
		∨76	TOW HOOKS: Two Front (Standard on K2500 Models)
			w/R9C w/o R9C
		Z82	
	<b>.</b>	202	TRAILERING SPECIAL EQUIPMENT: Heavy-Duty (Incls Trailer Hitch Platform) (w/C-K209*3 or K20753 w/o Silverado Decor Regs VB3 or V43 Bumper) (w/GU6 Axle Incls KC4 Cooling
1	i I		w/o Dieset Eng)
	j !		(N/A MG5 or M50 Trans)
			w/GT4 or C6P or Diesel
	l		w/o GT4 or C6P or Diesel
i	[	NP1	TRANSFER CASE: Electronic Shift Control, 2-Speed (Regs 4-Wheel Drive and Automatic Transmission)
	<b>!</b>		(Regs ZQ3 Convenience Pkg or Silverado Decor)
			TRANSMISSIONS: (Refer Power Teams Chart for Availability)
	i i	MG5	5-Speed Manual with Overdrive, L.D.
		M50	5-Speed Manual with Overdrive
ľ	i I	MW3	5-Speed Manual with Deep Low and Overdrive. Heavy-Duty
	1		w/C6P or Diesel Eng
		M30	w/o C6P or Diesel Eng 4-Speed Electronically Controlled Automatic with Overdrive
	1 1	MT1	4-Speed Electronically Controlled Automatic with Overdrive . Heavy-Duty
	1 x 1	P06	WHEEL TRIM: Rally Wheel Trim
	"		w/ISB, ISC or R98
			WISA
1		A28	WINDOWS: Sliding Rear (N/A C49 Defogger)
	}		w/R9C
			w/o R9C

INCL

# C/K 2500 PICKUP **PAINT APPLICATIONS** WITH ZY1, ZY2 AND ZY4 PAINT SCHEMES




SOLID PAINT - ZY1



CONVENTIONAL TWO-TONE PAINT - ZY2

CONVENTIONAL TWO-TONE PAINT - ZY2 K2500 w/C6P



DELUXE TWO-TONE PAINT - ZY4 (Includes Body Striping)

DELUXE TWO-TONE PAINT - ZY4 (Includes Body Striping) K2500 w/C6P

#### C/K 2500 PICKUP

#### 1997 ORDER GUIDE

**REVISED: 8-19-96** 

ridge 12
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication, These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication, These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP
Figures Change Periodically. The Vehicle Prices Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used in Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

# C/K 2500 PICKUP INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT SCHEMES

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)		SEAT		INTERIOR	R COLORS	\$
Seat Type		OPT	Neutrai	Blue	Gray	Red
CHEYENNE (STD DECOR)	•			ĵ		
REGULAR CAB		1				
Vinyl Bench Seat		A52	52V	26V	13/	79V
Cloth Bench Seat		A52	52Ç	26C	13C	79C
EXTENDED CAB	<u></u>					
Vinyl Reclining Split Bench Seat		AE7	52V	26V	13/	79V
Cloth Reclining Split Bench Seat		AE7	52C	26C	13C	79C
SILVERADO DECOR						
REGULAR CAB		ļ	1	l		
Vinyl Bench Seat		A52	52V	26V	13/	79V
Custom Cloth Bench Seat		A52	52D	26D	130	79D
Custom Leather Bench Seat		A52	522	262	132	792
Custom Cloth Reclining Split Bench Seat		AE7	52D	26D	130	79D
<ul> <li>Custom Leather Reclining Split Bench Seat</li> </ul>		AE7	522	262	132	792
Custom Cloth Reclining High Back Bkt Seats		A95	52D	26D	130	79D
EXTENDED CAB						
Vinyl Reclining Split Bench Seat		AE7	52V	26V	13/	79V_
Custom Cloth Reclining Split Bench Seat		AE7	52D	26D	130	79D
* Custom Leather Reclining Split Bench Seat		AE7	522	262	132	792
Custom Cloth Reclining High Back Bkt Seats		A95	52D	26D	130	79D
* Custom Leather Reclining High Back Bkt Seats		A95	522	262	132	792
			žN.	TERIOR &	FYTERIOR	
	Color	PAINT			OWN ARE	THE
CYTERIAR COLORG	0.4	CUMENT				

		<u> </u>	1		1	ì	J
EXTERIOR COLORS	Color Code	PAINT SCHEME	Wheel Flare Colors Avail or Std on 4-WD 8600 GVWR				
^ AUTUMNWOOD, LT (Metallic)	55U	ZY1	x				Autumnwood, Lt
BLACK, ONYX	41U	ZY1	×		×	×	Black, Onyx
^ BLUE, GREEN MED (Metallic)	35∪	ZY1	×		. х		Dk Argent
BLUE, LT (Metallic)	270	ZY1		x	×		Dk Argent
BLUE, ROYAL MED (Metallic)	250	ZY1	х	×	х		Blue, Royal Med
GREEN, EMERALD (Metallic)	430	ZY1	×		×		Dk Argent
QUICKSILVER (Metallic)	960	ZY1		×	х	×	Quicksilver
RED, CARMINE DK (Metallic)	510	ZY1	×	1	×	×	Red, Carmine Dk
RED, VICTORY	740	ZY1	x		x	×	Dk Argent
WHITE, SUMMIT	500	ZY1	x	x	×	х	Dk Argent

<sup>\*</sup> Leather on Seating Surface Only

# C/K 2500 PICKUP INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **ZY2 PAINT SCHEMES**

TRIM LEVEL (Must Specify Seat Option and Interio	or Color)		SEAT	I.	NTERIOR	COLOR		
Seat Type	DI CO.O.,		OPT	Neutral	Blue	Gray	Red	
SILVERADO DECOR								
REGULAR CAB								
Vinvi Bench Seat			A52	1 52V	26V	13/	79V	
Custom Cloth Bench Seat			A52	52D	26D	13D	79D	
* Custom Leather Bench Seat			A52	522	262	132	792	
Custom Cloth Reclining Split Bench Seat			AE7	52D	26D	13D	79D	[
<ul> <li>Custom Leather Reclining Split Bench Seat</li> </ul>			AE7	522	262	132	792	1
Custom Cloth Reclining High Back Bkt Sea	ats		A95	52D	26D	13D	79D	
EXTENDED CAB								
Vinyl Reclining Split Bench Seat			AE7	52V	26V	13/	79V	,
Custom Cloth Reclining Split Bench Seat			AE7	52D	26D	13D	79D	1
<ul> <li>Custom Leather Reclining Split Bench Seat</li> </ul>			AE7	522	262	132	792	1
Custom Cloth Reclining High Back Bkt Sei			A95	52D	26D	13D	79D 792	
<ul> <li>Custom Leather Reclining High Back Bkt S</li> </ul>	eats		A95	522	262	132	/92	
			1			Į.		ļ
						1		1
	<del></del>				INTERIOR 8	EVTERIOR		
	Color	Color	PAINT	00000	NATIONS S			Wheel Flare Colors
EXTERIOR COLORS	Code 1	Code 2	SCHEME		OMBINATI			Jivaš or Std on (a) 4-WD
				ONLY	OMBINATI	UNS AVA		
Autumnwood, Lt (Met)/Red, Carmine Dk (Met)	55U	51L	ZY2	×			x	Red, Carmine Dk
Black, Onyx/Autumnwood, Lt (Met)	41U	55L	ZY2	×				Autumnwood, Lt
Black, Onyx/Quicksilver (Met)	41U	96L	ZY2			x	×	Quicksilver
^ + Black, Onyx/Red Victory (Met)	41U	74L	ZY2	×		x	×	N/A
Blue, Green Med (Met)/Autumnwood, Lt (Met)	<b>35</b> U	55L	ZY2	×				Autumnwood, Lt
Blue, Green Med (Met)/Quicksilver (Met)	35U	96L	ZY2			×	ļ.——	Quicksilver
Blue, Lt (Met)/Quicksilver (Met)	27U	96L	ZY2		x	x	<u> </u>	Quicksilver Autumnwood, Lt
Blue, Royal Med (Met)/Autumnwood, Lt (Met)	25U	55L	ZY2	x	x		]	Quicksilver
Blue, Royal Med (Met)/Quicksilver (Met)	25U	96L	ZY2	ļ	X	<u> </u>	<del></del>	Autumnwood, Lt
Green, Emerald (Met)/Autumnwood, Lt (Met)	43U	55L	ZY2	×			l	Quicksilver
Green, Emerald (Met)/Quicksilver (Met)	43U	96L	ZY2	ļ		X	×	Black, Onyx
Quicksilver (Met)/Black, Onyx	96U	41L	ZY2	l		X	1 *	N/A
+ Quicksilver (Met)/Blue, Lt (Met)	96U	27L 25L	ZY2 ZY2	<u> </u>	X	X X	}	Blue, Royal Med
Quicksilver (Met)/Blue, Royal Med (Met)	96U		ZY2 ZY2	]		x	ļ .	N/A
+ Quicksilver (Met)/Green, Emerald (Met)	96U	43L		l	1		x	Red. Carmine Dk
Quicksilver (Met)/Red, Carmine Dk (Met)	96U	51L	ZY2 ZY2	1		x x	^	N/A
+ Quicksilver (Met)/Red, Victory (Met)	96U	74L		<del></del>	<del> </del>		x	Autumnwood, Lt
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L	ZY2	x	1		×	Quicksilver
Red, Carmine Dk (Met)/Quicksilver (Met)	510	96L	ZY2	<del></del>	<del> </del>	X	<del>  ^</del>	Autumnwood, Lt
Red, Victory/Autumnwood, Lt (Met)	74U	55L	ZY2 ZY2	×		l	×	Black, Onvx
Red, Victory/Black, Onyx	74U	41L		×	i	X	^	Quicksilver
Red, Victory/Quicksilver (Met)	74U	96L	ZY2		<del> </del>	x	<del> </del>	Autumnwood, Lt
White, Summit/Autumnwood, Lt (Met)	500	55L	ZY2	×	] .	l .		N/A
+ White, Summit/Blue, Lt (Met)	50U	27L	ZY2 ZY2		X	X	1	Blue, Royal Med
White, Summit/Blue, Royal Med (Met)	50U	25L	ZY2 ZY2		×	^	x	Red. Carmine Dk
White, Summit/Red, Carmine Dk (Met)	50U	51L	412	ļ.		l	L_^	neu, carilina sk

<sup>\*</sup> Leather on Seating Surface Only + N/A K3500

**REVISED: 12-16-96** 

# **C/K 2500 PICKUP** INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **ZY4 PAINT SCHEMES**

PLEASE NOTE: Below are the interior trim color and exterior cambinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

RIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT	INTERIOR COLORS					
Seat Type	OPT	Neutrai	Blue	Gray	Red		
SILVERADO DECOR							
REGULAR CAB							
Vinyl Bench Seat	A52	52V	26V	13/	79V		
Custom Cloth Bench Seat	A52	52D	26D	130	79D		
Custom Leather Bench Seat	A52	522	262	132	792		
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	130	79D		
* Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792		
Custom Cloth Reclining High Back Bkt Seats	A95	52D	26D	130	79D		
EXTENDED CAB							
Vinyi Reclining Split Bench Seat	AE7 _	52V	26V	13/	79V		
Custom Cloth Reclining Split Bench Seat	AE7	52D	26D	130	79D		
Custom Leather Reclining Split Bench Seat	AE7	522	262	132	792		
Custom Cloth Reclining High Back Bkt Seats	A95	52D	26D	130	79D		
* Custom Leather Reclining High Back Bkt Seats	A95	522	262	132	792		
!		!	!	1 1			

EXTERIOR COLORS	Color Code 1	Calar Code 2	PAINT SCHEME		INTERIOR &	SHOWN A	RE THE	STRIPE COLORS Top-Lower/Center
Autumnwood, Lt (Met)/Blue, Green Med (Met)	55U	35L	ZY4	×			ĺ	Beige/Autumnwood
Autumnwood, Lt (Met)/Green, Emeraid (Met)	55U	43L	ZY4	x				Beige/Autumnwood
Autumnwood, Lt (Met)/Red, Carmine Dk (Met)	55U	51L	ZY4	x			×	Beige/Autumnwood
Autumnwood, Lt (Met)/Red, Victory (Met)	55U	74L	ZY4	×			1	Beige/Black
Black, Onyx/Autumnwood, Lt (Met)	41U	55L	ZY4	×				Beige/Black
Black, Onyx/Quicksilver (Met)	41U	96L	ZY4		1	×	×	Gunmetal/Silver
* Black, Onyx/Red, Victory (Met)	41U	74L	ZY4	x				Beige/Black
* Black, Onyx/Red, Victory (Met)	41U	74L	ZY4		1	×	×	Gunmetal/Silver
Blue, Green Med (Met)/Autumnwood, Lt (Met)	35U	55L	ZY4	×	<del></del>			Beige/Autumnwood
+ Blue, Green Med (Met)/Quicksilver (Met)	35U	961	ZY4		<u> </u>	x		Green/Silver
+ Blue, Lt (Met)/Quicksilver (Met)	27U	96L	ZY4		x	×		Lt Indigo/Dk Indigo
Blue, Royal Med (Met)/Autumnwood, Lt (Met)	25U	55L	ZY4	x				Beige/Black
Blue, Royal Med (Met)/Quicksilver (Met)	25U	96L	ZY4		x	×		Gunmetal/Silver
+ Green, Emeraid (Met)/Quicksilver (Met)	43U	96L	ZY4			x	1	Green/Silver
+ Green, Emerald (Met)/Autumnwood, Lt (Met)	43U	55L	ZY4	×				Beige/Black
Quicksilver (Met)/Black, Onyx	96U	41L	ZY4			×	x	Gunmetal/Silver
Quicksilver (Met)/Blue, Lt (Met)	96∪	27L	ZY4		×	×		Dk Indigo/Lt Indigo
Quicksilver (Met)/Blue, Green Med (Met)	96U	35L	ZY4			×		Green/Silver
Quicksilver (Met)/Blue, Royal Med (Met)	96U	25L	ZY4		x	×		Gunmetal/Silver
Quicksilver (Met)/Green, Emerald (Met)	96U	43L	ZY4		1	×		Gunmetal/Silver
Quicksilver (Met)/Red, Carmine Dk (Met)	96U	51L	ZY4			x	х	Gunmetal/Silver
* Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L	ZY4	x			•	Beige/Autumnwood
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L	ZY4				x	Beige/Silver
Red, Carmine Dk (Met)/Quicksilver (Met)	51U	96L	ZY4			x	x	Gunmetal/Silver
^ + Red. Victory/Autumnwood, Lt (Met)	74U	55L	ZY4	х	1			Beige/Black
Red, Victory/Black, Onyx	74U	41L	ZY4			×		Beige/Black
^ + Red, Victory/Quicksilver (Met)	74U	96L	ZY4			x	×	Gunmetal/Silver
^ ÷ Red, Victory/White, Summit	74U	50L	ZY4			x	×	Gunmetal/Silver
+ Red, Victory/White, Summit	74U	50L	ZY4	×	1	l		Beige/Black

<sup>\*</sup> Leather on Seating Surface Only

+ N/AK2500 w/C6P

Available	or Std on 4-WD 8600	
	GVWR	
25U .	Blue, Royal Med	
27U	N/A	
35U	N/A	
41U	Black, Onyx	
43U	N/A	
51U	Red, Carmine Dk	
55U	Autumnwood, Lt	
74U	N/A	
96U	Quicksilver	

**REVISED: 12-16-96** 

1997 ORDER GUIDE

C/K 2500 PICKUP

**NOTES** 

1997 ORDER GUIDE

C/K 2500 PICKUP

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

# 1997 NEW PRODUCT HIGHLIGHTS

# CK3500 PICKUP

SPEED SENSITIVE POWER STEERING

DEALERS WILL BE REQUIRED TO ORDER OPTION YG6 (AIR CONDITIONING NOT DESIRED) IF AIR CONDITIONING IS NOT ORDERED OR IS NOT STANDARD.

THREE NEW COLORS. GREEN BLUE METALLIC, ROYAL BLUE METALLIC AND DARK CARMINE RED METALLIC.

	1	-
	·	

# 3500 PICKUP EQUIPMENT SUMMARY

STANDARD INTERIOR FEA	ATURES		
0.17.10.10.500	DUAL IN DAGU		SILVERADO
CUPHOLDERS: DOOR BEAMS:	DUAL IN DASH SIDE IMPACT	s s	S S
GAGES:	TRIP ODOMETER, OIL PRESSURE, VOLTMETER	3	3
GAGES.	AND TACHOMETER	s	s
GLASS:	SOLAR RAY TINTED, ALL WINDOWS	S	s
JACK:	WITH WHEEL WRENCH	Š	s
INSULATION:	UNDER DASH & FLOOR COVERING	Š	Š
LIGHTING:	DOME W/LH & RH DOOR SWITCH W/DELAYED ENTRY		
	FEATURE, READING, ASHTRAY, GLOVE-BOX,		
	UNDERHOOD & CARGO LAMP	S	S
POWER POINTS:	DUAL COVERED	S	S
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	S	S
SEAT BELTS:	ADJUSTABLE HEIGHT, FRONT	S	S
WARNING TONE:	KEY-IN-IGNITION BUZZER	S	s
STANDARD EXTERIOR FE	ATURES	CHEYENNE	SILVERADO
FLARES:	FRONT WHEEL OPENING (K3500 ONLY)	S	S
LAMPS:	DAYTIME RUNNING	S	S
SPARE TIRE:	FULL SIZE TIRE & WHEEL, W/WINCH TYPE		_
	CARRIER MOUNTED UNDER REAR FRAME	S	S
TOW HOOKS:	TWO FRONT ON 4X4 MODELS	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	s
	7 LEAD TRAILERING REAR QUARTER SWING-OUT (EXT CAB ONLY)	S S	S S
WINDOW:	REAR QUARTER SWING-OUT (EXT CAB ONLY)	3	3
STANDARD CHASSIS FEA	ATURES	CHEYENNE	SILVERADO
BATTERY:	HEAVY-DUTY 600 CCA	S	S
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM	J	Ū
Divineo.	4-WHEEL ANTI-LOCK	s	S
ENGINE:	VORTEC 5700 V8 SFI	s	S
EXHAUST SYSTEM	: STAINLESS STEEL	S	S
FUEL TANK:	34 GAL	S	S
GENERATOR:	100 AMP	S	S
STEERING:	SPEED SENSITIVE, POWER (EVO)	S	s s s
	UNDERHOOD, COVERED	S	S
SUSPENSION FRT:	INDEPENDENT COIL W/2WD	S	S
	INDEPENDENT TORSION BAR W/4X4	S	S
	MULTI-LEAF SPRINGS	S	S
TRANSMISSION:	5-SPEED MANUAL W/DEEP LOW & OVERDRIVE	s	S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

REVISED: 8-19-96 1997 ORDER GUIDE

C/K 3500 PICKUP

# **3500 PICKUP** TRIM DEFINITION & OPTION SUMMARY

INTERIOR TRIM		CHEYENNE	SILVERADO
AIR CONDITIONING:			S
ASSIST HANDLES:	PASSENGER	s	S
CONVENIENCE GP:	POWER WINDOWS AND LOCKS		\$
30,112.112.112	TILT WHEEL AND CRUISE CONTROL		S
DOOR TRIM:	MOLDED PLASTIC W/ARMREST	S	
	COLOR-KEYED CLOTH AND CARPET TRIMMED		S
FLOOR COVERING:	COLOR-KEYED CARPET		S
	COLOR-KEYED RUBBER	S	
	RUBBER FLOOR MATS		S
HEADLINER:	COLOR-KEYED CLOTH	S	S
INSULATION:	ADDITIONAL SOUND-DEADENING		S
MAP POCKETS:	IN PASSENGER AND DRIVER'S DOOR	S	S
RADIO:	AM/FM STEREO W/SEEK-SCAN AND CLOCK	S	
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND		
	CASSETTE TAPE		S
SEATING:	CLOTH BENCH		S
	VINYL BENCH (N/A EXT CAB)	S	
	CLOTH 60/40 SPLIT BENCH (EXT CAB)		S
	VINYL 60/40 SPLIT BENCH (EXT CAB)	S	
STEERING WHEEL:	SIMULATED LEATHER	S	
	LEATHER WRAPPED		S
STORAGE TRAY:	FULL WIDTH BEHIND SEAT		S
SUNSHADES:	CLOTH COVERED W/LH STORAGE STRAP, W/RH MIRROR	S	S

XTERIOR TRIM		CHEYENNE	SILVERADO
BUMPER FRT:	CHROME	S	
20	CHROME W/BLACK RUB STRIP		S
BUMPER RR:	CHROME W/STEP PAD		S
GRILLE:	MOLDED, PAINTED ARGENT	S	
Geee.	CHROME DELUXE		S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	S	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DUAL COMPOSITE - HALOGEN		S
HORN:	SINGLE NOTE	S	
11011111	DUAL NOTE		S
MIRRORS:	BREAK-A-WAY OSRV, BLACK	S	
	ELECTRIC, REMOTE CONTROL, BLACK		S
MOLDINGS:	BODY SIDE WITH BRIGHT TRIM AND		
	BRIGHT WHEEL OPENING TRIM (C3500 & R04)		S
NAMEPLATES:	CHEYENNE BADGE ON B-PILLAR	S	
117117127 117122	SILVERADO BADGE ON B-PILLAR		S
PAINT:	SINGLE TONE	S	S
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	RALLY WHEEL TRIM		S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

C/K 3500 PICKUP

1997 ORDER GUIDE

**REVISED: 8-19-96** 

rage 2
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used in Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

#### **MODEL AND BODY**

## (Regs R05 Dual or R04 Single Rear Wheels)

Description	Model No	Body	Wheel Base
2-WHEEL-DRIVE	MODEL		
Fleetside	CC30903**	E63	131.5
Fleetside,			
Ext Cab	CC30953	E63	155.5

Description	Model No	Body	Wheel Base
4-WHEEL-DRIV	VE MODEL		
` Fleetside	CK30903**	E63	131.5
Fleetside,			
Ext Cab	. CK30953	E63	155.5

# **EMISSIONS (Must Specify One) (Refer Emission Requirements Section)**

FE9 Federal Emission Requirements

YF5 California Emission Requirements

NG1 New York/Massachusetts Emission Requirements

NB8 California or New York/Massachusetts Emission Override (Regs FE9 Federal Emissions)

NC7 Federal Emission Override (Regs YF5 California or NG1 New York/Massachusetts Emissions)

# \* GVWR SELECTOR (MUST SPECIFY GVW OPTION)

				Minimum Equipment Required for GVW Rating
<b>GVW</b>	gvw			
Option	Rating	(	SAWR*	
Required	(lbs)	Front	Rear	
	C30903			
C6U	9000	3600	6084	Regs R04 Wheels and YGK or YHH Tires
C7A	10000	3600	7500	Regs R05 Wheels; N/A KL5 Eng
	K30903			
C6W	9200	4250	6084	Regs RO4 Wheels and YGK or YHH Tires
C7A	10000	4250	7500	Regs R05 Wheels
	C30953			
C7A	10000	3600	7500	None
	K30953			
C7A	10000	3750	7500	None

<sup>\*</sup>GAWR's shown are the minimum for each axie with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axie, springs or tires.

#### **CAPACITIES**

C30903	
SPRINGS:	AXLES:
Front	Front
3600 Base	3800 Base
Base	
3800 w/R05	3800 w/R05
Rear	Rear
6084 Base	6084 Base
Base	
7500 w/R05	7500 w/R05
C30953	
SPRINGS:	AXLES:
Front	Front
3600 Base	3800 Base
Rear	Rear
7500 Base	7500 Base

<u>K30903</u>			
SPRINGS	3:	AXLES	
Front		Front	
4250	Base	4250	
Rear		Rear	
6084	Base	6084	
7500	w/R05	7500	w/R05
K30953			
SPRINGS	3:	AXLES	
Front		Front	
4250	) Base	4250	Base
Rear		Rear	
7500	Base	7500	Base

**REVISED: 8-19-96** 

1997 ORDER GUIDE

C/K 3500 PICKUP

<sup>\*</sup> Includes Destination & Handling Charges

<sup>\*\*</sup> Reqs R05 Dual or R04 Single Rear Wheels

# POWER TEAMS (Must Specify Engine, Transmission and Rear Axie)

(Consult GVWR Selector For Minimum Equipment Required)

	ENGINE	TRANSMISSION		(LE	GVWR
	5-SP	AUTO	4.10	4.56	
	H Duty	H Duty			
31 Vortec 5700 V8	MW3		(a) GT5		9000
350 Cuin)-SFI		MT1	GT5		9000
5700V0	MW3		(a) GT5		10000
31 Vortec 5700 V8 350 Cu In)-SFI		MT1 .	GT5	(a) HC4	10000
240019	MW3		(a) GT5		9000
.29 Vortec 7400 V8 454 Cu ln)—SFI	101003	MT1	GT5		9000
29 Vortec 7400 V8	WW3	<del></del>	(a) GT5	(a) HC4	10000
.29 Vortec 7400 V 8 454 Cu in)-SFI		MT1	GT5	(a) HC4	10000
.65 Turbo Diesel 6.5 Liter V8 H.D.					
400 Culn)	MW3	MT1	GT5		9000/10000
СК30903					
	MW3		(a) GT5		9200
_31 Vortec 5700 V8 (350 Cu In)SFI	101442	MT1	GT5		9200
_31 Vortec 5700 V8	EWM.		(a) GT5		10000
350 Cu in)-SFI	MING	MT	GT5		10000
L29 Vortec 7400 V8	MW3		(a) GT5		9200
(454 Cu In)-SFI		MT1	GT5		9200
L29 Vortec 7400 V8	MW3		(a)GT5	(a) HC4	10000
(454 Cu In)-SFI		MT1	GT5	(a) HC4	10000
L65 Turbo Diesel 6.5 Liter V8 H.D.		151	GT5		9200/10000
(400 Cu ln)	MW3	<b>M</b> T1			
—— CC30953					
L31 Vortec 5700 V8	MW3		(a) GT5	(a) HC4	10000
(350 Cu ln)-SFI	-	MΤΊ	GT5	(a) HC4	1000
L29Vortec 7400V8	MW3		(a) GT5	(a) HC4	10000
(454 Culn)—SFI		MT1	GT5	HC4	10000
£65 Turbo Diesel 6.5 Liter V8 H.D.					
(400 Culn)	WW3	MT1	GT5	-	10000
CK30953					
L31 Vortec 5700 V8	WW3		(a) GT5		10000
(350 Cu In)-SFI		MT1	GT5		10000
L29Vortec 7400V8	MW3		(a) GT5	(a) HC4	10000
(454 Cu in)-SFI		MT1	GT5	(a) HC4	10000
L65 Turbo Diesel 6.5 Liter V8 H.D.					10000
(400 Culn)	WW3	MT1	GT5	••	i

(a) N/A YF5 California Emissions

C/K 3500 PICKUP

1997 ORDER GUIDE

**REVISED: 8-19-96** 

Page 4
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP
Prices Change Periodically. The Vehicle Price Schedule is The Official Prices With Potential
Figures Change Periodically. The Vehicle Prices With Potential
Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

TIRES: (Must Specify Front and Rear) (Spare Tire and Tire Carrier Included) (Spare Matches Rear Tire)

	On-Off Road						
		Single	Dual ,		Single	Dual	
Description	Front	Rear	Rear	Front	Rear	Rear	
C30903 - C30953						· <del>· · · · · · ·</del>	
TUBELESS Steel Beited Radial							
LT215/85R16-D B/W	** XYK		YYK				
LT225/75R16-D B/W	• XHP		YHP				
LT225/75R16-D B/W	• XHP					YHR	
LT245/75R16-E B/W	* XHH	YHH					
LT245/75R16-E B/W	XHH				YGK		
K30903 - K30953							
TUBELESS Steel Belted Radial							
LT215/85R16-D B/W	* * XYK		YYK				· · · · ·
)LT215/85R16-D B/W		·		XYL		YYL	
LT225/75R16-D B/W				XHR		YHR	
LT225/75R16-D B/W	* XHP		YHP				
)LT245/75R16-E B/W	. XHH	YHH					
)LT245/75R16-E B/W				XGK	YGK		

<sup>\*</sup> All Seasons \*\* Highway (a) N/A K30953

<sup>(</sup>b) Reqs F60 Front Springs

#### MUST SPECIFY:

# AXLE, EMISSION, ENGINE, TIRES AND TRANSMISSION

Additional Upgrades, Deletions (Where Indicated) Options may be Ordered from the Custom Ordering Option Listing.

Reg & Ext Decor

	CHEYENNE	SILVERADO	
	S A	1 S B	1 S C
CHEYENNE DECOR	x x	 x	 x
SILVERADO DECOR		x	x
SILVERADO DECOR (Leather) Extended Cab			
Regular Cab         AUO           Keyless Entry         DD7           Mirror, ISRV         DD7           Seat, Power (A)         AG9           Trim, Leather (B)         AE7			x x x x

<sup>(</sup>A) Extended Cab Only

### Preferred Equipment Group Prices

# **Preferred Equipment Group Prices**

\*\*(-750.00) 1SB or 1SC

N.C. 1SA

PEG Savings

\*\*(-700.00) w/R9A & R9C

\*\*(-500.00) w/R9A \*\*(-200.00) w/R9B or R9C

N.C.

w/o R9A, R9B or R9C

**REVISED: 8-19-96** 

<sup>(</sup>B) Must Specify Trim Color: May Upgrade to A95 Seat on Extended Cab

<sup>• •</sup> PEG Savings Amount represents the savings for Preferred Equipment Groups.

#### **REGULAR CAB MARKETING PACKAGES**

CONVENIENCE PACKAGE . ORDERING OPTION = R9A (Reqs Peg 1SA)

incts :

C60 Air Conditioning UM6 Radio w/Cassette ZQ3 Tilt and Cruise

BRIGHT APPEARANCE PACKAGE

·v/R05

2-Wheel Drive w/R04 4-Wheel Drive w/R04

ORDERING OPTION = R9B

(Regs Peg 1SA)

Incls:

885 Body Side Moldings (w/o Dual Rear Wheels)

V22 Chrome Grille

VB3 Chrome Rear Step Bumper VG3 Chromed Front Bumper

P06 Rally Wheels

COMMERCIAL OPTION PACKAGE

2-Wheel Drive

4-Wheel Drive w/Diesel Eng

. 4-Wheel Drive w/Gas Eng

ORDERING OPTION = R9C

(Regs Peg 1SA) (N/A R9B Bright Appearance Pkg)

incls:

**BZY Bedliner** 

E63 Fleetside

V43 Painted Step Bumper

F60 HD Front Springs (K Models Only)

V76 Tow Hooks (C Models Only)

NZZ Skid Plate (K Models Only)

A28 Sliding Rear Window

#### **EXTENDED CAB MARKETING PACKAGES**

CONVENIENCE PACKAGE ORDERING OPTION = R9A

(Regs Peg 1SA)

incls:

C60 Air Conditioning UM6 Radio w/Cassette ZQ3 Tilt and Cruise

BRIGHT APPEARANCE PACKAGE

w/R05

4-Wheel Drive w/R04 2-Wheel Drive w/R04

ORDERING OPTION = R9B

(Regs Peg 1SA)

Incts:

V22 Chrome Grille

VB3 Chrome Rear Step Bumper

VG3 Chromed Front Bumper

P06 Raily Wheels

COMMERCIAL OPTION PACKAGE

. 2-Wheel Drive

4-Wheel Drive w/Diesel Eng

· 4-Wheel Drive w/Gas Eng

ORDERING OPTION = R9C

(Regs Peg 1SA) (N/A R9B Bright Appearance Pkg) Incls:

**BZY Bedliner** 

E63 Fleetside

V43 Painted Step Bumper

F60 HD Front Springs (K Models Only)

V76 Tow Hooks (C Models Only)

NZZ Skid Plate (K Models Only)

A28 Sliding Rear Window

# W/DECOR

# **ADDITIONAL OPTIONS**

CHEY-	SILVER-		
ENNE	ADO	OPTION	
			ACKNOWLEDGEMENTS
	¦ !	R8S	Multiple Order Numbers
1	!	R8T	Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
1		K47	AIR CLEANER: High Capacity
	1		AIR CONDITIONING: (One Of The Following Options Must Be Ordered w/PEG 1SA w/o Convenience Pkg R9A)
		YG6	Air Conditioning Not Desired
ĺ	×	C60	Air Conditioning: (Incls R134A Refrigerant)
			w/1SB or 1SC or R9A
			WISA
	×	V22	APPEARANCE PACKAGE: (Incls Chrome Grille, Composite Halogen Headlamps and Dual Homs)
	1 ^	V22	w/1SB, 1SC or R9B
	ļ		wisa
	[ ]		AXLES, REAR: (Refer Power Teams Chart for Availability)
	1	GT5	4.10 Ratio
	Ì	HC4	4.56 Ratio (Incis G80 Locking Differential)
		G80	Lacking Differential (Included w/HC4 Axle)
	1	U00	WHC4
		l	wintC4
			BATTERY: Heavy-Duty, Auxiliary (N/A Diesel Eng) (Deletes Underhood Storage Box)
		TP2	
		BZY	BEDLINER: Under Rail
			w/R9C
			w/o R9C
	]	E63	BODY CODE: Fleetside Body
		ļ	BUMPER EQUIPMENT: (Vehicles registered in certain states, must have a rear bumper to be operated on their
	Ì		roads. Consult your local laws.) (Cheyenne Decor does not include a Rear Bumper)
N/A	1	EF1	Bumper Delete Provisions
	×	VB3	Bumper, Chromed. Rear Step w/Rub Strip (Reqs VG3 Bumper or Silverado Decor) w/1SB. 1SC or R98
	1		
	i		w1SA Bumper, Chromed. Front Deluxe w/Rub Strips
	×	VG3	·
			w/1SB, 1SC or R9B
			w/ISA
	N/A	V43	Bumper, Painted. Rear Step
	I	1	w/R9C
		1	w/o R9C
		V10	COLD-CLIMATE PACKAGE: (Incls Eng Block Heater) (Diesel Eng Regs Base Decor and Reg Cab)
	×	ZQ3	CONVENIENCE GROUP: Tilt-Wheel and Speed Control
			w/1SB, 1SC or R9A
		1	W/ISA
N/A	İ	C49	DEFOGGER: Rear Window, Electric (N/A A28 Window or C-K30903)
	1	}	EMISSIONS: (Refer Emission Requirement Tab Section)
	1	FE9	Federal Emission Requirements
	1	YF5	California Emission Requirements
	1	NG1	New York/Massachusetts State Emission Requirements
		NB8	California or New York/Massachusetts State Emission Override (Regs FE9 Federal Emissions)
		NC7	Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Stute Emissions)
		1	ENGINES: (Refer Power Teams Chart for Availability)
		L31	Vortec 5700 V8 (350 Cu In)—SFI
		L29	Vortec 7400 V8 (454 Cu in) -SFI
	1	L65	6.5 Liter V8 Turbo Diesel (400 Cu in) (Incls Bumper Guards w/Silverado Decor) (Deletris Underhood Storage Box)
	1	K1.5	Alternative Fuel (LPG & CNG Conversion Ready) (Regs L31 Eng and MT1 Trans)
	1	1	(C/K30903 N/A R05 Dual Rear Wheels)
	1	1	FLOOR COVERING:
N/A		BG9	Full Floor, Rubber, Color-Keyed (Replaces Carpeting and Floor Mats)
l		1	wiCK10*03
l	1	1	w/CK10*53
)	N/A	B30	Carpet Floor Covering
1		1	wCK10*03
ļ	}	1	wCK10*53
j	×	B32	Floor Mats (Reqs B30 Floor Covering) Floor Mats (N/A YG4 Seat Delete) (Reqs B30 Carpet, B32 Floor Mats and C-K***53)
	×	833	GLASS: Deep Tinted Solar-Ray (With C49 Defogger, Rear Window is Light Tint Glass)
ļ.	1	AJI	(C-K30903 Regs A28 Sliding Rear Window)
i		1	
1	}	1	w(C49
		i	WIDLAS CHARD, (Many Spanify One) (Refer GVWR Selector Chart for Availability)
1		COL	
ì			
1	1		
NI/A	-		
N/A		~~	
l	1		
1			
N/A		C6U C6W C7A AUO	w/o C49 GVWR: (Must Specify One) (Refer GVWR Selector Chart for Availability) 9000# 9200# 10000# KEYLESS ENTRY: (Reqs Silverado Decor) w/ISC w/o ISC

# C/K 3500 PICKUP

**REVISED: 8-19-96** 

Page 8

Prices Shown Are Menutecturer's Suggested Retail Prices (MSRF) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Menagement Since MSRF Prices Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

# INCL W/DECOR

# **ADDITIONAL OPTIONS**

*****	PECON	•	
CHEY-	SILVER-	OPTION	
ENNE	AUU		
		LOT	LAMPS: Roof (Standard on C-K30953) (N/A YF5 Calif Emissions w/R04 Rear Wheels) (Incl w/R05 Dual Rear Wheels)
			w/R05
			W/R04
	N/A	VK3 AU3	LICENSE PLATE BRACKET: Front LOCKS: Power door
	.,,,,		MIRRORS:
	:	DF2	Camper Type. Stainless Steel, 7.5" W x 10.5" H, Extenor
			w/158or15C / / w/ISA
N/A	ł	007	10" Electrochromic ISRV with 8 Point Compass, Interior
	i		w/ISC w/ISB
	:	885	MOLDING: Exterior, Bright (Incl w/Silverado Decor w/o RO5 Dual Rear or w/o K30953) (N/A RO5 Dual Rear Whee
			or K30953) (C30903 Incls Body Side and Wheel Opening Moldings) (K30903 Incls Body Side Molding Only)
			w/1SB,1SCarR9B w/K30903
		j	w/C309*3
	ļ	ZY1	PAINT, EXTERIOR: (Refer Color/Trim Chart for Availability) Solid
N/A	i	ZY2	Conventional Two-Tone
N/A	•	ZY4	Deluxe Two-Tone
	×	UM6	RADIO EQUIPMENT: Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape
	1	}	w/1SB, 1SCorR9A
	1		wisa
N/A	!	u	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control.  Cassette Tape, Theft Lock and Speed Compensated Volume
		<b> </b>	(Incls an Enhanced Performance Speaker System)
N/A	İ	UNO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
		1	Compact Disc Player, Theft Lock and Speed Compensated Volume (w/Silverado Decor Incis an Enhanced Performance Speaker System)
N/A		UPO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control,
			Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed
		Ì	Compensated Volume (w/Silverado Decor Incls an Enhanced Performance Speaker System) (Regs M30 or MT1 Trans)
	N/A	UL5	Radio Delete
N/A		AG9	SEAT: Power Driver's Seat (Reqs AE7 Custom Cloth Split Bench or A95 Bucket Seats ) (N/A C-K 30903) (N/A Vinyl Trim)
		1	w1SC
			W/o 1SC
	1	A52	SEAT TYPE: (Refer Color/Trim Chart for Availability)  Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)
			w/1SAor1SBw/oLeather
		AE7	w/1SB and Leather  Reclining Split Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)
			w/ISC
	i		Extended Cab w/1SAor ISB w/oŁeather
		1	w/1SBandLeather
		1	Regular Cab
	1		w/1SA or 1SB w/o Leather w/1SB and Leather
		A95	Reclining High Back Bucket Seats (Incls Power Lumbar and Floor Console; Also Includes Overhead
		1	Console on Extended Cab)
		i	Extended Cab w1SC
		1	w/1SB and Cloth
		1	w/1SBand Leather
<b>,</b>	1	}	Regular Cab w/1SB and Cloth
	[		w/1SBandLeather
	N/A	YG4 NZZ	SEAT DELETE, REAR: (N/A C-K30903) SKID PLATE: Off-Road (K3500 Only) (Incls Engine Front Differential and Transfer Case Shield)
		1422	w/R9C
İ	į	1,	W/oR9C
		WU	SNOW PLOW PREP PACKAGE: (K30903 Only) (Incls F60 HD Front Springs)
	1		w/R9C
	<u> </u>		w/o R9C

**REVISED: 8-19-96** 

1997 ORDER GUIDE


C/K 3500 PICKUP

# INCL W/DECOR


	CHEY-	SILVER-	OPTION	
			F60	SPRINGS. FRONT: Heavy Duty (K3500 Only) (Incl w/VYU Snow Plow) w/VYU or R9C
1			<b>V</b> 76	w/o VYU or R9C TIRES: (Refer Tire Chart for Availability; Vehicle Price Schedule for Prices) TOW HOOKS: (Standard on K3500 Models)
				w/R9C w/o R9C
			Z82	TRAILERING SPECIAL EQUIPMENT: Héavy-Duty (Regs VB3 or V43 Bumper) (Incls Trailer Hitch Platform and Wiring Harness) TRANSMISSIONS: (Refer Power Teams Chart for Availability)
1			MW3	5-Speed Manual with Deep Low and Overdrive, Heavy - Duty
1			MT1	4-Speed Electronically Controlled Automatic with Overdrive, Heavy-Duty (Incls HD Auxiliary Trans Cooler)
١		×	P06	WHEEL TRIM: Rally Wheel Trim
ı			. • •	w/1SB, 1SC or R9B
1		1		w1SA
			1	WHEELS, REAR: Note - One of the Following Wheel Options Must Be Specified on C-K 30903 models
ı			R04	Single Rear (Reqs YHH or YGK Tires) (N/A C-K30953)
1		<b>\</b>	R05	Dual Rear (Standard on C-K 30953 models) (Incls UO1 Roof Marker Lamps and Tailgate Lamps)
-		l .	ļ.	C-K30953
			1	C-K30903
		<u> </u>	A28	WINDOWS: Sliding Rear (N/A C49 Defogger)
				w/R9C

w/a R9C

# C/K 3500 PICKUP PAINT APPLICATIONS WITH ZY1, ZY2 AND ZY4 PAINT SCHEMES




SOLID PAINT - ZY1



CONVENTIONAL TWO-TONE PAINT - ZY2 w/C30903

CONVENTIONAL TWO-TONE PAINT - ZY2 w/K30903



DELUXE TWO-TONE PAINT - ZY4 w/C30903

(Includes Body Striping) DELUXE TWO-TONE PAINT - ZY4 w/K30903

(Includes Body Striping)

**REVISED: 12-16-96** 

1997 ORDER GUIDE

C/K 3500 PICKUP

Page 11

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory Management Since MSRP Figures Change Periodically. The Vehicle Price Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used In Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

# **C/K 3500 PICKUP** INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT SCHEMES

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color) Seat Type				INTERIO	ļ		
			Neutral	Blue	Gray	Red	
CHEYENNE/X81 WORK TRUCK PKG (STD DECOR) REGULAR CAB							
Vinvl Bench Seat	A52	52V	26V	13V	79∨		
Cloth Bench Seat		A52	52C	26C	13C	79C	1
EXTENDED CAB				<del> </del>			1
Vinyl Reclining Split Bench Seat		AE7	52V	267	13V	7 <b>9</b> V	
Cloth Reclining Split Bench Seat		AE7	52C	26C	13C	79C	1
SILVERADO DECOR							1
REGULAR CAB					;		
Vinvi Bench Seat		A52	52V	26V	1 <b>3V</b>	79V	
Custom Cloth Bench Seat		A52	52D	26 D	13D	79D	
* Custom Leather Bench Seat		A52	522	262	132	792	1
Custom Cloth Reclining Split Bench Seat		AE7	52D	26 D	13D	79D	1
* Custom Leather Reclining Split Bench Seat		AE7	522	262	132	792	1
Custom Cloth Reclining High Back Bkt Seats		A95	52D	26 D	13D	79D	1
EXTENDED CAB				<del>                                     </del>			1
Vinyl Reclining Split Bench Seat		AE7	52V	26V	13V	79V	1
Custom Cloth Reclining Split Bench Seat		AE7	52 <b>D</b>	26D	13D	79D	1
* Custom Leather Reclining Split Bench Seat		AE7	522	262	132	792	
Custom Cloth Reclining High Back Bkt Seats		A95	52D	26D	13D	79D	
Custom Leather Reclining High Back Bkt Seats		A95	522	262	132	792	
EXTERIOR COLORS	Color PAINT COMBINATIONS SHOWN ARE				RE THE	Wheel Flare Colors Avail or Std on (a) 4-WD 8600 GVWR	
AUTUMNWOOD, LT (Metallic)	55U	ZY1	×				Autumnwood, Lt
BLACK, ONYX	41U	ZY1	×		x	х	Black, Onyx
BLUE, GREEN MED (Metallic)	35∪	ZY1	x		×		Dk Argent
BLUE, LT (Metallic) 27U		ZY1		×	×		Dk Argent
BLUE, ROYAL MED (Metallic) 25U		ZY1	х	X	x		Blue, Royal Med
GREEN, EMERALD (Metallic) 43U		ZY1	х		×		Dk Argent
QUICKSILVER (Metallic) 96U		ZY1		×	X	x	Quicksilver
RED, CARMINE DK (Metallic) 51U		ZY1	×		х	х	Red, Carmine Dk
RED, VICTORY	740	ZY1	x		x	X	Dk Argent
WHITE, SUMMIT	50U	ZY1	×	х	×	×	Dk Argent

<sup>\*</sup> Leather on Seating Surface Only

<sup>(</sup>a) Incl on Front Only w/Dual Rear Wheels

# C/K 3500 PICKUP INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART ZY2 PAINT SCHEMES

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Inter	SEAT		INTERIO					
Seat Type				Neutral	Blue	Gray	Red	
SILVERADO DECOR			ĺ					
REGULAR CAB			ì			j	ĺ	
Vinvl Bench Seat			A52	52V	26V	13V	79V	
Custom Cloth Bench Seat			A52	52D	26D	13D	79 D	
Custom Leather Bench Seat			A52	522	262	132	792	
<b>Custom Cloth Reclining Split Bench Seat</b>			AE7	520	26D	13D	79Đ	
* Custom Leather Reclining Split Bench Sea	t		AE7	522	262	132	792	
<b>Custom Cloth Reclining High Back Bkt Se</b>	ats	***	A95	52D	26D	13D	790	
EXTENDED CAB			l		T			
Vinyl Reclining Split Bench Seat			AE7	52V	26V	13V	79V	
<b>Custom Cloth Reclining Split Bench Seat</b>	-		AE7	52D	26D	13D	79D	
<ul> <li>Custom Leather Reclining Split Bench Sea</li> </ul>	t		AE7	522	262	132	792	
<b>Sustom Cloth Reclining High Back Bkt Se</b>			A95	52D	26D	13D	79D	
<ul> <li>Custom Leather Reclining High Back Bkt S</li> </ul>	Seats		A95	522	262	132	792	
				ļ	ļ			
						1		
					INTERIOR	& EXTERIOR	₹	
	Color	Color	PAINT	СОМВИ	NATIONS	SHOWN A	RE THE	Wheel Flare Colors
EXTERIOR COLORS	Code 1	Code 2	SCHEME	ONLY C	OMBINAT	Avail or Std on (a) 4-WD		
Autumnwood, Lt (Met)/Red, Carmine Dk (Met)	55U	51L	ZY2	×			x	Red, Carmine Dk
Black, Onyx/Autumnwood, Lt (Met)	41U	55L	ZY2	x				Autumnwood, Lt
Black, Onyx/Quicksilver (Met)	41U	96L	ZY2			×	×	Quicksilver
^ + Black, Onyx/Red Victory (Met)	41U	74L	ZY2	x	1	x	×	N/A
Blue, Green Med (Met)/Autumnwood, Lt (Met)	35U	55L	ZY2	×	ĺ			Autumnwood, Lt
Blue, Green Med (Met)/Quicksilver (Met)	35∪	96L	ZY2	i "		×		Quicksilver
Blue, Lt (Met)/Quicksilver (Met)	27U	96L	ZY2		×	х х		Quicksilver
Biue, Royal Med (Met)/Autumnwood, Lt (Met)	25U	55L	ZY2	×	X		1	Autumnwood, Lt
Blue, Royal Med (Met)/Quicksilver (Met)	25U	96L	ZY2	· ~	ı x	l x		Quicksilver
Green, Emerald (Met)/Autumnwood, Lt (Met)	43U	55L	ZY2	×				Autumnwood, Lt
Green, Emerald (Met)/Quicksilver (Met)	43U	96L	ZY2	"		×	ŀ	Quicksilver
Quicksilver (Met)/Black, Onyx	96U	41L	ZY2			- x	×	Black, Onyx
+ Quicksilver (Met)/Blue, Lt (Met)	96U	27L	ZY2		l x	Î x	_	N/A
Quicksilver (Met)/Blue, Royal Med (Met)	96U	25L	ZY2		x	×		Blue, Royal Med
+ Quicksilver (Met)/Green, Emerald (Met)	96U	43L	ZY2			×		N/A
Quicksilver (Met)/Red, Carmine Dk (Met)	96U	51L	ZY2			x	x	Red, Carmine Dk
- Quicksilver (Met)/Red, Victory (Met)	96U	74L	ZY2			x	-	N/A
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L	ZY2	×		<del>                                     </del>	×	Autumnwood, Lt
Red, Carmine Dk (Met)/Au(dhinwood, Et (Met) 510 55L 56L 56L		ZY2	l ^		×	l â	Quicksilver	
Red, Victory/Autumnwood, Lt (Met) 74U 55L		ZY2	x	<del></del>	<del>  ^</del>	<del>                                     </del>	Autumnwood, Lt	
Red, Victory/Black, Onyx 74U 41L		ZY2	X X		l .	×	Black, Onyx	
Red, Victory/Black, Onyx  Red, Victory/Quicksilver (Met)  740  740  740  96L		ZY2	*		×	! ^	Quicksilver	
White, Summit/Autumnwood, Lt (Met)	50U	55L			<del></del>		-	Autumnwood, Lt
	1	1	ZY2	×			i	
- White, Summit/Blue, Lt (Met)	50U	27L	ZY2		X	X	1	N/A
White, Summit/Blue, Royal Med (Met)	500	25L	ZY2		×	×	1	Blue, Royal Med
White, Summit/Red, Carmine Dk (Met)	50U	51L	ZY2	Í	ļ.	i	×	Red, Carmine Dk

<sup>\*</sup> Leather on Seating Surface Only

- N/A K3500

<sup>(</sup>a) incl on Front only w/Dual Rear Wheels

# C/K 3500 PICKUP INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **ZY4 PAINT SCHEMES**

PLEASE NOTE: Edition are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

Color)	SEAT	INTERIOR COLORS				
RIM LEVEL (Must Specify Seat Option and Interior Color) Seat Type	OPT	Neutral	Blue	Gray	Red	
SILVERADO DECOR	}				1	
REGULAR CAB	A52	, 52V	26V	13/	79V	
Custom Cicto Bench Seat	A52	52D	26D	13D	79D	
* Custom Leather Bench Seat	A52	522	262	132	792	
Dustom Cieth Reclining Split Bench Seat	AE7	52D	26D	13D	79D	
Custom Leatner Reclining Split Bench Seat	AE7	522	262	132	792	
Custom C'oth Reclining High Back Bkt Seats		52D	26D	130	79D	
EXTENDED CAB	AE7	52V	_26V	_13V	79v	
Custom Cioth Reclining Split Bench Seat	AE7	52D	26D	130	79D	
* Obstant Leather Reclining Split Bench Seat	AE7	522	262	132	792	
Tistom Ciota Reclining High Back Bkt Seats	A35	52D	26D	130	790	
* Custom Learner Reclining High Back Bkt Seats	A95	522	262	132	792	

EXTERIOR COLORS	Color Code 1	Color Code 2	PAINT Scheme		INTERIOR 8	SHOWN A	RE THE	STRIPE COLORS Top-Lower/Center
Autumnwood, Lt (Met)/Blue, Green Med (Met)	55U	35L	ZY4	x				Beige/Autumnwood
Autumnwood, Lt (Met)/Green, Emerald (Met)	55U I	43L	ZY4	×				Beige/Autumnwood
Autumnwood, Lt (Met)/Red, Carmine Dk (Met)	5 <b>5</b> U	51L	ZY4	×			×	Beige/Autumnwood
Autumnwood, Lt (Met)/Red, Victory (Met)	55U	74L	ZY4	. х		<u></u>		Beige/Black
Biack, Onyx/Autumnwood, Lt (Met)	41U	55L	ZY4	×	i	!	Ì	Beige/Black
Black, Onyx/Quicksilver (Met)	41U	96L	ZY4			×	x	Gunmetal/Silver
A Black, Onyx/Red, Victory (Met)	41U	74L	ZY4	×		1		Beige/Black
^ Black, Onyx/Red, Victory (Met)	41U	74L	ZY4			X	Х	Gunmetal/Silver_
Blue, Green Med (Met)/Autumnwood, Lt (Met)	35U	55L	ZY4	x	1			Beige/Autumnwood
+Blue, Green Med (Met)/Quicksilver (Met)	35U	96L	ZY4		i	X		Green/Silver
+ Blue, Lt (Met)/Quicksilver (Met)	27U	96L	ZY4		x	X		Lt Indigo/Dk Indigo
Blue, Royal Med (Met)/Autumnwood, Lt (Met)	25U	55L	ZY4	x	į	Ì		Beige/Black
Blue, Royal Med (Met)/Quicksilver (Met)	25U	96L	ZY4		X	Х		Gunmetal/Silver
+ Green, Emerald (Met)/Quicksilver (Met)	43U	96L	ZY4			×		Green/Silver
+ Green, Emerald (Met)/Autumnwood, Lt (Met)	43U	55L	ZY4	_ х		<u> </u>		Beige/Black
Quicksilver (Met)/Black, Onyx	96U	41L	ZY4		1	×	×	Gunmetal/Silver
Quicksilver (Met)/Blue, Lt (Met)	96U	27L	ZY4		x	x		Dk Indigo/Lt Indigo
Quicksilver (Met)/Blue, Green Med (Met)	96U	35L	ZY4		ļ	×		Green/Silver
Quicksilver (Meti/Blue, Royal Med (Met)	96U	25L	ZY4		x	x		Gunmetal/Silver
Quicksilver (Met)/Green, Emerald (Met)	96U	43L	ZY4	!		×		Gunmetal/Silver
Quicksilver (Met)/Red, Carmine Dk (Met)	96U	51L	ZY4			x	×	Gunmetal/Silver
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)	51U	55L	ZY4	×	Ĭ	Į.		Beige/Autumnwood
Red, Carmine Dk (Met)/Autumnwood, Lt (Met)		55L	ZY4			1	×	Beige/Silver
Red, Carmine Dk (Met)/Quicksilver (Met)	51U	96L	ZY4			x	x	Gunmetal/Silver
+ Red, Victory/Autumnwood, Lt (Met)	740	55L	ZY4	X				Beige/Black
+ Red. Victory/Black, Onyx	740	41L	ZY4		1	×	1	Beige/Black
^ + Red, Victory/Quicksilver (Met)	74U	96L	ZY4		1	x	×	Gunmetal/Silver
+ Red, Victory/White, Summit	74U	50L	ZY4			×	×	Gunmetal/Silver
- Red, Victory/White Summit	74U	50L	ZY4	x		1		Beige/Black

Leather on Seating Surface Only

+ N/A K3500

Wheel Flare C	olors Using Color Code 1							
Available or Std on (a) 4-WD								
25U	Blue, Royal Med							
27U	N/A							
35U	N.'A							
410	Black, Onyx							
43U	N'A							
51U	Red, Carmine Dk							
55U	A atumnwood, Lt							
74U	N'A							
960	Quicksilver							

**C/K 3500 PICKUP** 

1997 ORDER GUIDE

REVISED: 12-16-96

^ Indicates Change

# **1997 NEW PRODUCT HIGHLIGHTS**

#### **CK CREW CABS**

SPEED SENSITIVE POWER STEERING

ZY2 CONVENTIONAL TWO-TONE PAINT

**ZY4 DELUXE TWO-TONE PAINT** 

DEALERS WILL BE REQUIRED TO ORDER OPTION YG6 (AIR CONDITIONING NOT DESIRED) IF AIR CONDITIONING IS NOT ORDERED OR IS NOT STANDARD.

THREE NEW COLORS. GREEN BLUE METALLIC, ROYAL BLUE METALLIC AND DARK CARMINE RED METALLIC.



# 3500 CREW CAB PICKUP EQUIPMENT SUMMARY

STANDARD INTERIOR FE	ATURES	A1151/51/16	001/20400
CUPHOLDERS:		CHEYENNE	SILVERADO S
DOOR BEAMS:	SIDE IMPACT	S	Š
GAUGES:	TRIP ODOMETER, OIL PRESSURE, VOLTMETER	3	3
GAUGES.	AND TACHOMETER	s	s
GLASS:	SOLAR RAY TINTED, ALL WINDOWS	S	S
HEATING DUCT:	· ,	S	S
JACK:	WITH WHEEL WRENCH	S	S
		S	S
INSULATION:	UNDER DASH & FLOOR COVERING	5	5
LIGHTING:	DOME W/LH & RH DOOR SWITCHW/DELAYED ENTRY		
	FEATURE, READING, ASHTRAY, GLOVE-BOX,	CWITCH C	•
DOWER BOINTS	UNDERHOOD & CARGO LAMPS. REAR DOOR LIGHT DUAL COVERED		S
POWER POINTS:		S	s
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	S	s
	ADJUSTABLE HEIGHT, FRONT	S	S
WARNING TONE:	KEY-IN-IGNITION BUZZER	S	S
STANDARD EXTERIOR FE	ATURES	OUTVENIE	SILVERADO
	FRONT AND REAR (K3500 ONLY)	CHEYENNE	
FLARES: LAMPS:	DAYTIME RUNNING	S S	S S
SPARE TIRE:	FULL SIZE TIRE & WHEEL, W/WINCH TYPE	3	3
SPARE TIRE:	CARRIER MOUNTED UNDER REAR FRAME	s	s
TAILGATE:	REMOVABLE	S	S
	TWO FRONT ON 4X4 MODELS	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	S
=	7 LEAD TRAILERING	s S	S
WINE HARINESS:	/ LEAD TRAILERING	3	3
STANDARD CHASSIS FEA	ATURES	CHEYENNE	SILVERADO
BATTERY:	HEAVY-DUTY 600 CCA	S	S
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM	·	J
	4-WHEEL ANTI-LOCK	s	s
ENGINE:	VORTEC 5700 V8 SFI	Š	S
	1: STAINLESS STEEL	Š	š
FUEL TANK:	34 GAL	Š	š
GENERATOR:	100 AMP	Š	Š
STEERING:	SPEED SENSITIVE. POWER (EVO)	Š	s
STORAGE BOX:	UNDERHOOD, COVERED	Š	s
	INDEPENDENT COIL W/2WD	S	Š
COO. ENGION TINT.	INDEPENDENT TORSION BAR W/4X4	S	Š
SUSPENSION RR	MULTI-LEAF SPRINGS	S	Š
TRANSMISSION:	5-SPEED MANUAL W/DEEP LOW & OVERDRIVE	Š	Š
HAMONIOOION.	O OF SED WITHOUTE TYPESE EOTE & OVERDINVE	•	•

BOLD. ITALICS AND UNDERLINED INDICATES NEW FOR '97

REVISED: 8-19-96

1997 ORDER GUIDE

C/K CREW CAB PICKUP

# 3500 CREW CAB PICKUP TRIM DEFINITION & OPTION SUMMARY

INTERIOR TRIM		CHEYENNE	SILVERADO
AIR CONDITIONING:			S
ASSIST HANDLES:	PASSENGER	S	S
CONVENIENCE GP:	CRUISE CONTROL AND TILT WHEEL	_	S
	POWER WINDOWS, LOCKS		S
DOOR TRIM:	MOLDED PLASTIC W/ARMREST	S	
	COLOR-KEYED CLOTH AND CARPET TRIM		S
FLOOR COVERING:	COLOR-KEYED CARPET, W/MATS		S
-	BLACK RUBBER .	S	-
HEADLINER:	COLOR-KEYED CLOTH	S	S
INSULATION:	ADDITIONAL SOUND-DEADENING		S
MAP POCKETS:	IN PASSENGER AND DRIVER'S DOOR	S	S
MIRROR:	10" ELECTROCHROMIC ISRV WITH 8 POINT COMPASS		S
RADIO:	AM/FM STEREO W/SEEK-SCAN AND CLOCK	S	
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND		
	CASSETTE TAPE		S
SEATING:	VINYL BENCH	S	S
STEERING WHEEL:	SIMULATED LEATHER	S	
01221td *******	LEATHER WRAPPED		S
SUNSHADES:	CLOTH COVERED W/LH STORAGE STRAP & RH MIRROR	S	
JONOT INDES	LH STORAGE STRAP AND LH/RH LIGHTED MIRRORS		
	AND EXTENDERS	-	S

EXTERIOR TRIM		CHEYENNE	SILVERADO
BUMPER FRT:	CHROME	S	-
BOWN EN THE	CHROME W/BLACK RUB STRIP		S
BUMPER RR:	CHROME W/STEP PAD		S
GRILLE:	MOLDED, PAINTED ARGENT	S	
G:	CHROME DELUXE	••	S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	S	
112,122,1111	DUAL COMPOSITE - HALOGEN		S
HORN:	SINGLE NOTE	S	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	DUAL NOTE		S
MIRRORS:	BREAK-A-WAY OSRV, BLACK	S	
	ELECTRIC, REMOTE CONTROL: BLACK	••	S
NAMEPLATES:	CHEYENNE BADGE ON B-PILLAR	S	
10, = 1, -= 1	SILVERADO BADGE ON B-PILLAR		S
PAINT:	SINGLE TONE	S	S
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	
2220	RALLY WHEEL TRIM		S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

C/K CREW CAB PICKUP

1997 ORDER GUIDE

REVISED: 8-19-96

#### **MODEL AND BODY**

(Regs R05 Dual or R04 Single Rear Wheels)

Description	Model No	Body	Wheel Base	Description	Model No	Body	Wheel Base
	RIVE MODEL CC30943	E63	168.5	4-WHEEL DRIV Fleetside		E63	168.5

<sup>\*</sup>Includes Destination & Handling Charges

#### \*GVWR SELECTOR (MUST SPECIFY GVW OPTION)

		Minimum Equipment Required For GVW Rating						
GVW Option	GVW Rating	*G/	AWR					
Required	(lbs)	Front	Rear					
	C30943							
C6U	9000	4100	6084	N/A R05 Wheels				
C7A	10000	4100	7500	Reqs R05 Wheels				
	K30943	*						
C6W	9200	4500	6084	N/A R05 Wheels				
C7A	10000	4500	7500	Reqs R05 Wheels				

<sup>\*</sup>GAWR's shown are the minimum for each axle with equipment listed.

#### **CAPACITIES**

0943					K30943					
SPRINGS:		AXLES:			SPRINGS:			AXLES	:	
Front		Front			Front			Front		
410	O Base		4100	Base	45	500	8		4500	Base
Rear		Rear			Rear			Rear		
608 750	4 Base 0 w/R05		6084 7500	Base w/R05		084 500	Base w/R05		60 <b>84</b> 7500	Base w/RO

# EMISSIONS (Must Specify One) (Refer Emission Requirements Section)

FE9 Federal Emission Requirements

YF5 California Emission Requirements

NG1 New York/Massachusetts Emission Requirements

NB8 California or New York/Massachusetts Override (Reqs FE9 Federal Emissions)

NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)

# POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

onsult GVWR Selector F		Heilt nequileu/			GVWR
ENGINE	TRANSMISSION		AX		GVWn
	5-SP	AUTO	4.10	4.56	
	HEAVY DUTY				
CC30943					
L31 V8 5700 Vortec	MW3		(a) GT5	(b) HC4	9000/10000
(350 Cu In)-SFI		MT1	GT5	(c) HC4	9000/10000
L29 V8 7400 Vortec	MW3		(a) GT5	(b) HC4	9000/10000
(454 Cu In)-SFI		MT1	GT5	(c) HC4	9000/10000
L65 Turbo Diesel 6.5 Li	ter V8 H.D.				
(400 Cu In)	MW3	MT1	GT5_		9000/1000
CK30943					
L31 V8 5700 Vortec	MW3		(a) GT5	(b) HC4	9200/1000
(350 Cu In)-SFI		MT1	GT5	(c) HC4	9200/1000
L29 V8 7400 Vortec	MW3		(a) GT5	(b) HC4	9200/1000
(454 Cu In)-SFI		MT1	GT5	(c) HC4	9200/1000
L65 Turbo Diesel 6.5 L	iter V8 H.D.				
(400 Cu In)	MW3	MT1	GT5	••	9200/1000

<sup>(</sup>a) N/A YF5 Emissions

# TIRES: (Must Specify Front and Rear) (Spare Tire and Tire Carrier Included) (Spare Matches Rear Tire)

	F	* All Season ** Highway Single Rear	Duai Rear	Front	On-Of Single Rear	f Road Dual Rear
Description	Front	near	near	11011	11001	
C30943	5. F.I					
TUBELESS Steel Belted				<del></del>		
LT215/85R16-D B/W	** XYK		YYK			
LT225/75R16-D B/W	* XHP	_	YHP			
	* XHP					YHR
LT245/75R16-EB/W	* XHH	YHH				
····	• XHH				YGK	
K30943						
TUBELESS Steel Beited	Radial					, <del></del>
LT215/85R16-D B/W	** XYK		YYK		<u> </u>	
a)LT215/85R16-D B/W				XYL		YYL
LT225/75R16-DB/W			XHR		YHR	
LT225/75R16-DB/W	• XHP		YHP			
LT245/75R16-EB/W				XGK	YGK	<del></del>
LT245/75R16-EB/W	• XHH	YHH				

(a) Regs F60 Front Springs BW = Blackwall

C/K CREW CAB PICKUP

1997 ORDER GUIDE

**REVISED: 8-19-96** 

<sup>(</sup>b) Regs C7A GVW; N/A YF5 Emissions

<sup>(</sup>c) Regs C7A GVW

#### C/K 3500 CREW CAB PICKUP

#### MUST SPECIFY:

**AXLE, EMISSION, ENGINE, TIRES AND TRANSMISSION** 

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Custom Ordering Option Listing.

	CHEYENNE	SILVERADO	
	1	1	1
	s	S	S
	A	В	С
CHEYENNE DECORE63	x x	 Х	x
ILVERADO DECOR		×	×
SILVERADO DECOR (Leather)			
Ceyless Entry AUO			x
Seat, Power AG9			x
Trim, Leather Split Bench Seat (A)AE7			X

(A) May upgrade

#### **CREW CAB PICKUP MARKETING PACKAGES**

CONVENIENCE PACKAGE ORDERING OPTION = R9A (Regs Peg 1SA)

incls :

C60 Air Conditioning UM6 Radio w/Cassette ZQ3 Tilt and Cruise

BRIGHT APPEARANCE PACKAGE

ORDERING OPTION = R9B

(Reqs Peg 1SA)

Incts :

B85 Body Side Moldings (w/o Dual Rear Wheels)

V22 Chrome Grille

V83 Chrome Front Bumper

P06 Rally Wheeis

Page 5

## C/K 3500 CREW CAB PICKUP REFER WEEKLY STOPS/LATEST UPDATE

#### **ADDITIONAL OPTIONS**

INCL	ADDITION
W/DECOR	
11/020011	

CHEY-	SILVER-	OPTION	
ENNE	ADO	OFFICIA	ACKNOWLEDGEMENTS:
		R8S	Muttiple Order Numbers
		R8T	Pretiminary Invoice (Refer Vehicle Price Schedule for Prices)
į		K47	AIR CLEANER: High Capacity
			AIR CONDITIONING: (One Of The Following Options Must Be Ordered w/PEG 1SA w/o Convenience Pkg R94
		YG6	Air Conditioning Not Desired
	×	C60	Air Conditioning: (Incls R134A Refrigerant)
			w/1SB, 1SCorR9A w/ISA
	×	V22	APPEARANCE PACKAGE: (Incis Chrome Grille, Composite Halogen Headlamps and Dual Homs)
	^	·	w/1SB.1SC or R9B
			wisa
ļ			AXLES, REAR: (Refer Power Teams Chart for Availability)
		GT5	4.10 Ratio
		HC4	4.56 Ratio (Incls G80 Locking Differential)
		G80	Locking Differential (Included w/HC4 Axle) w/HC4
	į		w/o HC4
	ļ	TP2	BATTERY: Heavy-Duty, Auxiliary (N/A L65 Eng) (Deletes Underhood Storage Box)
	ì	BZY	BEDLINER: Under-rail
	1	E63	BODY CODE: Fleetside
		ł	BUMPER EQUIPMENT: (Vehicles registered in certain states must have a rear bumper to be operated
	ĺ		on their roads. Consult your local laws.) (Cheyenne Decor does not include a Rear Bumper)
N/A	{	EF1	Bumper Delete Provisions: (N/A Z82 Trailering)
	x	VB3	Bumper, Chromed Rear Step
		1	w/1SB, 1SC or R9B w/o 1SA
	N/A	V43	Bumper, Painted Rear (Regs Cheyenne Decor)
	13/0	Vio	COLD CLIMATE PACKAGE: (N/A L65 Eng) (Incls Eng Block Heater)
		'~	CONVENIENCE PACKAGES:
	×	ZQ3	Tilt Wheel and Speed Control
	Į.	Ì	w/1SB, 1SC or R9A
	1		w/1SA DEFOGGER: Rear Window, Electric (N/A A28 Sliding Rear Window) (Reqs C60 Air)
	1	C49	EMISSIONS: (Refer Emission Requirement Tab Section)
		FE9	Federal Emission Requirements
	1	YF5	California Emission Requirements
	1	NG1	New York/Massachusetts Emission Requirements
	İ	NB8	California or New York/Massachusetts Emission Override (Regs FE9 Federal Emissions)
		NC7	Federal Emission Override (Regs YF5 California or NG1 New York/Massachusetts Emissions)
	1	l	ENGINES: (Refer Power Teams Chart for Availability) V85700 Vortec (350 Culn)—SFIH.D.
		131	V8.7400 Vortec (454 Culn)~SFI
		L65	VR 6.5 Liter Turbo Diesel (400 Culn)EFI (Incls Front Bumper Guards) (Deletes Underhood Storage Box)
	ĺ	An	GLASS: Deep Tint (Incls Light Tinted Rear Window when A28 Sliding Rear Window is Specified)
	-		w/A28
	ĺ	İ	W/oA28
	i		GVWR: (Must Specify One) (Refer GVWR Selector Chart for Availability)
	-	CEU	9000#
		C5W	9200# 10000#
N/A	1	AUO	KEYLESS ENTRY: Remote
INA		1	wisc
		1	w/o 15C
		UO1	LAMPS: Roof Marker (N/A YF5 Calif Emission w/R04 Rear Wheels) (Incl w/R05 Dual Rear Wheels)
		1	w/R05
		,	WR04 LICENSE PLATE BRACKET: Front
	1	VK3	LOCKS, POWER DOOR: (Regs Base PEG)
	×	I AU3	

**REVISED: 8-19-96** 

## C/K 3500 CREW CAB PICKUP REFER WEEKLY STOPS/LATEST UPDATE

#### **ADDITIONAL OPTIONS**

INCL W/DECOR

N/A 1 1PO Fiectronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player,	W/D	ECOR	,	
DF2 Camper Type, Stainless Steel, 7.5" W x 10.5" H, Exterior wis Bra 1SC w1SA PAINT: 2Y! Solid (Refer Color/Trim Chart for Availability) RADIO EQUIPMENT: Libectronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape w/1SA, 1SC or R9A w/1SA ULO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syste Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syste Referror Discretive Tyles AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) Referror System) (Regs MT1 Trens) Radio Delete SEATING: Power Driver's Seat (N/A A52 Bench Seat) w1SC w/1SC w/1SC SEAT TYPE: (Refer Color/Trim Chart for Availability) A52 Referror Solved Spitt Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w1SC w1SA orwith 1SB w/o Leather w1SB wint.esther N/A A55 Front, Bucket, High Back Reclining (Incls Floor Console, Power Lumbar and Overhead Console) w1SA orwith 1SB w/o Leather w1SB w1SC (K30943) Only) (Incls Eng., Front Differential and Transfer Case Shields) SPRINGS: Front, Heavy-Duty (K30943) Only) TIRES: (Refer Tire Chart for Availability) and Vehicle Price Schedule for Prices) TOW HOOKS: (Std on K30943) TRANSMISSIONS: (Refer Power Teams Chart for Availability)  x Speed Heavy Duty Manual w7Deep Low and Overdrive, Heavy-Duty (Incls Transmission Oil Cooler) WHEELS, REAR: (Must Specity One) Single Rear Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)			OPTION	
DF2 Camper Type, Stainless Steel, 7.5" W x 10.5" H, Exterior wis Bra 1SC w1SA PAINT: 2Y! Solid (Refer Color/Trim Chart for Availability) RADIO EQUIPMENT: Libectronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape w/1SA, 1SC or R9A w/1SA ULO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syste Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syste Referror Discretive Tyles AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) Referror System) (Regs MT1 Trens) Radio Delete SEATING: Power Driver's Seat (N/A A52 Bench Seat) w1SC w/1SC w/1SC SEAT TYPE: (Refer Color/Trim Chart for Availability) A52 Referror Solved Spitt Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w1SC w1SA orwith 1SB w/o Leather w1SB wint.esther N/A A55 Front, Bucket, High Back Reclining (Incls Floor Console, Power Lumbar and Overhead Console) w1SA orwith 1SB w/o Leather w1SB w1SC (K30943) Only) (Incls Eng., Front Differential and Transfer Case Shields) SPRINGS: Front, Heavy-Duty (K30943) Only) TIRES: (Refer Tire Chart for Availability) and Vehicle Price Schedule for Prices) TOW HOOKS: (Std on K30943) TRANSMISSIONS: (Refer Power Teams Chart for Availability)  x Speed Heavy Duty Manual w7Deep Low and Overdrive, Heavy-Duty (Incls Transmission Oil Cooler) WHEELS, REAR: (Must Specity One) Single Rear Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)				MIRRORS:
PAINT: ZY1 Solid (Refer Color/Trim Chart for Availability) RADIO EQUIPMENT:  Lectronically Tuned AM/FM Stereo Radio w/Seek-Scan ,Digital Clock and Cassette Tape w/1SB, 1SC or R9A w/1SB  N/A  ULO Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syste) Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syste) Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) (Regs MT1 Trans) Radio Delete SEATING: Power Driver's Seat (M/A A52 Bench Seat) w/ISC w/ISC w/ISC SEAT TYPE: (Refer Color/Trim Chart for Availability) Front Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISA/arw/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/o Leather w/ISB w/O Leath			DF2	w/1SBor1SC
N/A  N/A  N/A  N/A  ULO  Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syster Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syster Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker Syster Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) (Regs MT1 Trans)  N/A  N/A  ULS  Radio Delete  SEATING: Power Driver's Seat (N/A A52 Bench Seat)  w1SC  w1SC  SEAT TYPE: (Refer Color/Trim Chart for Availability)  Front Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)  w1SA orwin1SB w0 Leather  w1SB win1sather  Front SelvAl Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)  w1SA orwin1SB w0 Leather  w1SB w1SA orwith 1SB w/o Leather  w1SB w1SA orwith 1SB w/o Leather  w1SN w/Leather  w1SN w/Leather  w1/SN w/				PAINT: ZY1 Solid (Refer Color/Trim Chart for Availability)
Cassette Tape, Theft Lock and Speed Compensated Volume (Incis an Enhanced Performance Speaker Syster Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incis an Enhanced Performance Speaker System) (Regs MT1 Trans)  N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/	į	×	UM6	w/1SB,1SCorR9A
N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/A	N/A		uu	Cassette Tape, Theft Lock and Speed Compensated Volume (Incis an Enhanced Performance Speaker System)
N/A  N/A  N/A  N/A  N/A  N/A  N/A  N/A	N/A			Electronically Tuned AM/FM Stereo Radio w/Seek-Scan w/Automatic Tone Control, Compact Disc Player, Digital Clock, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System)
N/A  AG9  SEATING: Power Driver's Seat (N/A A52 Bench Seat) w/ISC  SEAT TYPE: (Refer Color/Trim Chart for Availability)  A52  Front Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISB w/ISB w/o Leather w/ISB w/Leather	N/A			Digital Clock, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System) (Regs MT1 Trans)
w/ISC w/o1SC SEAT TYPE: (Refer Color/Trim Chart for Availability)  A52 Front Bench Seat (incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISA wins better w/ISB win Leather w/ISB win Leat		N/A		
SEAT TYPE: (Refer Color/Trim Chart for Availability)  Front Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim)  w/ISB with Leather  w/ISB with Leather  w/ISB w/ISA or with ISB w/o Leather  w/ISB w/ISA or with ISB w/o Leather  w/ISB	N/A		AG9	w/ISC
A52 Front Bench Seat (Incis Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISA or w/ISB w/o Leather w/ISB with Leather AE7 Front 60/40 Split Bench Seat (Incis Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISC w/ISA or with ISB w/o Leather w/ISB w/Leather w/ISB w/Leather w/ISB w/Leather w/ISB w/Leather w/ISN w/ISD w/Leather w/ISN w/ISD w/Leather w/ISN w/ISD w/Leather w/ISN w/ISD w/Leather w/ISN w/ISD w/Leather w/ISN w/ISD w/Leather w/ISN w/ISD w/Leather w/ISD		ļ		SEAT TYPE: (Refer Color/Trim Chart for Availability)
N/A  A95 Front, Bucket, High Back Rectining (Incls Floor Console, Power Lumbar and Overhead Console) w/ISR w/ISNw/oLeather w/ISNwithLeather NZZ SKID PLATE PACKAGE: (K30943 Only) (Incls Eng, Front Differential and Transfer Case Shields) F60 SPRINGS: Front, Heavy-Duty (K30943 Only) TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Prices) V/6 TOW HOOKS: (Std on K30943) Z82 TRAILERING PACKAGE: (Incls Trailer Hitch Platform) (Reqs VB3 or V43 Bumper) TRANSMISSIONS: (Refer Power Teams Chart for Availability)  MW3 5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler) WHEEL TRIM: Rally Wheel w/ISB, ISC or R9B w/ISA WHEELS, REAR: (Must Specify One) Single Rear Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)			A52	Front Bench Seat (Incis Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/1SAorw/1SB w/o Leather w/1SB with Leather
W/1SB wAesther  Front, Bucket, High Back Rectining (Incls Floor Console, Power Lumbar and Overhead Console)  W/1SR w/1SN			AE7	w/ISC
N/A  A95 Front, Bucket, High Back Rectining (Incls Floor Console, Power Lumbar and Overhead Console) w/ISR w/ISNw/oLeather w/ISNwithLeather  NZZ SKID PLATE PACKAGE: (K30943 Only) (Incls Eng, Front Differential and Transfer Case Shields) F60 SPRINGS: Front, Heavy-Duty (K30943 Only) TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Prices) V/6 TOW HOOKS: (Std on K30943) Z82 TRAILERING PACKAGE: (Incls Trailer Hitch Platform) (Reqs VB3 or V43 Bumper) TRANSMISSIONS: (Refer Power Teams Chart for Availability) S-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler) WHEEL TRIM: Rally Wheel w/ISB, ISC or R9B w/ISA WHEELS, REAR: (Must Specify One) Single Rear Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)		1	Į.	
W/1SNwithLeather  NZZ SKID PLATE PACKAGE: (K30943 Only) (Incis Eng, Front Differential and Transfer Case Shields)  SPRINGS: Front, Heavy-Duty (K30943 Only)  TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Prices)  V/6 TOW HOOKS: (Std on K30943)  Z82 TRAILERING PACKAGE: (Incis Trailer Hitch Platform) (Regs VB3 or V43 Bumper)  TRANSMISSIONS: (Refer Power Teams Chart for Availability)  MW3 5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty  MT1 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incis Transmission Oil Cooler)  WHEEL TRIM: Rally Wheel  w/1SB, 1SC or R9B  w/ISA  WHEELS, REAR: (Must Specify One)  Single Rear  Dual Rear (Regs C7A GVWR) (Incis U01 Roof Marker and Tailgate Lamps)	N/A		A95	Front, Bucket, High Back Reclining (Incls Floor Console, Power Lumbar and Overhead Console)
NZZ SKID PLATE PACKAGE: (K30943 Only) (Incis Eng, Front Differential and Transfer Case Shields) F60 SPRINGS: Front, Heavy-Duty (K30943 Only) TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Prices) V76 TOW HOOKS: (Std on K30943) Z82 TRAILERING PACKAGE: (Incis Trailer Hitch Platform) (Reqs VB3 or V43 Bumper) TRANSMISSIONS: (Refer Power Teams Chart for Availability)  MW3 S-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incis Transmission Oil Cooler) WHEEL TRIM: Rally Wheel w/1SB, 1SC or R9B w/ISA WHEELS, REAR: (Must Specify One) Single Rear Dual Rear (Reqs C7A GVWR) (Incis U01 Roof Marker and Tailgate Lamps)		ļ		
F60 SPRINGS: Front, Heavy-Duty (K30943 Only)  TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Prices)  V76 TOW HOOKS: (Std on K30943)  Z82 TRAILERING PACKAGE: (Incls Trailer Hitch Platform) (Reqs VB3 or V43 Bumper)  TRANSMISSIONS: (Refer Power Teams Chart for Availability)  MW3 5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty  MT1 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler)  WHEEL TRIM: Rally Wheel  w/1SB, 1SC or R9B  w/1SA  WHEELS, REAR: (Must Specify One)  Single Rear  R05 Single Rear  Dual Rear (Reqs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)				w/ISNwithLeather
TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Prices)  V76  TOW HOOKS: (Std on K30943)  Z82  TRAILERING PACKAGE: (Incls Trailer Hitch Platform) (Regs VB3 or V43 Bumper)  TRANSMISSIONS: (Refer Power Teams Chart for Availability)  MW3  5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty  4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler)  WHEEL TRIM: Rally Wheel  w/1SB, 1SC or R9B  w/ISA  WHEELS, REAR: (Must Specify One)  Single Rear  R05  Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)				
V76 Z82 TRAILERING PACKAGE: (Incis Trailer Hitch Platform) (Regs VB3 or V43 Bumper) TRANSMISSIONS: (Refer Power Teams Chart for Availability) MW3 5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incis Transmission Oil Cooler) WHEEL TRIM: Rally Wheel w/15B, 15C or R9B w/15A WHEELS, REAR: (Must Specify One) R04 Single Rear R05 Dual Rear (Regs C7A GVWR) (Incis U01 Roof Marker and Tailgate Lamps)		1	1 100	
TRANSMISSIONS: (Refer Power Teams Chart for Availability)  MW3 5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty  MT1 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler)  WHEEL TRIM: Rally Wheel  w/1SB, 1SC or R9B  w1SA  WHEELS, REAR: (Must Specify One)  R04 Single Rear  R05 Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)			V76	TOW HOOKS: (Std on K30943)
MW3 5-Speed Heavy Duty Manual w/Deep Low and Overdrive, Heavy-Duty 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler)  WHEEL TRIM: Rally Wheel w/1SB, ISC or R9B w/ISA WHEELS, REAR: (Must Specify One) R04 Single Rear R05 Dual Rear (Regs C7A GVWR) (Incls U01 Roof Marker and Tailgate Lamps)			Z82	
MT1 4-Speed Electronically Controlled Automatic w/Overdrive, Heavy-Duty (Incls Transmission Oil Cooler)  x P06 WHEEL TRIM: Rally Wheel w/1SB, 1SC or R9B w/1SA WHEELS, REAR: (Must Specify One) R04 Single Rear R05 Dual Rear (Regs C7A GVWR) (Incls UO1 Roof Marker and Tailgate Lamps)		1		
x P06 WHEEL TRIM: Rally Wheel w/ISB, ISC or R9B w/ISA WHEELS, REAR: (Must Specify One) R04 Single Rear R05 Dual Rear (Regs C7A GVWR) (Incis U01 Roof Marker and Tailgate Lamps)			******	5-Speed Heavy Dury Manual w/Deep Low and Overdrive, Heavy-Dury (Incls Transmission Oil Cooler) 4 Speed Heavy Dury (Incls Transmission Oil Cooler)
RO4 Single Rear RO5 Dual Rear (Reqs C7A GVWR) (Incls UO1 Roof Marker and Tailgate Lamps)		×		WHEEL TRIM: Rally Wheel w/1SB, 1SC or R9B
R05 Dual Rear (Regs C7A GVWR) (Incis U01 Roof Marker and Tailgate Lamps)		i		WHEELS, REAR: (Must Specify One)
( )   AZS WINDJW: SIKING Hear				
		1	A28	AMINITAL: Should Heat


#### **CREW CAB PICKUP** INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART **ZY1 PAINT**

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)		SEAT	•	INTERIO	R COLOR	S	
Seat Type		OPT	Neutral	Blue	Gray	Red	
CHEYENNE							
Vinyi Bench Seat		A52	52V	26V	13/	79V	1
SILVERADO DECOR				ł .			ì
Custom Cloth Bench Seat		A52	52D	26D	130	79D	1
Custom Leather Bench Seat		A52	522	262	132	792	ļ
Custom Cloth Reclining Split Bench Seat		AE7	52D	26D	13D	79D	1
Custom Leather Reclining Split Bench Seat		AE7	522	262	132	792	1
Custom Cloth Reclining High Back Bkt Seats		A95	52D_	26D	130	79D	J
<ul> <li>Custom Leather Reclining High Back Bkt Seats</li> </ul>		A95	522	262	132	795	ì
			1		1		
EXTERIOR COLORS	Color	Paint Scheme	сомві	NATIONS	& EXTERIO SHOWN A TONS AV	RE THE	Wheel Flare Colors Avail or Std on (a) 4-WD
			сомві	NATIONS	SHOWN A	RE THE	1
AUTUMNWOOD, LT (Metallic)	Code	Scheme	ONLY C	NATIONS	SHOWN A	RE THE	Avail or Std on (a) 4-WD
AUTUMNWOOD, LT (Metallic) BLACK, ONYX	55U 41U	Scheme ZY1 ZY1	COMBI ONLY C	NATIONS	SHOWN A	RE THE	Avail or Std on (a) 4-WD  Autumnwood, Lt
AUTUMNWOOD, LT (Metallic) BLACK, ONYX BLUE, GREEN MED (Metallic)	55U 41U 35U	2/1 2/1 2/1 2/1	COMBI ONLY C	NATIONS	SHOWN A	RE THE	Avail or Std on (a) 4-WD  Autumnwood, Lt  Black, Onyx
AUTUMNWOOD, LT (Metallic) BLACK, ONYX BLUE, GREEN MED (Metallic) BLUE, LT (Metallic)	55U 41U 35U 27U	Scheme	COMBI	NATIONS OMBINAT	SHOWN A	RE THE	Avail or Std on (2) 4-WD  Autumnwood, Lt  Black, Onyx  Dk Argent
AUTUMNWOOD, LT (Metallic) BLACK, ONYX  BLUE, GREEN MED (Metallic) BLUE, LT (Metallic) BLUE, ROYAL MED (Metallic)	55U 41U 35U 27U 25U	Scheme	COMBII ONLY C	NATIONS COMBINAT	SHOWN ATIONS AV	RE THE	Avail or Std on (2) 4-WD  Autumnwood, Lt  Black, Onyx  Dk Argent  Dk Argent
AUTUMNWOOD, LT (Metallic) BLACK, ONYX  BLUE, GREEN MED (Metallic) BLUE, LT (Metallic) BLUE, ROYAL MED (Metallic) GREEN, EMERALD (Metallic)	55U 41U 35U 27U 25U 43U	2/1 2/1 2/1 2/1 2/1 2/1 2/1 2/1	COMBI	NATIONS COMBINAT	SHOWN ATIONS AVAILABLE X	RE THE	Avail or Std on (2) 4-WD  Autumnwood, Lt  Black, Onyx  Dk Argent  Dk Argent  Dk Argent
AUTUMNWOOD, LT (Metallic) BLACK, ONYX  BLUE, GREEN MED (Metallic) BLUE, LT (Metallic) BLUE, ROYAL MED (Metallic) GREEN, EMERALD (Metallic) QUICKSILVER (Metallic)	55U 41U 35U 27U 25U 43U 96U	2/1 2/1 2/1 2/1 2/1 2/1 2/1 2/1 2/1 2/1	COMBII ONLY C	NATIONS OMBINAT	SHOWN AVAILABLE SHOWN AVAILABLE SAVAILABLE S	ARE THE AILABLE X	Avail or Std on (a) 4-WD  Autumnwood, Lt  Black, Omyx  Dk Argent  Dk Argent  Dk Argent  Dk Argent
AUTUMNWOOD, LT (Metallic) BLACK, ONYX  BLUE, GREEN MED (Metallic) BLUE, LT (Metallic) BLUE, ROYAL MED (Metallic) GREEN, EMERALD (Metallic)	55U 41U 35U 27U 25U 43U	2/1 2/1 2/1 2/1 2/1 2/1 2/1 2/1	COMBII ONLY C	NATIONS COMBINAT	SHOWN AVIONS AVI	X X	Avail or Std on (a) 4-WD  Autumnwood, Lt  Black, Omyx  Dk Argent  Dk Argent  Dk Argent  Dk Argent  Quicksilver

- \* Leather on Seating Surface Only
- (a) Incl on Front Only w/Dual Rear Wheels

#### **SOLID PAINT - ZY1**



C/K CREW CAB PICKUP

1997 ORDER GUIDE

REVISED: 12-16-96

^ Indicates Change

Page 8

Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory M snagement Since MSRP Figures Change Periodically. The Vehicle Prices Schedule is The Official Pricing Documentation Of Chevrolet Motor Division And Should Be Used in Discussing Vehicle Prices With Potential Buyers. The Model Prices Shown in The Order Guide Include The Destination Freight Charges.

## 1997 NEW PRODUCT HIGHLIGHTS

#### CK CHASSIS-CAB

AIR BAG FOR FRONT PASSENGER ON ALL VEHICLES BELOW 8600# GVW

SPEED SENSITIVE POWER STEERING

DEALERS WILL BE REQUIRED TO ORDER OPTION YG6 (AIR CONDITIONING NOT DESIRED) IF AIR CONDITIONING IS NOT ORDERED OR IS NOT STANDARD.

THREE NEW COLORS. GREEN BLUE METALLIC, ROYAL BLUE METALLIC AND DARK CARMINE RED METALLIC.





C/K **Chassis-Cab** 

**Positioning Statement** 

Dealer Order Guide inserts are your first look at Cherr Truck models tor 1997. Overall improvements. changes and deletions are highlighted. Use these inserts to assist vou in ordering your initial shipments. (NOTE: some information is preliminary and is subject to change.i

The ideal vehicle for van, retriever, dump, stake or other commercial body, especially if **GVWRs of 10,000** lbs. and 11,000 lbs. (2WD) or 12,000 lbs. (4x4) are required. The 3500 Series straight-rail frame and parallel, flat-top rails with 34" spacing are preferred by many body suppliers.





may vary in

your locality.

The Focus The Feature vehicle is vehicle is chosen for its the model saleability. Chevy Truck It offers a plans to mix of product feature in all its advertising. attributes that most It does the customers best job of want. You'll capturing want to be reader/viewer sure vou have attention. several of these models in stock, NOTE: model, PEG and optional equipment



## C3500 HD Chassis-Cab with Silverado trim and PEG Group 1SQ

(image above - shown with utility body from an independent supplier)

The 1997 C/K Chassis-Cab Focus/Feature vehicle is the C3500 HD Silverado. With standard dual rear wheels, this is the ideal truck for commercial utility applications requiring light to medium payload ranges.

#### Ordering Recommendations:

The recommended C3500 HD Chassis-Cab content, based on national sales volume, is listed below to assist your dealership in

C3500 HD Chassis-Cab with Preferred Equipment Group 1SQ includes:

- Air Conditioning
- AM/FM Stereo with Seek-Scan, Cassette Player and Digital Clock
- Tilt-Wheel™ Adjustable Steering Column
- · Electronic Speed Control with Resume Speed.

Silverado uplevel decor content also features the following equipment in addition to or replacing the standard decor:

- Deluxe Front Chrome Grille Package with Bright Trim
- Dual Composite Halogen Headlamps
- · Leather Wrapped Steering Wheel
- Color-Keyed Carpeting
- · Color-Keyed Floor Mats
- · Power Door Locks.

NOTE: Model, PEG and optional content may vary in your locality. Use the Retail Sales Analysis (RSA) to verify or select your dealership's C/K Chassis-Cab Focus/Feature vehicle content.

C/K Chassis-Cab

Vinyl available in Neutrai, Blue, Gray and Red.



Cloth available in Neutral, Blue, Gray and Red.



Custom Cloth available in Neutral, Blue, Gray and Red.


#### Seat Styles



# Wheels




Standard 16" silver-painted steel wheels with black hub ornament — Cheyenne.





(RPO PO6) 16" Rally Wheel trim - optional. Standard with Silverado.





(RPO R05) Standard 16" front wheel with dual rear wheels.



- A. Vinyl bench seat.
- B. Cloth bench seat.
- C. Custom Cloth 60/40 split-bench seat.
- D. Custom Cloth high-back bucket seats.

# **Most Popular Exterior Colors**


Below are the anticipated four most popular C/K Chassis-Cab colors for 1997, based on national sales volume. They are listed for reference only. To identify the top-selling colors in your area, by model, use the Retail Sales Analysis (RSA).



by Percentage

C3500 HD Only

Frost White	70%
Apple fled	15%
Midnight Black	4%
Other colors	11%



Chassis-Cab (except C3500 HD)

Summit White	45%
Victory Red	10%
Emerald Green Metallic	6%
Light Autumnwood Metallic	5%
Indigo Blue Metallic	3%
Dark Garnet Red Metallic	3%
Other colors	28%

**Most Popular Exterior Colors with** 

**Corresponding Interior Color Availability** 

#### Chassis-Cab C3500 HD INTERIOR MATERIAL COLORS

Neutral	Gray	
<b>V</b>	<b>/</b>	
<b>V</b>	<b>V</b>	
<b>V</b>	<b>V</b>	
	Neutral  V	Neutral Gray  V V V V V V

#### Chassis-Cab (except C3500 HD)

	Neutral	Blue	Gray	Red
EXTERIOR COLORS				
Summit		./		
White	<i>y</i>	<b>v</b>	<b>Y</b>	<del>V</del>
Victory			.1	
Red			<b></b> .	<u>.</u>
Emerald Green	./			
Metallic	<b>V</b> ,		•	
Light Autumnwood				./
Metallic	V			✓
Indigo Blue		./		
Metallic				
Dark Garnet			.1	
Red Metallic	V		<u> </u>	<b>v</b>



## Chevy Truck Dealer Order Guide

# C/K Chassis-Cab

P.D.S.E.I. (New-for-'97 features appear in color.)

P.D.S.E.I. helps explain 1997 models for this brand. Overall improvements, changes and deletions are highlighted. Please review the supplied information. keeping in mind that this material is provided to vou before production startup and may

change.

#### **PERFORMANCE**

• MANUAL TRANSMISSION (C/K2500 AND 3500 SERIES ONLY) - Improved shift feel, quieter operation compared to last vear's transmission. • STANDARD VORTEC 5700 V8 ENGINE WITH SFI —

provides impressive power, smooth, quiet performance and extended maintenance intervals (not available on 3500 HD). • AVAILABLE DIESEL POWER — eager 6.5 Liter Turbo-Diesel V8 is available in most C/K models. An ideal choice for fleets, trailer towing and wherever greater economy is desired.



#### DURABILITY

- 100,000-MILE SPARK PLUGS for extended service intervals.\* LONG-LIFE COOLANT good for 5 years/100,000 miles.\* • SERPENTINE BELT ACCESSORY DRIVE — designed to last 100,000 miles.
- NO NEED TO CHECK ENGINE TIMING ever. TWO-SIDE-GALVANIZED STEEL on all exterior body panels (except roof); provides maximum corrosion protection. • BUMPER TO BUMPER LIMITED WARRANTY protection for 3 years or 36,000 miles, with no deductible. • 6.5 LITER V8 DIESEL ENGINE 5-YEAR/100,000-MILE WARRANTY (\$100 deductive after 3 years/36,000 miles).
- \*Maintenance needs vary with different uses and driving conditions.



#### SAFETY

- DAYTIME RUNNING LAMPS make vehicle more visible during daylight hours.
   4-WHEEL ANTI-LOCK BRAKE SYSTEM (ABS) — helps maintain steering control and minimizes wheel lockup on most slippery surfaces. • STEEL SIDE-DOOR BEAMS — add the strength and security of steel for greater protection.
- STANDARD CRUSH ZONES frontal structure is designed to "crush" in a controlled manner to help absorb crash energy.



#### **EXTERIOR**

- BASECOAT/CLEARCOAT PAINT resists fading and provides a high-gloss shine for long-lasting exterior beauty. • ANTI-CHIP FEATURE — on lower-body surfaces helps prevent damage to finish.
- TRIM LEVELS choice of Cheyenne or Silverado trim levels.



#### INTERIOR

• COMPARTMENTALIZED FRONT-BENCH SEAT ARMREST\* — offers more concealed stowage space, as well as handy coin holder, map net and writing surface. • ILLUMINATED ENTRY FEATURE — dome lamp remains on for 20 seconds, allowing visibility at night. • SCOTCHGARD™ PROTECTOR — on cloth seats, door panels and floor carpeting, resists stains for easy cleanup.

\*Requires Silverado Decor and Custom Cloth trim.

## **Competitive Models**

- Ford F-Series
- Dodge Ram.

#### **Forecasted Percent of Mix**

CERTIF			
SERIES	110/	<u> </u>	
C/K2500	11%		
C/K3500	89%		
Total	100%		
MODELS			
2WD	80%		
4WD	20%*		
Total	100%		
TRIM LEVELS			
Cheyenne	90%		
Silverado	10%		
Total	100%		
ENGINES			
Vortec 5700 V8 with SFI	25%		
Vortec 7400 V8 with SFI	35%		
6.5L V8 Turbo-Diesel HD	40%		
Total	100%		
TRANSMISSIONS			
5-Speed Heavy-Duty Manual	*		
with Deep Low and Overdrive	35%		
4-Speed Electronically Controlled			
Heavy-Duty Automatic with Overdrive	65%		
Total	100%		

<sup>\*</sup>Not available on 3500 HD.

# 2500 CHASSIS CAB EQUIPMENT SUMMARY

STANDARD INTERIOR FEA	ATURES	CHEYENNE	SILVERADO
CUPHOLDERS:	DUAL IN DASH	S	S
DOOR BEAMS:	SIDE IMPACT	S	S
GAGES:	TRIP ODOMETER, OIL PRESSURE, VOLTMETER		
	AND TACHOMETER	S	S
GLASS:	SOLAR RAY TINTED, ALL WINDOWS	S	S
JACK:	WITH WHEEL WRENCH	S	S
INSULATION:	UNDER DASH & FLOOR COVERING	S	S
LIGHTING:	DOME W/LH & RH DOOR SWITCH W/DELAYED ENTRY FEATURE, READING, ASHTRAY, GLOVE-BOX AND	_	_
	UNDERHOOD	S	S
POWER POINTS:	DUAL COVERED	S	S
SCOTCHGARD:	ALL CLOTH AND CARPET SURFACES	s	S
SEAT BELTS:	ADJUSTABLE HEIGHT, FRONT	S	s s
WARNING TONE:	KEY-IN-IGNITION BUZZER	S	\$
STANDARD EXTERIOR FE	ATURES	CHEYENNE	SILVERADO
FLARES:	FRONT WHEEL OPENING (K2500 ONLY)	S	S
LAMPS:	DAYTIME RUNNING	S	S
TOW HOOKS:	TWO FRONT ON 4X4 MODELS	S	S
WIPERS:	INTERMITTENT WINDSHIELD W/PULSE WASHERS	S	S S
WIRE HARNESS:	7 LEAD TRAILERING	S	S
STANDARD CHASSIS FEA	ATURES		
		CHEYENNE	SILVERADO
BATTERY:	HEAVY-DUTY 600 CCA	S	\$
BRAKES:	POWER ASSISTED FRONT DISC, REAR DRUM	s	s
ENGINE.	4-WHEEL ANTI-LOCK VORTEC 5700 V8 SFI	S	S
ENGINE:	1: STAINLESS STEEL	S	s
FUEL TANK:	34 GALLON	Š	Š
GENERATOR:	100 AMP	s	S
STEERING:	SPEED SENSITIVE, POWER (EVO)	š	Š
STORAGE BOX:	UNDERHOOD, COVERED	s	S
	INDEPENDENT COIL W/2WD	S	\$ \$ \$ \$
555, 2,15,514 1111.	INDEPENDENT TORSION BAR W/4X4	S	S
SUSPENSION RR:		S	S
TRANSMISSION:	5-SPEED MANUAL W/DEEP LOW & OVERDRIVE	S	s

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

**REVISED: 8-19-96** 

1997 ORDER GUIDE

C/K 2500 CHASSIS-CAB

Page 1

## **2500 CHASSIS CAB TRIM DEFINITION & OPTION SUMMARY**

INTERIOR TRIM		CHEYENNE	SILVERADO
AIR CONDITIONING:	······································		S
ASSIST HANDLES:	PASSENGER	s	S
CONVENIENCE GP:	CRUISE CONTROL AND TILT WHEEL		S
	POWER WINDOWS, LOCKS		S
DOOR TRIM:	MOLDED PLASTIC W/ARMREST	S	
	COLOR-KEYED CLOTH AND CARPET TRIM		S
FLOOR COVERING:	COLOR-KEYED RUBBER	S	
	COLOR-KEYED CARPET		S
	RUBBER FLOOR MATS		S
HEADLINER:	COLOR-KEYED CLOTH	S	S
INSULATION:	ADDITIONAL SOUND-DEADENING		s
MAP POCKETS:	IN PASSENGER AND DRIVER'S DOOR		S
RADIO:	AM/FM STEREO W/SEEK-SCAN AND CLOCK	S	
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND		
	CASSETTE TAPE		S
SEATING:	VINYL BENCH	S	S
STEERING WHEEL:	SIMULATED LEATHER	S	
	LEATHER WRAPPED		S
STORAGE TRAY:	FULL WIDTH BEHIND SEAT		S
SUNSHADES:	CLOTH COVERED W/LH STORAGE STRAP & W/RH MIRRO	R S	S

EXTERIORTRIM	·	CHEYENNE	SILVERADO
DUMANER ERT	OLIDONAE		SILVENADO
BUMPER FRT:	CHROME	S	 -
	CHROME W/BLACK RUB STRIP		S
GRILLE:	MOLDED, PAINTED ARGENT	S	••
	CHROME DELUXE		S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	S	
	DUAL COMPOSITE - HALOGEN		S
HORN:	SINGLE NOTE	S	
	DUAL NOTE		S
MIRRORS:	BREAK-A-WAY OSRV, BLACK	S	
	ELECTRIC, REMOTE CONTROL, BLACK		S
NAMEPLATES:	CHEYENNE BADGE ON B-PILLAR	S	
	SILVERADO BADGE ON B-PILLAR		S
PAINT:	SINGLE TONE	S	s
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	
	RALLY WHEEL TRIM		S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

C/K 2500 CHASSIS-CAB

1997 ORDER GUIDE

REVISED: 8-19-96

#### MODEL AND BODY

#### MODEL AND BODY

Description Model No	Body	Wheel Base	Description	Model No	Body	Wheel Base
2-WHEEL-DRIVE MODEL Chassis-Cab CC20903	zw9	131.5	4-WHEEL-DRIVI Chassis-Cab		zw9	131.5

<sup>\*</sup>Includes Destination & Handling Charges

## **EMISSIONS (Must Specify One) (Refer Emission Requirements Section)**

FE9 Federal Emission Requirements

YF5 California Emission Requirements

NG1 New York/Massachusetts Emission Requirements

NB8 California or New York/Massachusetts Emission Override (Reqs FE9 Federal Emissions)

NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)

## \* GVWR SELECTOR (MUST SPECIFY GVW OPTION)

				Minimum	Equipment	Required	for	GVW	Rating
GVW	GVW Bating		GAWR*						
Option	Rating								
Required	(ibs)	Front	Rear						
	C20903								
C6P	8600	3600	6000						
	K20903								
C6P	8600	4250	6000						

<sup>\*</sup>GAWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axie, springs or tires.

_	•	_	_	_	-	
_	м	ю				ES
	-	_	_			

AXLES:
Front
3800
Rear
6000

K20903		
SPRINGS: Front 4250	AXLES: Front 4250	
Rear 6084	Rear 6000	

C/K 2500 CHASSIS-CAB

Page 3

#### POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

ENGINE	TRANS	MISSION	A	GVWR	
	5-SP	AUTO	3.73	410	
CC20903		:			
L31 Vortec 5700 V8 H. D.	WW3		(a) GT4	(a) GT5	
(350 Cu In)—SFI		MT1	GT4	GT5	8600
L29 Vortec 7400 V8 H.D. (454 Cu In)—SFI	MW3	мп	GT4	GT5	9600
L65 Turbo Diesel 6.5 Liter V8 H.D. (400 Cu ln)	MW3	MTT	GT4	GT5	8600
L31 Vortec 5700 V8 H.D. (350 Cu in)—SFI	MW3	мп	(a) GT4	(a) GT5	8800
L29 Vortec 7400 V8 H.D. (454 Cu in)—SFI	WW3	MT1	GT4	GT5	8600
L65 Turbo Diesel 6.5 Liter V8 H.D. (400 Cu in)	MW3	MT1	GT4	GT5	8600

<sup>(</sup>a) N/A YF5 California Emissions

TIRES: Must Specify Front and Rear (Spare Tire Optional)

<del></del>	All Se	B50N3	On-Off Road		
Description	Front	Rear	Front	Rear	Spare
C20903 TUBELESS Steel Belted Radial					
LT245/75R16-E B/W	XHH	YHH			ZHH
LT245/75R16-E B/W	XHH			YGK	ZGK
K20903 TUBELESS Steel Belted Radial					
LT245/75R16-E B/W			XGK	YGK	ZGK
LT245/75R16-E B/W	хнн	YHH			ZHH

B/W = Blackwall

#### MUST SPECIFY:

#### **AXLE, EMISSION, ENGINE, TIRES AND TRANSMISSION**

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Custom Ordering Option Listing.

	CHEYENNE	SILV	ERADO
	1	1	1
	s	S	s
	M	N	R
CHEYENNE DECOR	x		
Chassis CabZW9	X	×	X
SILVERADO DECOR YE9		×	×
SILVERADO DECOR (Leather)			×
Keyless Entry AUO			x
Mirror, ISRV DD7			X
Trim, Leather Split Bench Seat AE7			×

(A) May upgrade

#### REGULAR CAB MARKETING PACKAGES

#### **Preferred Equipment Group Prices**

N.C. 1SM

**PEG Savings** 

\*\*(-500.00) w/1SM and R9A

N.C.

w/1SM w/c R9A

\*\*(-750.00) 1SN or 1SR

CONVENIENCE PACKAGE ORDERING OPTION = R9A (Reqs Peg 1SM)

Incls:

C60 Air Conditioning ZQ3 Tilt and Cruise UM6 Radio w/Cassette

<sup>\*\*</sup>PEG Savings Amount represents the savings for Preferred Equipment Groups.

#### ADDITIONAL OPTIONS

	****			ADDITIONAL OPTIONS
	'IN W/D	CL ECOR		
	CHEY-	SILVER ADO	OPTION	
ı				ACKNOWLEDGEMENTS:
ļ	Ì		R8S	Multiple Order Numbers
ı		ì	RST	Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
ı			K47	AIR CLEANER: High Capacity
ı				AIR CONDITIONING: (One Of The Following Options Must Be Specified w/ PEG 1SM w/o Convenience Pkg R9A)
- 1			YG6	Air Conditioning Not Desired
- 1		×	C60	Air Conditioning: (Incls R134A Refrigerant)
1				w/1SN,1SRorR9A
-		x	∨22	w/ISM  APPEARANCE PACKAGE: (Incls Chrome Grille, Composite Halogen Headlamps and Dual Horns)
ı				w/1SNor1SR
- 1				w/ISM
- 1				AXLES, REAR: (Refer Power Teams Chart for Availability)
- 1			GT4 GT5	3.73 Ratio 4.10 Ratio
			G80	4. To natio
			TP2	BATTERY: Heavy-Duty, Auxiliary (N/A Diesel Eng.) (Deletes Underhood Storage Box)
			ZW9	BODY: Chassis-Cab
- 1			V10	COLD-CLIMATE PACKAGE: (Incis Eng Block Heater) (Regs Base Decor w/Diesel Eng)
- }		×	ZQ3	CONVENIENCE GROUP: Tilt-Wheel and Speed Control
H				w/15N,15RorR9A
.				w/ISM
				EMISSIONS: (Refer Emission Requirement Tab Section)
			FE9	Federal Emission Requirements
			YF5	California Emission Requirements
ı			NG1	New York/Massachusetts Emission Requirements
- 1			NB8 NC7	California or New York/Massachusetts Emission Override (Reqs FE9 Federal Emissions) Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)
1			NC	ENGINES: (Refer Power Teams Chart for Availability)
.		[	L31	Vortec 5700 V8 (350 Cu In)-SFI
			L65	6.5 Liter V8 H.D. Turbo Diesel (400 Cu In) (Incls Bumper Guards) (Deletes Underhood Storage Box)
			KL5	Alternative Fuel (LPG or CNG Conversion Ready) (Reqs L31 Eng and Auto Trans)
		<b>!</b> '		FLOOR COVERING:
i	N/A		BG9	Full Floor, Rubber, Color-Keyed (Replaces Carpeting and Floor Mats)
i		N/A	B30 B32	Carpet Floor Covering Floor Mats (Regs B30 Floor Covering)
		^	AJI	GLASS: Deep Tinted Solar-Ray (C-K20903 Regs A28 Sliding Rear Window)
			-	GVWR: (Must Specify) (Refer GVWR Selector Chart for Availability)
٠,			C6P	8600#
	N/A		AUO	KEYLESS ENTRY: Remote
				w1SR w1SN
			່ໝາ	LAMPS: Roof Marker (N/A YF5 Calif Emissions)
			VK3	LICENSE PLATE BRACKET: Front
:		x	AU3	LOCKS: Power Door
				MIRRORS:
			DF2	Camper Type. Stainless Steel, 7.5" W x 10.5" H, Exterior
			ł	w/1SNor1SR w/1SM
		1	DG5	Senior West Coast. LH and RH Stainless Steel, 7" W x 16" H, Exterior
			""	w/1sNor1SR
				w/ISM
	N/A		007	10" Electrochromic ISRV with 8 Point Compass, Interior
		İ		w/158
	1	İ	1	w/ISN PAINT, EXTERIOR: (Refer Color and Trim Chart for Availability)
	1		271	Solid
			l ~··	RADIO EQUIPMENT:
	!	x	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tupe
			ļ	w/1SN, 1SRorR9A
	İ		<u> </u>	w/ISM
	N/A	1	ULO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control.
		Ì	1	Cassette Tape, Theft Lock and Speed Compensated Volume (Incls Enhanced Performance Speaker System)
				opporer existent
	1			
	1	1	1	

#### **ADDITIONAL OPTIONS**

INCL W/DECOR

117.0	ECUN		
CHEY-	SILVER-	OPTION	
			RADIO EQUIPMENT: (Continued)
N/A		UNO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (Incis Enhanced Performance Speaker System
N/A		UPO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Search and Repeat, Compact Disc Player, Theft Lock and Speed Compensated Volume (Incls Enhanced Performance Speaker System) (Regs MT1 Trans)
	N/A	UL5	Radio Delete
			SEAT TYPE (Refer Color/Trim Chart for Availability)
		A52	Bench Seat (Incis Storage Armrest and Power Lumbar w/Custom Cloth or Leather Trim) w/ISMorwith ISN w/o Leather
		463	w/1SNwithLeather
		AE7	Reclining Split Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom Cloth or Li: "ther Trim) w/ISR
	ľ		w/1SMorwith 1SN w/o Leather
			w/1SNwithLeather
		A95	Reclining High Back Bucket Seats (Incls Power Lumber) w/ISR
	ł	ł	w/1SNwithuxLeather w/1SNwithLeather
		NZZ	SKID PLATE: Off-Road (K2500 Only)
	İ	WU	SNOW PLOW PREP PACKAGE: (K20903 Only) (Incls F60 HD Front Springs)
		F60	SPRINGS, FRONT: Heavy Duty (K2500 Only) (Incl w/VYU Snow Plow)
		100	w/MU w/oV/U
	į	1	TIRES: (Refer Tire Chart for Availability; Vehicle Price Schedule for Prices)
	ì	V76	TOW HOOKS: Two Front (Standard on K2500 Models)
		NP1	TRANSFER CASE: Electronic Shift Control, 2-Speed (Regs 4-Wheel Drive and Auto Trans)
	1	} ' <b>"</b> '	(Regs ZQ3 Convenience Package or Silverado Decor)
			TRANSMISSIONS: (Refer Power Teams Chart for Availability)
	1	MW3	5-Speed Manual with Deep Low and Overdrive. Heavy-Duty
	Į.	MT1	4-Speed Electronically Controlled Automatic with Overdrive. Heavy-Duty
	×	P06	WHEEL TRIM: Rally Wheel w/1SNor1SR
		A28	w1SM WINDOWS: Sliding Rear
	-	~20	THEOUTHS. SHARING REGI
		İ	

#### C/K 2500 CHASSIS-CAB INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT SCHEMES


PLEASE NOTE: Below are the interior trimicolor and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interior Color)	SEAT	INTERIOR COLORS					
Seat Type	OPT	. Neutrai	Blue	Gray	Red		
CHEYENNE (STD DECOR)	(						
Vinyl Bench Seat	<u> </u>	52V _	26V	13/	79V		
Cloth Bench Seat	A52	52C	26C	13C	79C		
SILVERADO DECOR							
Vinyl Bench Seat	A52	52V	2 <b>6</b> V	13/	79V		
Custom Cloth Bench Seat	452	52D	26D	13D	79D		
* Custom Leatner Bench Seat	452	522	262	132	792		
Custom Cioth Reclining Spirt Bench Seat	_ ÷E7	52D	26D	130	79D		
Custom Leather Reclining Split Bench Seat	-E7	522	262	132	792		
Custom Clotn Reclining High Back Bkt Seats	35	52D	26D	130	7 <b>9</b> D		

			1					
EXTERIOR COLORS	Color Code	PAINT SCHEME	INTERIOR & EXTERIOR COMBINATIONS SHOWN ARE THE ONLY COMBINATIONS AVAILABLE				Wheel Flare Color Avail or Std on 4-WD 8600 GVWR	
AUTUMNWOOD, LT (Metallic)	5 <b>5</b> U	ZY1	х				Autumnwood, Lt	
BLACK, ONYX	410	ZY1	х		×	x	Black, Onyx	
BLUE, GREEN MED (Metallic)	350	ZY1	×		x	I	Dk Argent	
BLUE, LT (Metallic)	27U	ZY1		×	×	I	Dk Argent	
BLUE, ROYAL MED (Metallic)	25U	ZY1	×	×	×		Blue, Royal Med	
GREEN, EMERALD (Metallic)	43U	ZY1	×		x	<u> </u>	Dk Argent	
QUICKSILVER (Metallic)	96U	ZY1		×	x	х	Quicksilver	
RED, CARMINE DK (Metallic)	51U	ZY1	×		×	x	Red, Carmine Dk	
RED, VICTORY	74U	ZY1	×		×	X	Dk Argent	
WHITE, SUMMIT	50U	ZY1	х	×	x	х	Dk Argent	

<sup>\*</sup> Leather on Seating Surface Only





# 3500 CHASSIS CAB EQUIPMENT SUMMARY

STANDARD INTERIOR FE	ATURES		CHEYENNE	SILVERADO
CUPHOLDERS:	DUAL IN DASH		S	S
DOOR BEAMS:	SIDE IMPACT		S	S
GAGES:	TRIP ODOMETE	R, OIL PRESSURE, VOLTMETER		
	AND TACHO	METER	S	s
GLASS:	SOLAR RAY TIN	ITED, ALL WINDOWS	S	S
INSULATION:	UNDER DASH 8	FLOOR COVERING	S	S
LIGHTING:	FEATURE, R	RH DOOR SWITCH W/DELAYED ENTRY EADING, ASHTRAY, GLOVE-BOX AND		
	UNDERHOOD		S	S
POWER POINTS:	DUAL COVEREI		S	S
SCOTCHGARD:		D CARPET SURFACES	S	s s
SEAT BELTS:	ADJUSTABLE H	HEIGHT, FRONT	S	S
WARNING TONE:	KEY-IN-IGNITIO	N BUZZER	\$	S
TANDARD EXTERIOR FE	ATURES		CHEYENNE	SILVERADO
FLARES:	FRONT WHEEL	OPENING (K3500 ONLY)	S	S
LAMPS:	DAYTIME RUNI	- , ,	Š	Š
TOW HOOKS:	•	N 4X4 MODELS	Š	s
WIPERS:		WINDSHIELD W/PULSE WASHERS	Š	S
WIRE HARNESS:		RING (C*30903 MODEL ONLY)	Š	Š
TANDARD CHASSIS FE	ATLIBES			
			CHEYENNE	SILVERADO
BATTERY:	HEAVY-DUTY 6		S	S
BRAKES:		ED FRONT DISC, REAR DRUM		_
	4-WHEEL AN		S	S
ENGINE:	VORTEC 5700		\$ \$	s s
EXHAUST SYSTEM			s S	s S
FUEL TANK:		& 403 MODELS	5	3
	(22 GAL TAN	- · · · •		
	(18 GAL TAN	· · · · · · · · · · · · · · · · · · ·		_
051/504 700	34 GAL W/903	MODEL2	S	S
GENERATOR:	100 AMP	1/E DOM/ED /EV/OI	s	S
STEERING:		VE. POWER (EVO)	S	S S S S S
STORAGE BOX:	UNDERHOOD,		S	5
SUSPENSION FRT:			S	5
011005101011		TORSION BAR W/4X4	S	5
SUSPENSION RR:		-	S S	S
TRANSMISSION:	5-SPEED MANU	JAL W/DEEP LOW AND OVERDRIVE	5	5

**BOLD. ITALICS AND UNDERLINED INDICATES NEW FOR '97** 

REVISED: 8-19-96

1997 ORDER GUIDE

C/K 3500 CHASSIS-CAB

Page 9

## **3500 CHASSIS CAB TRIM DEFINITION & OPTION SUMMARY**

INTERIOR TRIM		CHEVENINE	CH VERADO
AIR CONDITIONING:		CHETENNE	SILVERADO S
ASSIST HANDLES:		S	S
	ODUNOS CONTROL AND THE WINES	3	=
CONVENIENCE GP:	CRUISE CONTROL AND TILT WHEEL		S
	POWER WINDOWS AND LOCKS	<b></b>	S
DOOR TRIM:	MOLDED PLASTIC W/ARMREST	S	
	COLOR-KEYED CLOTH AND CARPET TRIM		S
FLOOR COVERING:	COLOR-KEYED RUBBER	S	
	COLOR-KEYED CARPET .		S
	RUBBER FLOOR MATS		S
HEADLINER:	COLOR-KEYED CLOTH	S	S
INSULATION:	ADDITIONAL SOUND-DEADENING		S
MAP POCKETS:	IN PASSENGER AND DRIVER'S DOOR		S
RADIO:	AM/FM STEREO W/SEEK-SCAN AND CLOCK	S	
	AM/FM STEREO W/SEEK-SCAN, CLOCK AND		
	CASSETTE TAPE		S
SEATING:	VINYL BENCH	S	S
STEERING WHEEL:	SIMULATED LEATHER	S	
	LEATHER WRAPPED		S
SUNSHADES:	CLOTH COVERED W/LH STORAGE STRAP & W/RH MIRRO	R S	S

EXTERIORTRIM		CHEYENNE	SILVERADO
BUMPER FRT:	CHROME	S	
	CHROME W/BLACK RUB STRIP		S
GRILLE:	MOLDED, PAINTED ARGENT	S	
	CHROME DELUXE		S
HEADLAMPS:	SINGLE RECTANGULAR HALOGEN	s	
	DUAL COMPOSITE - HALOGEN		S
HORN:	SINGLE NOTE	S	
	DUAL NOTE		S
MIRRORS:	BREAK-A-WAY OSRV, BLACK W/O F44 CHASSIS	S	
	ELECTRIC, REMOTE CONTROL, BLACK W/O F44 CHASSIS		S
	RH & LH BELOW-EYE-LINE TYPE, BLACK W/F44 CHASSIS	S.	
	STAINLESS STEEL BELOW-EYE-LINE W/C7E OR C7L GVW		S
NAMEPLATES:	CHEYENNE BADGE ON B-PILLAR	s	
	SILVERADO BADGE ON B-PILLAR		S
PAINT:	SINGLE TONE	S	S
WHEELS:	SILVER PAINTED W/BLACK CENTER CAP	S	
	RALLY WHEEL TRIM		S

BOLD, ITALICS AND UNDERLINED INDICATES NEW FOR '97

C/K 3500 CHASSIS-CAB

1997 ORDER GUIDE

**F/EVISED: 8-19-96** 

#### **MODEL AND BODY**

#### **MODEL AND BODY**

Description	Model No	Body	Wheel Base	Description	Model No	Body	Wheel Base
2-WHEEL-DRIN	E MODELS			4-WHEEL-DRIVE	MODELS		
Chassis-Cab	CC30903	ZW9	131.5	Chassis-Cab	СКЗ0903	ZW9	131.5
Chassis-Cab	CC31003	ZW9	135.5	Chassis-Cab	CK31003	' ZW9	135.5
':hassis-Cab	CC31403	ZW9	159.5	Chassis-Cab	CK31403	ZW9	159.5

#### \*GVWR SELECTOR (MUST SPECIFY GVW OPTION)

				Minimum Equipment Required For GVW Rating
GVW Option Required	GVW Rating (ibs)	Front	GAWR* Rear	
C30903				
C6U	9000	3600	6084	Regs RO4 Wheels and YGK or YHH Tires
C7A	10000	3600	7500	Regs R05 Wheels (N/A KL5 Alternative Fuel)
C31003-C31	403			
C7A	10000	3880	7500	
C7E	11000	4100_	8250	Regs F44 Chassis
K30903				
C6W	9200	4250	6084	Regs R04 Wheels and YGK or YHH Tires
C7A	10000	4250	7500	Regs R05 Wheels
K31003-K31	403			
C7L	12000	4500	8600	Incls F44 Chassis

GAWR's shown are the minimum for each axle with equipment listed. Other GAWR's are available, and they are determined as the minimum capacity of either axle, springs or tires.

#### CAPACITIES

C30903		
Springs:	Axles:	
Front	Front	
3600	3800	
Rear	Rear	
6084	6084	
C31003-C31403		
Springs:	Axies:	
Front	Frant	
4100	4100	
Rear	Rear	
7500	8600	

K30903	
Springs;	Axies:
Front	Front
4250	4250
Rear	Rear
6084	6084
K31003-K31403	
Springs:	Axles:
Front	Front
4500	4500
Rear	Rear
8600	8600

**REVISED: 8-19-96** 

1997 ORDER GUIDE

C/K 3500 CHASSIS-CAB

#### **EMISSIONS (Must Specify One) (Refer Emission Requirements Section)**

FE9 Federal Emission Requirements

YF5 California Emission Requirements

NG1 New York/Massachusetts Emission Requirements

NB8 California or New York/Massachusetts (Reqs FE9 Federal Emission)

NC7 Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions)

#### POWER TEAMS (Must Specify Engine, Transmission and Rear Axle)

(Consult GVWR Selector For Minimum Equipment Required)

	ENGINE	TRANSMISSION		AXLE		GVWR
	5-SP	AUTO	3.73	410	4.56	
	H Du	ty H Duty				
cc30903						
_31 Vortec 5700 V8 H.D.	MW3			(a) GT5		9000
350 Cu In)-SFI		MT1		GT5		9000
641/ F700VPU D	MW3			(a) GT5		10000
L31 Vortec 5700 V8 H.D. (350 Cu in)SFI	IVIVVS	MT1		(a) GT5	(a) HC4	10000
350 Cu III — SFI				10, 0, 0	-	
L29Vortec 7400V8						
(454 Cu in)-SFI	MW3	MT1		GT5		9000
_29 Vortec 7400 V8	MW3		-	GT5	(a) HC4	10000
454 Cu in)—SFI		MT1	-	GT5	(a) HC4	10000
L65 Turbo Diesel 6.5 Liter V8 H.D.						00000000
(400 Cu In)	WW3	MIT1	-	GT5	-	9000/10000
СК30903						
5300,404.6						
L31 Vortec 5700 V8 H.D.	MW3	MT1	_	(a) GT5		9200
(350 Cu in)-SFI	101713	*****		,2, 0, 0		
L31 Vortec 5700 V8 H.D.						
(350 Cu In)-SFI	MW3	MT1	-	(a) GT5		10000
						,
L29 Vortec 7400 V8	MW3	MT1		GT5	_	9200
(454 Cu In)SFI	MW3	IVII I		915		3.35
L29 Vortec 7400 V8						
(454 Cuin)—SFI	MW3	MT3	**	GT5	(a) HC4	10000
L65 Turbo Diesel 6.5 Liter V8 H.D.	***	<del></del>			*******	
(400 Cuin)	MW3	MT1		GT5		9200/1000
1400 Cd III)						
CC31003CC31403						
121 Verse 5700 V9 H D	MW3		_	(a) GT5	(a) HC4	10000
L31 Vortec 5700 V8 H.D. (350 Cu in)SFI	141443	MT1		GT5	HC4	1000071100
(000 cc an-o: )		•				
	•	<del></del>		-		
L29Vortec 7400V8	MW3	мтт .	GT4	GT5	HC4	1000071100
(454 Culn)—SFI	1414.2	1411 1				
L65 Turbo Diesel 6.5 Liter V8 H.D.						
(400 Cu ln)	MW3	MT1	-	GT5	••	11000/1100
CK31003-CK31403	· · · · · · · · · · · · · · · · · · ·	<del></del>				
L31 Vortec 5700 V8 H.D.		<b>6</b>		(-) CTC	(a) HC4	12000
(350 Cu in)—SFI	WW3	MT1		(a) GT5	(a) HC4	
L29 Vortec 7400 V8						
(454 Culn)-SFI	MW3	MT1	GT4	GT5	HC4	12000
(707 40 8 8 7 0 1 )	·	<del></del>				· ·
L65 Turbo Diesel 6.5 Liter V8 H.D.				ort.		12000
(400 Cu in)	MW3	MITI	GT4	GT5		للنما

<sup>(</sup>a) N/A YF5 Califoria Emissions

C/K 3500 CHASSIS-CAB

1997 ORDER GUIDE

**REVISED: 8-19-96** 

Page 12
Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory (Vanagement Since MSRP Prices Shown Are Manufacturer's Suggested Retail Prices (MSRP) At The Time Of Publication. These Prices Are To Be Used Only As An Aid To Inventory (Vanagement Since MSRP Prices Shown In The Vehicle Prices With Potential Buyers. The Model Prices Shown In The Order Guide Include The Destination Freight Charges.

#### TIRES:

#### C/K30903--C/K31\*03 (Must Specify Front and Rear Tire) (Spare is Optional)

#### \* Ali Seasons

			** Hig	hway				
· · · · · · · · · · · · · · · · · · ·			Single	Duai	Si	ngle		Dual
Description		Front	Rear	Rear	Front	Rear	Rear	Spare
C30903								
TUBELESS Steel Belted Radial			•					
LT215/85R16-D B/W	• •	XYK		YYK				ZYK
LT225/75R16-D B/W	•	XHP		YHP				ZHP
LT225/75R16-D B/W	•	XHP					YHR	ZHR
LT245/75R16-E B/W	•	XHH				YGK		ZGK
LT245/75R16-E B/W	•	хнн	YHH					ZHH_
C31003-C31403						·		
TUBELESS Steel Belted Radial								
LT215/85R16-D B/W	**	XYK		YYK				ZYK
LT215/85R16-D B/W	• •	XYK				_	YYL	ZYL
LT225/75R16-D B/W	•	XHP		YHP				ZHP
LT225/75R16-D B/W	•	XHP					YHR	ZHR
K30903								
TUBELESS Steel Betted Radial								
LT215/85R16-D B/W	**	XYK		YYK				ZYK
(b)LT215/85R16-D B/W					XYL _		YYL	ZYL
LT225/75R16-D B/W	• •	XHP		YHP				ZHP
LT225/75R16-D B/W					XHR		YHR	ZHR
LT245/75R16-E B/W					XGK	YGK		ZGK
LT245/75R16-E B/W	•	хнн	YHH					ZHH
K31003-K31403					-		,	
TUBELESS Steel Belted Redial								
LT215/85R16-D B/W	••	XYK		YYK				ZYK
(b)LT215/85R16-D B/W					XYL	·	YYL	ZYL
LT225/75R16-D B/W	•	XHP		YHP				ZHP
LT225/75R16-D B/W					XHR		YHR	ZHR

<sup>(</sup>a) Regs C7A GVW

B/W = Blackwali

<sup>(</sup>b) Reqs F60 Front Springs

#### MUST SPECIFY:

#### AXLE, EMISSION, ENGINE, TIRES AND TRANSMISSION

No Deletions Allowed. Additional Options/Upgrades (Where Indicated) May be Ordered from the Custom Ordering Option Listing.

	CHEYENNE	SAV	ERADO
	1 S M	1 S N	1 S R
CHEYENNE DECOR	x x	<b>x</b>	ж
SILVERADO DECORYE9		x	*
SILVERADO DECOR (Leather)			×
Keyless Entry			x
Mirror, ISRV			x

## **REGULAR CAB MARKETING PACKAGES**

#### **Preferred Equipment Group Prices**

N.C. 1SM

\*\*(-500.00) w

PEG Savings w/1SM and R9A

\*\*(-750.00) 1SN or 1SR

CONVENIENCE PACKAGE

ORDERING OPTION = R9A

(Reqs PEG 1SM)

incis :

C60 Air Conditioning ZQ3 Tilt and Cruise UM6 Radio w/Cassette

**REVISED: 8-19-96** 

<sup>\*\*</sup>PEG Savings Amount represents the savings for Preferred Equipment Groups.

## C/K3500 REGULAR CAB CHASSIS-CAB 12000 GVWR AND BELOW

#### **ADDITIONAL OPTIONS**

INCL N/DECOR

	DECOR	_	
CHEY-	SILVER-	OPTION	
	1		ACKNOWLEDGEMENTS:
1	1	R8S	Multiple Order Numbers
1	İ	R8T K47	Preliminary Invoice (Refer Vehicle Price Schedule for Prices)
		N#/	AIR CLEANER: High Capacity  AIR CONDITIONING: (One Of The Following Options Must Be Specified w/PEG 1SM w/o Convenience Pkg R9A)
		YG6	Air Conditioning Not Desired
ł	×	C60	Air Conditioning: (Incis R134A Refrigerant)
1	^	1	w/ISN, ISR or R9A
i		1	WISM
1	×	V22	APPEARANCE PACKAGE: (Incls Chrome Grille, Composite Halogen Headlamps and Dual Horns)
	İ		w/1SNor1SR
			w/ISM
i		GT4	AXLES, REAR: (Refer Power Teams Chart for Availability) 3.73 Ratio
1		GT5	4.10Retio
	ļ	HC4	4.56 Ratio (C-K30903 Incls G80 Locking Differential)
			wCK31**3
			w/C-K30903
		G80	Locking Differential (Included w/HC4 on C-K30903)
1		1	w/HC4&C-K30903
1		CTV	w/oHC4&C-K30903orAEC/K31**3
	1	GTY TP2	Wide Track (N/A C-K30903)  8ATTERY: Heavy-Duty, Auxiliary (N/A Diesel Eng.) (Deletes Underhood Storage Box)
		zw9	BODY CODE: Chassis-Cab
		F44	CHASSIS: Equipment Heavy-Duty (Avail on 11000 GVW Only)
		Į.	4-Wheel Drive
1		1	2-Wheel Drive
1	1	V10	COLD-CLIMATE PACKAGE: (Incis Eng Block Heater) (Reqs Base Decor w/Diesel Eng)
1	×	ZQ3	CONVENIENCE GROUP: Comfortilt Steering and Speed Control
			w/1SN, 1SR or R9A w/1SM
1			EMISSIONS: (Refer Emission Requirement Tab Section)
1		FE9	Federal Emission Requirements
1		YF5	California Emission Requirements
		NG1	New York/Massachusetts Emission Requirements
		NB8	California or New York/Messachusetts Emission Override (Regs FE9 Federal Emissions)
	1	NC7	Federal Emission Override (Reqs YF5 California or NG1 New York/Massachusetts Emissions) ENGINES: (Refer Power Teams Chart for Availability)
İ		131	Vortec 5700 V8 (350 Cu In)-SFI H.D.
1		129	Vortec 7400 V8 (454 Cu Inj-SFI
		L65	6.5 Liter (400 Cu In) V8 Turbo Diesel (Deletes Underhood Storage Box)
		KL5	Alternative Fuel (LPG and CNG Conversion Reedy) (Reqs L31 England Auto Trans )
	j		FLOOR COVERING:
N/A	N/A	8G9 830	Full Floor, Rubber, Color-Keyed (Replaces Carpeting and Floor Mats) Carpet Floor Covering
1	N/A	B32	Floor Mats (Regs 830 Floor Covering)
l		NOZ	FUEL TANK DELETE: 18-Gai Capacity Rear Mounted (Contact Body Manufacturer) (Regs C-K31*03)
		All	GLASS: Deep Tinted Solar Ray (Reqs A28 Sliding Rear Window)
			GVWR: (Must Specify One) (Refer GVWR Selector Chart for Availability)
		CEU	9,000#
-		COW	9,200# 19,000#
1		C7A C7E	11,000#
	}	C7L	12000#
N/A	1	AUO	KEYLESS ENTRY: Remote
- {	ĺ		w/ISR
			WISN.
		ro.	LAMPS: Roof Marker (Incl w/R05 Dual Rear Wheels) (Std on C-K31*03 Models)
			(w/R04 Single Rear Wheels Reqs FE9 or NG1 Emissions) w/R05
	[		wR04
1	1	VK3	LICENSE PLATE BRACKET: Front
1	×	AU3	LOCKS: Power Door
	1	1	MIRRORS:
		DF2	Camper Type. Stainless Steel, Exterior 7.5" W x 10.5" H w/1SNor 1SR
1			w/tsnortsk
		1	
1	1	1	
1	1	ŀ	

**REVISED: 8-19-96** 

1997 ORDER GUIDE

C/K 3500 CHASSIS-CAB

Page 15

#### **ADDITIONAL OPTIONS**

INCL W/DECOR

W/C	ECOR		
CHEY-	SILVER-	OPTION	
	<del></del>	1	MIRRORS: (Continued)
		DG5	Senior West Coast Type. LH and RH Stainless Steel, Interior 7" W x 16" H w/1SNor1SR w/1SM
N/A		DD7	10" Electrochromic ISRV with 8 Point Compass, Interior w/1SR
	×	D45	w/1SN Below-Eye-Line Type: Stainless Steel, 9" W x 6.5" H, Exterior (Reqs C7E or C7L GVW)
	^		w/1SNor1SR w/1SM
	1	ZY1	PAINT, EXTERIOR: Solid (Refer Color/Trim Chart for Availability)  RADIO EQUIPMENT:
	×	UM6	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock and Cassette Tape w/1SN, 1SR or R9A w/ISM
N/A		υιο	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Cassette Tape, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System)
N/A	ļ	UNO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Compact Disc Player, Theft Lock and Speed Compensated Volume (Incls an Enhanced Performance Speaker System)
N/A		UPO	Electronically Tuned AM/FM Stereo Radio w/Seek-Scan, Digital Clock, Automatic Tone Control, Stereo Cassette Tape w/Search, Compact Disc Player, Theft Lock and Speed Compensated Volume (Incis an Enhanced
	N/A	UL5	Performance Speaker System) (Reqs MT1 Trans) Radio Delete
		A52	SEAT TYPE: (Refer Color/Trim Chart for Availability)  Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom cloth or Leather Trim)  w/1SMor with 1SNw/o Leather  w/1SNwith Leather
N/A		AE7	With the Bench Seat (Incls Storage Armrest and Power Lumbar w/Custom cloth or Leather Trim) w/1SR w/1SM or with 1SN w/o Leather
NI/A		A95	w/1SNwithLeather Reclining High Back Bucket Seats (Incls Power Lumbar)
N/A		A35	w/1SR w/1SNwithoutLeather
		NZZ	w/1SN with Leather SKID PLATE: Off-Road (K3500 Only) (Incls Eng., Front Differential and Transfer Case Shields)
		F60	SNOW PLOW PREP PACKAGE: (K3500 Only) (Incls F60 Front Springs) SPRINGS: Front, Heavy-Duty, (K3500 Only) (Incl w/VYU Pkg) w/VYU w/oVYU
		F61	STABILIZER SHAFT: Rear (N/A C-K30903) TIRES: (Refer Tire Chart for Availability and Vehicle Price Schedule for Pricing)
	Ì	∨76	TOW HOOKS: Two Front (Std on K3500 Models) TRANSMISSIONS: (Refer Power Teams Chart for Availability)
		MW3	5-Speed Manual w/Deep Low and Overdrive, Heavy-Duty
		MT1	4-Speed Automatic w/Overdrive, Heavy-Duty WHEELS, REAR: One Of The Following Wheel Options Must Be Specified on C-K30903 Models
		RO4	Single, Rear (Reqs YHH or YGK Tires and C-K30903 Model)
		R05	Dual, Rear (N/A YHH or YGK Tires) w/CK31003-CK31403 w/C-K30903
	×	P06	WHEEL TRIM: Rally Wheel Trim w/15Nor15R w/ISM
		A28	WINDOW: Sliding Rear

# C/K 3500 CHASSIS-CAB INTERIOR AND EXTERIOR COLOR AVAILABILITY CHART WITH ZY1 PAINT SCHEMES

PLEASE NOTE: Below are the interior trim color and exterior paint combinations recommended by Chevrolet. They are the only available interior and exterior combinations allowed.

TRIM LEVEL (Must Specify Seat Option and Interi-	or Calor)	SEAT		INTERIOR	COLORS		
Seat Type		OPT	Neutral	Blue	Gray	Red	
CHEYENNE (STD DECOR)				1			
Vinyl Bench Seat		A52	52V	267	13/	79V	
Cloth Bench Seat		A52	52C	26C	13C	79C	
SILVERADO DECOR							
Vinyl Bench Seat		A52	52V	26V	13/	79V	
Custom Cloth Bench Seat		A52	52D	26D	130	79D	
Custom Leather Bench Seat		A52	522	262	132	792	
Custom Cloth Reclining Split Bench Seat		AE7	52D	26D	130	79D	
<ul> <li>Custom Leather Reclining Solit Sench Seat</li> </ul>		AE7	522_	262	132	792	
Custom Cloth Reclining High Back Bkt Sea	ats	A95	52D	26D	130	79D	
EXTERIOR COLORS	Calor Cade	PAINT SCHEME		BINATIONS	& EXTERIOR SHOWN	ARE THE	Wheel Flare Color Avail or Std on (a) 4-W
^ AUTUMNWOOD, LT (Metallic)	55U	ZY1	x		İ .		Autumnwood, Lt
BLACK, ONYX	41U	ZYI	x		x	x	Black, Onyx
^ BLUE, GREEN MED (Metallic)	35U	ZY1	×		x		Dk Argent
BLUE, LT (Metallic)	27U	ZY1		×	x		Dk Argent
BLUE, ROYAL MED (Metallic)	250	ZY1	×	х	х		Blue, Royal Med
GREEN, EMERALD (Metallic)	430	ZY1	X		x		Dk Argent
				1	T		Out a bath and

ZY1

ZY1

ZY1

ZY1

\* Leather on Seating Surface Only

QUICKSILVER (Metallic)

RED, VICTORY

WHITE, SUMMIT

RED, CARMINE DK (Metallic)

(a) Incl on Front Only w/Dual Rear Wheels


#### **SOLID PAINT - ZY1**

96U

510

74U

50U



Quicksilver

Dk Argent Dk Argent

Red, Carmine Dk

## **NOTES**

# **DIMENSIONS (CONT.)**

Cound to Top of Rear   Code Floor (in.)   RegCab - 2WD   32.4   1.2   33.0   -   36.8   35.3   36.1   -   -   -	MODEL	RE	GCAB	PICKUP /EXTCAB /FLEETSIDE		C/K 2500	PICKUP /EXTCAB rside	REGC					
### STERIOR DIMENSIONS   Ground to Top of Rear   Load Floor (in.)   Reg. Cab = W/D   32.8   32.6   -	MODEL NUMBER												
Ground to Top of Rear Load Floor (n)   22 ±   1 2   33.0		E62	E63	E63	C5Z	СбР	C6P		C7A	R04	R05		
Load Floor (in)   RegCab-WVD   32.4   1.2   33.0   36.8   35.3   36.1				E	XTERIO	R DIME	NSIONS				L		
Front/Rear   RegCab-2WD   H18   6.9/6.6   7.17/3   -/-   3.77/3   8.4/6.4   7.5/6.4   7.3/6.4   EtCab-2WD   H18   6.9/6.9   7.77/2   -/-   2.77/3   8.0/6.4   -/-   2.77/3   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   -/-   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   8.0/6.4   2.77/3   2.77	Load Floor (in.) RegCab-2WD RegCab-4WD ExtCab -2WD ExtCab -4WD Crew Cab-2WD	32 31 32	.8 .4 .4	32.6 30.3 34.3	32.6 —	33.8	40.0 34.8 34.9	35.2 —	35.8 34.1 34.1		   34.7 34.7		
Curb-O-Curb (ft) Rey-Cab-SWD/AWD ExtCab-SWD/AWD A6.6/47.6 50.6/51.6 46.6/	Front/Rear RegCab-2WD RegCab-4WD ExtCab-2WD H148 ExtCab-4WD H153		8.7 6.9	/8.0 /6.9	7.7/7.2	<u>-/</u>	8.7/7.3 <b>7.7/7.2</b>	6.3 8.0	/6.4 /6.4				
Track Width (in.) Front/Rear RegCab-2WD 63.6/61.6 63.6 64.6 62.6/63.6 -/- N/A 63.3/64.3 N/A 63.3/64.3 N/A 68.6/64.3 N/A N/A 68.6/64.3 N/A 6	Curb-to-Curb (ft) RegCab-2WD/4WD				1						53.8/55.7 /		
Inside Width at Top Rear (in.) W204 49.0 60.2 60.2 60.2 60.2 60.2 60.2 60.2 60	Front/Rear RegCab-2WD RegCab-4WD ExtCab-2WD ExtCab-4WD W102  CARGO BOX	64.1/ 63.6/	63.5 63.6	6+.1 63.5 62.6 63.6	/ 62.6/63.6	_/ <u>-</u>	64.1/63.9 62.6/63.6	68.6/64.3	N/A 63.3/64.3	68.6/64.3 —/—	N/A N/A —/— —/—		
(in.) W204 49.0 60.2 60.2 60.2 60.2 60.2 60.2 60.2 60	·	78	.7	97.6	78.7	97.6	97.6	97	7.6	97.6			
(in.) W203 49.0 64.4 64.4 64.4 64.4 64.4 64.4 64.4 1nside Width between Wheelhousings (in.) W201 49.1 49.1 49.1 49.1 49.1 49.1 49.1 49.		49.0	60.2	60.2	60	.2	60.2	60	0.2	60	).2		
Wheelhousings (in.)         W201         49.1         19.2<	(in.) W203	49.0	64.4	64.4	64	.4	64.4	64	1.4	64	1.4		
Tailgate Width (in.) (Top) 50.9 62.0 62.0 62.0 62.0 62.0 62.0 62.0 62.0	Wheelhousings (in.) W201							+	9.1 49.1				
Cargo Volume (cu ft) 42.1 55.6 69.1 55.6/69.1 69.1 69.1 69.1 69.1  SIGN PANEL AREA (in.) RegCab 17 x48 3/4 17 x48 3/4 17 x48 3/4 17 x77 1/2 17 x77 1/2 17 x77 1/2 17 x77 1/2 17 x77 1/2 17 x85  CAB Headroom (in.) Front/Rear' H61/H63 39.9/37.5 39.9/37.5 39.9/37.5 39.9/37.5 39.9/40.8  Legroom (in.) Front/Rear' L34/L51 41.7/34.8 41.7/34.8 41.7/34.8 41.7/34.8 41.7/34.8 41.7/34.8 41.7/37.9  Shoulder Room (in.) Front/Rear' W3/W4 65.4/67.6 65.4/67.6 65.4/67.6 65.4/67.6 65.4/64.9  Hip Room (in.) Front/Rear' W5/W6 60.0/64.2 60.0/64.2 60.0/64.2 60.0/64.2 60.0/69.3  Extended-Cab Cargo Volume (cu ft)	-3 ( ,	50.0						<del></del>	·				
Sign Panel Area (in.)   17 x48 3/4   17 x48 3/4   17 x48 3/4   17 x48 3/4   17 x48 3/4   17 x77 1/2   17 x77 1/2   17 x77 1/2   17 x77 1/2   17 x77 1/2   17 x77 1/2   17 x77 1/2   17 x77 1/2   17 x75 1/2   17 x7													
CAB       Headroom (in.)     Front/Rear¹     H61/H63     39.9/37.5     39	SIGN PANEL AREA (in.) RegCab ExtCab	17 x48 3/4 17 x 77 1/2		.83/4 17 x48 3/4 17 x48 77 1/2 17 x 77 1/2 17 x 77		17 ×48 3/4 17 × 77 1/2	17 x48 3/4		-	<del>-</del>			
Headroom (in.)         Front/Rear¹         H61/H63         39.9/37.5				, II	VTERIO	R DIME	NSIONS						
Front/Rear¹ L34/L51 41.7/34.8 41.7/34.8 41.7/34.8 41.7/34.8 41.7/34.8 41.7/37.9  Shoulder Room (in.) Front/Rear¹ W3/W4 65.4/67.6 65.4/67.6 65.4/67.6 65.4/67.6 65.4/64.9  Hip Room (in.) Front/Rear¹ W5/W6 60.0/64.2 60.0/64.2 60.0/64.2 60.0/64.2 60.0/69.3  Extended-Cab Cargo Volume (cu ft)	Headroom (in.) Front/Rear <sup>1</sup> H61/H63		39.9	/37.5	39.9/	37.5	39.9/37.5	39.9	/37.5	39.9	<b>/</b> 40.8		
Front/Rear¹ W3/W4 65.4/67.6 65.4/67.6 65.4/67.6 65.4/67.6 65.4/67.6 65.4/64.9  Hip Room (in.) Front/Rear¹ W5/W6 60.0/64.2 60.0/64.2 60.0/64.2 60.0/64.2 60.0/59.3  Extended-Cab Cargo Volume (cu ft)	Front/Rear <sup>1</sup> L34/L51		41.7	/34.8	41.7/	34.8	41.7/34.8	41.7	/34.8	41.7	/37.9		
Front/Rear W5/W6 60.0/64.2 60.0/64.2 60.0/64.2 60.0/64.2 60.0/64.2 60.0/59.3 Extended-Cab Cargo Volume (cu ft)	Front/Rear <sup>1</sup> W3/W4		65.4	/67.6	65.4/	67.6	65.4/67.6	65.4	/67.6	65.4	/64.9		
Cargo Volume (cu ft)	Front/Rear W5/W6	· · · · ·	60.0	/64.2	60.0/	64.2	60.0/64.2	60.0	60.0/64.2 60.0/59		/59.3		
	Cargo Volume (cu ft)		40	).5	40	.5	40.5	40	).5		_		

 $<sup>^{\</sup>rm I}$  Rear dimensions apply to Extended-Cab and Crew-Cab models. N 4---Not available at time of publication.

		TIRES						
KEY: ALS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL ALT = ALL TERRAIN WL = WHITE LETTERED HWY = HIGHWAY OOR = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED								
	DESCRIPTION	FRONT	REAR	SPARE				
P235/75R15	ALS/SBR/BW	XFL	YFL.	ZFL				
P235/75R15	ALS/SBR/WL	XFN	YFN	ZFN				
P245/75R16	ALT/SBR/BW	XGA	YGA	ZGA				
P245/75R16	ALT/SBR/WOL	XGB	YGB	ZGB				
P265/75R16	ALT/SBR/BW	xgC	YGC	ZGC				
P265/75R16	ALT/SBR/WOL	_ XGD	YGD	ZGD				
LT215/85R16D	HWY/SBR/BW	XYK	YYK	ZYK				
LT215/85R16D	OOR/SBR/BW	XYL	YYL	ZYL				
LT225/75R16D	ALS/SBR/BW	XHP	YHP	ZHP				
LT225/75R16D	OOR/SBR/BW	XHR	YHR	ZHR				
LT245/75R16C	OOR/SBR/BW	XBN	YBN	ZBN				
LT245/75R16C	OOR/SBR/WOL	XBX	YBX	ZBX				
LT245/75R16E	ALS/SBR/BW	XHH	YHH	ZHH				
LT245/75R16E	OOR/SBR/BW	XGK	YGK	ZGK				

# **DIMENSIONS**

MODEL		REGCAB/		K 1500 PICKUP CAB/EXTCAB TSIDE/FLEETSIDE  C/K 2500 PICKUP REGCAB/EXTCAB FLEETSIDE		REGC/	PICKUP AB/EXT EETSIDE	C/K 3500 CREW				
MODEL NUMBER			703 753	C/K10903 C/K10953	G/K26 C20		C/K20903 C/K20953		C/K30903 C/K30953		C/K30943	
BODY CODE/ OPTION CODE	E6	2	E63	E63	C5Z	C6P	C6P	& CEW	C7A	R04	R05	
		l.		=	XTERIC	R DIME	NSIONS					
BODY Wheelbase (in.) RegCab ExtCab L1	01	117 141		131.5 155.5	13 <sup>-</sup> 14 <sup>-</sup>		131.5 155.5	131.5 155.5	131.5 155.5	16	8.5	
Overall Length (in.) w/o Rear Bumper RegCab ExtCab L1	103	194 218		<b>213.4</b> 237.4	<b>21:</b> 21:		<b>213.4</b> 237.4		<b>3.4</b> 37.4	25	0.9	
Overall Height (in.) RegCab-2WD RegCab-4WD ExtCab-2WD ExtCab-4WD H4	131	70 72 70 72	.7 .6	70.0 72.5 70.1 73.2	71 	- .3	73.8 76.0 73.1 74.0	73.4 74.0 — —	73.2 74.0 72.6 73.4	73.9 74.5 —	73.9 74.5 — —	
Maximum Width (in.) W1	03 77	7.1	76.8	76.8	76	.8	76.8	76.8	94.3	76.8	94.3	
Bumper to Axle (in.) Front L1 Rear Overhang	104	35		35.4		35.4 35.4 35.4		55.4			5.4 6.5	
(w/o bumper) L	105	41		46.5	41.6/46.5 46.5			46.5 55.9		<del>              _  </del>	5.9	
Cab to Rear Axle (in.) Le	404	41	.9	55.9	41.9	55.9	55.9		7.6	<b>↓</b>	7.6	
Cab to End of Frame (in.)		78	.7	97.6	78.7	97.6	97.6	<del>- 9</del>	1.0	<del> </del>		
Bumper to Back of Cab RegCab ExtCab L	(in.) 403			11.0 35.0		1.0 5.0	111.0 135.0		11.0 35.0	14	8.5 	

## PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages vs. MSRP of individual options purchased separately.) See your 1997 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information.

## **OPTIONS**

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1997 Chevrolet Truck Order Guide for availability and restrictions. The Option Codes are listed in **bold type**.

Air Cleaner, High Capacity	K47 C60
Appearance Package: Chrome Grille, Composite Headlamps and Dual Homs	V22
Axies, Rear 3.08	GU4 GU6 GT4 GT5 HC4
Axle, Rear Locking Differential	G80 TP2
Bedliner	BZY . EF1
Bumper, Painted Rear Step (N/A with YE9) Bumper, Chrome Rear Step	V43
w/Rub Strip Burnper, Chrome Front Deluxe w/Rub Strip	VB3
Chassis Equipment, Heavy-Duty Cold Climate Package (includes Engine Block Heater)	
Convenience Package, Driver's (includes Tilt-Wheel <sup>TM</sup> Steering and Electronic Speed Control)	ZQ3
Cooling System  Engine oil cooler  Heavy duty transmission  Defracter Rear Window	KC4 KNP
Engine oil cooler Heavy duty transmission Defogger, Rear Window (53 models req. YE9, 43 models req. C60)	KC4 KNP
Engine oil cooler Heavy duty transmission Defogger, Rear Window (53 models req. YE9, 43 models req. C60) Emissions Federal California Massachusetts/New York Federal emissions override	C49 FE9
Engine oil cooler Heavy duty transmission Defogger, Rear Window (53 models req. YE9, 43 models req. C60) Emissions Federal California Massachusetts/New York	C49 FE9 YF5 NG1
Engine oil cooler Heavy duty transmission Defogger, Rear Window (53 models req. YE9, 43 models req. C60) Emissions Federal California Massachusetts/New York Federal emissions override Cal./Mass./N.Y. emissions Override Engines VORTEC 4300 SFI V8 VORTEC 5700 SFI V8 VORTEC 7400 SFI V8 VORTEC 7400 SFI V8 6.5L V8 Turbo Diesel 6.5L V8 Turbo Diesel	C49 FE9 YF5 NG1 NC7 NB8 L35 L30 L31 L29 L56
Engine oil cooler Heavy duty transmission Defogger, Rear Window (53 models req. YE9, 43 models req. C60) Emissions Federal Cailfornia Massachusetts/New York Federal emissions override Cal./Mass./N.Y. emissions Override Engines VORTEC 4300 SFI V8 VORTEC 5700 SFI V8 VORTEC 7400 SFI V8 VORTEC 7400 SFI V8 SI V8 Turbo Diesel 6.5L V8 Turbo Diesel Alternative Fuel (LPG and CNG conversion-ready) Floor Covering Full floor rubber, color-keyed	C49 FE9 YF5 NG1 NC7 NB8 L35 L30 L31 L29 L56
Engine oil cooler Heavy duty transmission Defogger, Rear Window (S3 models req. YE9, 43 models req. C60) Emissions Federal California Massachusetts/New York Federal emissions override Cal./Mass./N.Y. emissions Override Engines VORTEC 4300 SFI V6 VORTEC 5700 SFI V8 VORTEC 5700 SFI V8 VORTEC 7400 SFI V8 6.5L V8 Turbo Diesel 6.5L V8 Turbo Diesel Alternative Fuel (LPG and CNG conversion-ready) Floor Covering Full floor rubber, color-keyed (requires YE9) (N/A on Crew-Cab models) Carpet (N/A with X81 Work Truck,	C49 FE9 YF5 NG1 NC7 NB8 L35 L30 L31 L29 L56 L65 KL5
Engine oil cooler Heavy duty transmission Defogger, Rear Window (53 models req. YE9, 43 models req. C60) Emissions Federal California Massachusetts/New York Federal emissions override Cal /Mass./N. Y. emissions Override Engines VORTEC 4300 SFI V8 VORTEC 5700 SFI V8 VORTEC 5700 SFI V8 VORTEC 7400 SFI V8 CONTEC 7400 SFI V8 CONTEC 7400 SFI V8 CONTEC TYPO Diesel 6.5L V8 Turbo Diesel Alternative Fuel (LPG and CNG conversion-ready) Floor Covering Full floor rubber, color-keyed (requires YE9) (N/A on Crew-Cab models)	C49 FE9 YF5 NG1 NC7 NB8 L35 L30 L31 L29 L56 L65 KL5

Glass, Solar-Ray® Deep-Tinted, side and Rear Windows (03 models requi A28 rear slider window)	
•	
GVWR	
6100 lb	C5M
6200 lb	Q4B
6600 lb	C5S
6800 lb	C5U
7200 lb	C5Z
8600 lb	C6P
9000 lb	
9200 lb	
10,000 lb	C7A
Keyless Entry, Remote	AUO
Lamps, Roof Marker (included	
w/Dual Rear Wheels R05)	
(N/A with 1500 series models)	1104
•	
License Plate Bracket, Front	
Locks, Power Door	AU3
Marketing Packages	
(See Order Guide for details)	
Convenience Package	. R9A
Bright Appearance Package	
Commercial Option Package	R9C
Sport Package	
(C/K10703 w/ E62 only)	BYP
Mirrors	
Electrochromic	
(Includes light-sensitive rearview	
mirror and eight-point compass.	
Requires YE9)	DD7
Exterior Camper Type	
(LH and RH stainless steel. Mirror	
head: 7.5" x 10.5")	DF2
Moldings, Bodyside Black with	
bright trim	B85
Off-Road Chassis Package (K1500 on	N)
(includes skid plate NZZ, Reg.	•
YE9)	. Z71
Paint, Exterior	-
Solid	ZY1
Conventional Two-Tone (requires	. 211
YE9)	ZY2
Deluxe two-tone (requires YE9)	
	. 217
Radio Equipment	
Radio delete	VL5
ETR AM/FM Stereo Radio	
w/Seek-Scan, Stereo Cassette,	
	UM6
ETR AM/FM Stereo Radio with See	<b>K-</b>
Scan with Automatic Tone Control,	
Stereo Cassette, Digital Clock,	
TheftLock™ and Speed-Compensa	
Volume (includes an enhanced per	
mance speaker system) Req YE9	. ULO
ETR AM/FM Stereo Radio with Seel	<b>r-</b>
Scan with Automatic Tone Control,	
Compact Disc Player, Digital Clock,	
TheftLock™ and Speed-Compense	
Volume (includes an enhanced spe-	
system) Rea. YE9	. UNO

ETR AM/FM Stereo Radio with Seek-	
Scan with Automatic Tone Control,	
Compact Disc Player, Cassette,	
Digital Clock, TheftLock™ and Speed	_
Compensated Volume (includes an	
enhanced performance	
speaker system) Regs YE9	UPO
Recreational Sales Package	
(For information purposes only. YF7	
is available for ordering through	
authorized CQACP	
manufacturers only)	YF7
Seat Type	
Bench Seat	A52
60/40 reclining split bench seat	AE7
Reclining high-back bucket	
seat	A95
Seat. Power Driver's	
(Crew-Cab and Extended-Cab	
models with YE9 only)	AG9
Seat, Rear 3-Passenger Bench	
Not Desired (Extended -Cab Only)	YG4
Shock Absorbers, Front and Rear,	
Heavy-Duty	F51
Gas 46mm (Bilstein)	FG5
Skid Plate (4x4 only)	NZZ
Snow Plow Prep Package	
(reg-cab 4x4 only)	WU
Springs, Front Heavy-Duty (4x4 only)	F60
"Third Door"	
flocated on passenger side on	
C/K10753 Models.)	
Rea YE9	E24
Tow Hooks, Front (4x2 only)	V76
Trailering Special Equipment	
(includes weight distributing hitch	
platform)	Z82
Transfer Case, Electronic Shift Control	
(1500 and 2500 Series only)	NP1
Transmissions	
5-Speed Manual w/Overdrive	
	MGS
5-Speed Manual w/Overdrive	MG5 M50
5-Speed Manual w/Overdrive 5-Speed Manual w/Deep Low	
5-Speed Manual w/Deep Low	
5-Speed Manual w/Deep Low	M50
5-Speed Manual w/Deep Low and Overdrive, HD4-Speed Electronically Controlled Automatic w/overdrive	M50
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30
5-Speed Manual w/Deep Low and Overdrive, HD4-Speed Electronically Controlled Automatic w/overdrive	M50 MW3
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30 MT1
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30 MT1 P06
5-Speed Manual w/Deep Low and Overdrive, HD. 4-Speed Electronically Controlled Automatic w/overdrive. 4-Speed Electronically Controlled Automatic w/overdrive, HD Wheels Rally Trim	M50 MW3 M30 MT1 P06 N90
5-Speed Manual w/Deep Low and Overdrive, HD. 4-Speed Electronically Controlled Automatic w/overdrive. 4-Speed Electronically Controlled Automatic w/overdrive, HD Wheels Rally Trim	M50 MW3 M30 MT1 P06 N90 PF4
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30 MT1 P06 N90 PF4 N83
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30 MT1 P06 N90 PF4 N83 R05
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30 MT1 P06 N90 PF4 N83 R05
5-Speed Manual w/Deep Low and Overdrive, HD	M50 MW3 M30 MT1 P06 N90 PF4 N83 R05 A28

	INTERIOR EQUIPMENT (CONT.)		
KEY: == STANDARD, — = F	NOT INCLUDED	(STANDARE)	SILVERADO (YE9)
FLOOR COVERING	Embossed color-keyed rubber mat on Regular- and Extended-Cab models. Rubber mat is black in Crew-Cab models. Color-keyed carpeting and removable color-keyed rubber floor mats.		_ ■
GAGES	NOTE: Scotchgard Fabric Protector on all cloth floor coverings.  Include fuel level, odometer, oil pressure, trip odometer, speedometer, telltale lights, engine temperature, voltmeter and tachometer.		
GLOVE BOX	Latched door with light.		
HEADLAMP WARNING TONE	Headlamps on.		
HEADLINER	Full-length color-keyed cloth with matching retainer moldings.  Crew-Cab: Full-length color-keyed cloth with matching retainer moldings and three assist handles (RF. LR. RR).	# E	•
HEATER	Includes front heater with windshield and side window defoggers.		•
HEATER DUCT	Rear seat area. Located on floor under front seats (Crew-Cab models only.)	<b>B</b>	
INSULATION	Provided on dash panels, cowl tops and sides, and doors. Extended-Cabs have additional insulation on the rear quarter and back panels and on floor coverings. Extra insulation is provided with diesel engines.  Also includes insulation on headliners.  Also includes insulation on Regular-Cab back panels.	• - -	3 1 1
LIGHTING	Includes dome, reading, ashtray, glove box, and cargo lamps with illuminated entry feature.		
MIRROR	10-inch rearview. 10-inch electrochromic rearview (Crew-Cab only).		1
RADIOS	ETR AM/FM stereo with Seek-Scan and digital clock. Includes two 6" diameter front- door-mounted speakers and two 4"x 6" rear-mounted speakers located above the door (4 speakers in all).  ETR AM/FM stereo with Seek-Scan, digital clock, and cassette. Includes two 6" diameter front- door-mounted speakers and two 4" x 6" rear-mounted speakers located above the door (4 speakers in all).	• -	_
SEĄTS	Regular-Cab: Front 3-passenger bench with head restraints and folding backrest. Front 3-passenger bench with head restraints and folding center armrest. Power lumbar and front seatback storage pockets included. Front center armrest provides lift-up storage space that features a coin holder, a map strap on the inside lid and a writing board.  Extended-Cab: Front reclining 3-passenger 60/40 split bench with head restraints and folding rear bench seat.  Front reclining 3-passenger 60/40 split bench with head restraints and folding rear bench seat includes center armrest. Power lumbar with front seats only and front seat-back storage nets included. Front center armrest provides lift-up	_	-
	storage space that features a coin holder, a map strap on the inside lid and a writing board.  Crew-Cab: Front 3-passenger bench with head restraints and folding backrest and rear 3-passenger bench with adjustable backrest.  Front reclining 3-passenger 60/40 split bench with head restraints and folding rear bench seat includes center armrest. Power lumbar with front seats only and front seat-back storage nets include. Front center armrest provides lift-up storage space that features a coin holder, a map strap on the inside lid and a writing board.  NOTE: Scotchgard <sup>TM</sup> Fabric Protector on all cloth seats and cloth door trim panels.	-	-
STEERING WHEEL	Simulated leather. Leather.	-	_
STORAGE TRAY	Full width behind seat on floor (Regular-Cab models only).		
SUNSHADE	Color-keyed cloth RH and LH, padded with storage strap on LH unit and visor mirror on RH unit.  Crew Cab: Padded, color-keyed cloth RH and LH sunshades with extenders and	•	
TOOLS	illuminated mirrors. LH sunshade has storage strap.  Mechanical jack and wheel wrench located behind front seat or on rear compartment floor.	-	
WINDOWS	Power.	<del></del>	
WINDOWS WINDSHIELD WIPERS	Intermittent.	<b>B</b>	

	EXTERIOR EQUIPMENT (CONT.)		
KEY: 1 = STANDARD, = N	OT INCLUDED	CHEYENNE (STANDARD)	SILVERADO (YE9)
INSULATION	Hood and cab-to-fender.	-	
LAMPS	Center high-mounted stop lamp/cargo lamp. Underhood. (Fixed.)		
MIRRORS	RH and LH below-eyeline type, painted black. Head size is 8.5" x 5.0". RH and LH electric below-eyeline, outside rearriew type, painted black. Head size is 8.5" x 5.0".	<b>-</b>	-
MOLDINGS	Black bodyside with bright trim and bright wheel opening (E63 only). (N/A K2500 C6P, K3500, Sportside and R05 models). Crew-Cab: Bright trim with wheel opening molding (w/R04).	_	10
RUNNING LAMPS	Daytime.		
SPARE TIRE AND WHEEL	Full-size.	9	
SPARETIRE CARRIER	Winch-type carrier mounted under frame at rear.		
TAILGATE	Removable.	<b>T</b>	
TIRES	Steel Belted Radials.   C/K1500   RegCab (2WD) P235/75R15.   ExtCab (2WD) P235/75R15.   ExtCab (4WD) P245/75R16.   ExtCab (4WD) P245/75R16.   ExtCab (4WD) P245/75R16.   ExtCab (4WD) P245/75R16.   C/K2500   RegCab (2WD/4WD) and ExtCab (2WD) LT225/75R16D.   All models with C6P: LT245/75R16E.   RegCab, ExtCab and Crew-Cab w/R04: LT245/75R16C/D.   RegCab, ExtCab (4WD) and Crew-Cab R05: LT225/75R16D.		
WHEEL FLARES	4x4 at or above 8600 GVW.		
WHEELS	Silver painted steel wheels with black hub ornament. (Argent painted on Crew-Cab) 15.0* x 7.0*: C/K 1500 (2WD). 16.0* x 6.5*: C/K 1500 (4WD), C/K 2500, C/K 3500 w/R04, C/K 3500 w/R05 (front only). 16.0* x 6.0*: C/K 3500 w/R05 (rear only). Rally wheel trim. Crew-Cab: Rally trim.	• - -	
WINDOWS	Swing-out rear quarter on Extended-Cab models only.	•	
WIRING	Eight-wire hamess for trailering purposes (Includes CHMSL).	•	

	INTERIOR EQUIPMENT		
AIR BAG*	Driver 's side air bag and Passenger side air bag. Passenger side includes a suppression switch to deactivate air bag when rear facing child seat is used. (not included on models at or above 8600 lb GWMR)		
AIR CONDITIONING	Front.	<u> </u>	
ARMRESTS	RH and LH padded, integral with door panels.		•
ASSISTHANDLES	Passenger side.		
CAB BACK PANELS	Color-keyed carpet.		
CIGARETTE LIGHTER	Located on instrument panel. Includes ashtray light and 2 auxiliary covered power outlets.		=
CUPHOLDERS	Two located in the dash.		
DOME LAMP	Switch in LH and RH door jamb (two dome lamps with front door actuated switches on Crew-Cab). Dome lamp includes delayed illuminated entry. Switches in all four doors on Crew-Cab models.	• -	<b>S</b>
DOORLOCKS	Power.	<u> </u>	•
DOOR TRIM	Vinyl color-keyed door trim panels with padded insert amrest, map pockets, large easily accessible door handles, and door reflectors.  Color-keyed soft vinyl with cloth insert, map pockets with carpet trim, large easily accessible door handles and door reflectors with lights.  NOTE: Scotchgard** Fabric Protector on all cloth panels and trim.	<del>-</del>	-
DOORS	Side-door guard beams.		
DRIVER'S CONVENIENCE GROUP	Speed Control and Tilt-Wheei™.	_	

<sup>\*</sup>Always wear your safety belts.

		FRON	T AXLES				
Availability	K1500 & K25	K25	K2500 w/C6P & K3500			943	
Make/Capacity (lb)	America	Ar	nerican Axle/4	250	American Axle/4500		
Pinion and Ring Gear Type	Н	Hypoid Hypoid		Hypoid			oid
Ratio Pinion Teeth Ring Gear Teeth Ring Gear Diameter (in.)	3.42 12 41 8.25	3.73 11 41 8.25	3.73 11 41 9.25	4.10 10 41 9.25	4.56 9 41 9.25	4.10 10 41 9.25	4.56 9 41 9.25
Differential Type Bearings, Type	2-Pinion Tapered Roller		2-Pinion Tapered Roller		er	2-Pinion Tapered Roller	
Lubricant Capacity (pints)	4	4.9		4.9			

Note: Axle ratio availability depends on model, powertrain, and emissions selected.

## **TRIM LEVELS**

Chevrolet offers C/K Pickups in two primary trim levels — "Cheyenne" and "Silverado." The following chart details major standard features. See your 1997 Chevrolet Truck Order Guide for details.

	CHASSIS EQUIPMENT		
KEY: <b>E</b> = STANDARD, — =	NOT INCLUDED	CHEYENNE (STANDARD)	SILVERADO (YE9)
BRAKES	Power-assisted, front disc, rear drum, self-adjusting. Four-wheel anti-lock system. Includes brake/transmission interlock.		
EXHAUST	Single. Aluminized stainless steel.		
FRAME	All-welded ladder-type, channel design and boxed front-end section.  Section modulus (cu in.): RegCabs — 2.66 on C/K 1500 and C/K 2500 (2WD); 3.27 on C/K1500 and C/K2500 (4WD); 5.26 on C/K 2500 /C6P and C/K3500 (2WD); 5.25 on C/K2500 w/C6P and C/K3500 (4WD). ExtCabs — 3.37 on C/K1500 and C/K2500 (2WD); 4.06 on C/K1500 and C/K2500 (4WD); 6.06 on C/K 2500 w/C6P and C/K3500. Crew-Cab — 7.49 on all models.		•
FUÉLTANK	25.0 gallon (approx.) capacity on C/K10703/53 and C/K20753 models. 34.0 gallon (approx.) capacity on all other models.		
REAR AXLE	Hypoid semi-floating on C/K1500 and 2500. Full-floating on C/K 2500/C6P w/L65 and C/K3500.	•	=
SHOCK ABSORBERS	25mm: C/K 1500 front and rear; 32mm: Front and rear on C/K2500 at 7200 lb GVWR and C/K3500; Rear on C/K2500 at 8600 lb andC/K3500; 35mm: Front on C/K2500 at 8600 lb GVWR, C/K 3500 and Crew-Cab.	•	
STABILIZER BAR	4x2: Front 1.25 in; 4x4: Front 1.18 in.		•
STEERING	Integral power: Speed Sensitve (E.V.O.)	•	
SUSPENSION, FRONT	4x2: Independent with computer-selected coil springs. 4x4: Independent with computer-selected torsion bars.		
SUSPENSION, REAR	C/K1500 and 2500: Semi-elliptic two-stage multileaf springs. C/K3500: Semi-elliptic two-stage multileaf springs main/auxiliary.		
TOWHOOKS	Two front on 4x4s.		=

	EXTERIOR EQUIPMENT		
AIRDAM	Dark argent (not included on models at or above 8600 lb GVW).	ţ1	
BUMPER, FRONT	Bright appearance. Bright appearance (includes black rub strip with bright trim).	<u></u>	
BUMPER, REAR	Bright appearance with black rub strip and step pad.		
GLASS	Solar-Ray® tinted glass.	ri .	
GRILLE	Molded plastic painted argent with argent air intake areas. Deluxe front appearance package with bright grille and bright trim with medium argent intake areas.	<b>CO</b>	_
HEADLAMPS	Single rectangular halogen. Dual composite halogen.	D	-
HORN	Single electric note. Dual low- and high-note.	<u>ro</u>	_

## **POWERTRAINS**

Chevrolet offers a variety of engines, transmissions and rear axle ratios for the C/K Pickups. The following charts detail basic engine, transmission, and axle specifications. See your 1997 Chevrolet Truck Order Guide for specific details.

ENGINES									
ENGINE	VORTEC 4300 V6	VORTEC 5000 V8	VORTÉC 5700 V8	VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL	6.5L V8 TURBO DIESEL HD			
Order Code Restrictions	L35 6600 GVW or Under	L30 Up To 7200 GVW	L31 All Applications	L29 At or Above 8500 GVW	L56 8500 GVW or Under	L65 Above 8500 GVW			
SAE Net Horsepower @ RPM	200 @ 4400	230 <b>@</b> 4600	255 <b>@</b> 4600	290 <b>@</b> 4000	180 @ 3400	190 <b>@</b> 3400			
SAE Net Torque lb-ft @ RPM	255 @ 2800	285 @ 2800	330 @ 2800	410 <b>@</b> 3200	360 @ 1800	385 <b>@</b> 1800			
Fuel System	SFI	SFI	SFI	SFI	Indirect Fuel Injection	Indirect Fuel Injection			
Clutch Size (in.)	11	12	12	12	12	12			
Standard Battery Cold Cranking Amps @ 0°F	600	600	600	600	2 @ 600 each	2 @ 600 each			
Standard Alternator Maximum Capacity (Amps)	100	100	100	124	100	100			

		TRAI	NSMISSIONS			
		MANUAL	AUTOMATIC			
	MANUAL 5-SPEED W/OVERDRIVE	MANUAL 5-SPEED W/OVERDRIVE	MANUAL 5-SPEED W/OVERDRIVE AND DEEP LOW HEAVY-DUTY	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH (4L60-E)	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED OVERDRIVE W/TORQUE CONVERTER CLUTCH HEAVY-DUTY (4L80-E)	
Transmission Order Code	MG5	M50	MW3	M30	MT1	
Application	8500 GVW or Under (w/L35, L30)	8500 GVW or Under (w/L31 only)	Above 8500 GVW (w/L31, L65, L29)	8500 GVW or Under	Above 8500 GVW and Turbo Diesel	
Synchronized Speeds	1/2/3/4/5	1/2/3/4/5	1/2/3/4/5		_	
Gear Ratios First Second Third Fourth Fifth Reverse	4.02 2.32 1.40 1.00 0.73 3.55	3.49 2.16 1.40 1.00 0.73 3.55	5.61 3.04 1.67 1.00 0.75 5.04	3.06 1.63 1.00 0.70 - 2.29	2.48 1.48 1.00 0.75 — 2.08	
Power Take-Off	No	No	Yes	No	No	

					REAR A	XLES					
Availability	(See	Order G	uide)	(See Ord	er Guide)	(See Oro	Order Guide) (See Order Guide)		er Guide)	(See Order Guide)	
Make	American Axle sity (lb) 3750 Semi-Floating		American Axle		American Axle		American Axle		American Axle		
Capacity (lb)			3750 Semi-Floating		4800 Semi-Floating		6000 Semi-Floating		6000 Full-Floating		6084-7500 Full-Floating
Pinion and Ring Gear Type		Hypoid		Нуг	ooid	Hypoid		Hypoid		Hypoid	
Axle Ratio Code	GU4	GU6	GT4	GU6	GT4	GT4	GT5	GT4	GT5	GT5	HC4
Ratio Pinion Teeth	3.08 . 13	3.42 12	3.73 11	3.42 12	3.73 11	3.73 11	4.10 10	3.73 11	4.10 10	4.10 10	4.56 9
Ring Gear Teeth Ring Gear Diameter (in.)	40 8.6	41 8.6	41 8.6	41 9.5	41 9.5	41 9.5	41 9.5	41 10.5	41 10.5	41 10.5	41 10.5

Note: Axle ratio availability depends on model, powertrain, and emissions selected.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (I.B) PROPERLY EQUIPFED	MAXIMUM TRAILER WT./ KINGPIN LOAD (LB) PROPERLY EQUIPPED
140500 5		FO	UR-WHEE	L-DRIVE M	ODELS	S (CONT.	)		
	ULAR-CAB	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· ·					· · · · · · · · · · · · · · · · · · ·
FLEETSIDE LONG-BOX HD	CK20903/E63/ C6P YHH or YGK	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	4250/6000	3435	7500/900 10000/1000 8000/950	7500/2500 10500/2000 3000/2000
K2500 EXT	ENDED-CAE	3			-				
FLEETSIDE SHORT-BOX	CK20753/E63/ C6P YGK or YHH	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	4250/6000	3383	7500/900 10000/1000 8000/950	7500/2500 10500/2000 5000/2000
FLEETSIDE LONG-BOX HD	CK20953/E63/ C6P YGK or YHH	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	4250/6000	3130	7500/900 10000/1000 8000/950	7500/2500 10500/2000 8000/2000
K3500 REC	SULAR-CAB			'		<u> </u>		<u>.</u>	·
FLEETSIDE LONG-BOX	CK30903/E63 YGK or YHH	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9200	4250/6084	3981	7000/850 1 <b>0000</b> /1000 7500/900	7000/3000 10000/3000 7500/3000
FLEETSIDE LONG-BOX DUAL REAR WHEELS	CK30903/E63/ R05	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	4250/7500	•	7000/850 1 <b>0000/1000</b> 7500/900	7000/3000 12000/3000 7500/3000
K3500 EXT	ENDED-CAE	3				<u> </u>			<u> </u>
FLEETSIDE LONG-BOX DUAL REAR WHEELS	CK30953/E63/ R05	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	4250/7500	4176	7000/850 <b>10000/1000</b> 7500/900	7000/3000 12000/3000 7500/3000
K3500 CR	W-CAB			<u> </u>					l
SINGLE REAR WHEELS	CK30943/E63	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9200	4500/6084	3319	6500/800 1 <b>0000/1000</b> 7500/900	6500/3000 10000/3000 7500/3000
DUAL REAR WHEELS	CK30943/E63/ R05	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	4500/7500	*	8000/950 1 <b>0000/1000</b> 7500/900	8000/3000 12000/3000 7500/3000

<sup>\*</sup>Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.




SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED	MAXIMUM TRAILER WT. KINGPIN LOAD (LB) PROPERLY EQUIPPED
			FOUR-W	HEEL-DRIV	E MOI	DELS			
K1500 REG	SULAR-CAB								·
SPORTSIDE SHORT-BOX	CK10703/E62	3/2	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6100	3600/3750	1802	5000/600 6000/750 6500/800	6000/1000 6500/1000
FLEETSIDE SHORT-BOX WT1500	CK10703/E63/ X81	3/	4300 V6/M5	4300 V6/A4	6100	3600/3750	**	5000/600	•
FLEETSIDE SHORT-BOX	CK10703/E63	3/2	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6100	3600/3750	1813	5000/600 6000/750 6500/800	6000/1000 6500/1000
FLEETSIDE LONG-BOX WT1500	CK10903/E63/ X81	3/-	4300 V6/M5	4300 V6/A4	6100	3600/3750	**	5000/600	•
FLEETSIDE LONG-BOX	CK10903/E63	3/2	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6100	3600/3750	1671	5000/600 6000/750 6500/800	6000/1000 6500/1000
K1500 EXT	ENDED-CAL	! 3			<u> </u>	J		<u> </u>	
SPORTSIDE SHORT-BOX	CK10753/E62	6/5/3	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6200	3600/3750	1623	5000/600 6000/750 6500/800	6000/1000 6500/1000
SPORTSIDE SHORT-BOX	CK10753/E62/ F44	6/5/3	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6600	3600/3750	**	5000/600 6000/750 6500/800	6000/1000 6500/1000
FLEETSIDE SHORT-BOX	CK10753/E63	6/5/3	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6200	3600/3750	1634	<b>5000/600</b> 6000/750 6500/800	6000/1000 6500/1000
FLEETSIDE SHORT-BOX	CK10753/E63/ F44	6/5/3	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4 6.5L V8/A4	6600	3600/3750	••	5000/600 6000/750 6500/800 7000/850	6000/1000 6500/1000
FLEETSIDE LONG-BOX	CK10953/E63	6/5/3	5000 V8/M5	5000 V8/A4 5700 V8/M5/A4	6200	3600/3750	1364	6000/750 6500/800	6000/1000 6500/1000
FLEETSIDE LONG-BOX	CK10953/E63/ F44	6/5/3	5000 V8/M5	5000 V8/A4 5700 V8/M5/A4 6.5L V8/A4	6600 6800	3600/3750	**	6000/750 6500/800 7000/850	6000/1000 6500/1000

<sup>\*5</sup>th-wheel trailering is not recommended.
\*\*Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.

#### C/K PICKUP

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FROHT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE: LOAD (LE) PROPERLY EQUIPPED	MAXIMUM TRAILER WT./ KINGPIN LOAD (LB) PROPERLY EQUIPPED
		TV	VO-WHEE	L-DRIVE M	ODELS	(CONT.	)		
C2500 EXT	ENDED-CAL	В							
FLEETSIDE SHORT-BOX	CC20753/E63	6/5/3	5000 V8/M5	5000 V8/A4 5700 V8/M5/A4 6.5L V8/A4	7200	3600/4670	2763	6500/800 7000/850 7500/900	6500/2000 7000/2000 7500/1600
FLEETSIDE LONG-BOX HD	CC20953/E63/ C6P/ YHH or YGK	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	3600/6000	3 <b>5*6</b>	8000/950 10000/1000 8500/1000	8000/3000 11000/2500 8500/2500
C3500 REC	GULAR-CAB							·	
FLEETSIDE LONG-BOX	CC30903/E63 YGK or YHH	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9000	3600/6084	<u>-162</u>	7500/900 1 <b>0000/1000</b> 8000/950	7500/3000 -0500/3000 -0500/3000
FLEETSIDE LONG-BOX DUAL REAR WHEELS	CC30903/E63/ R05	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	3600/7500		9000/1000 10000/1000 3000/950	9000/3000 12500/3000 8000/3000
C3500 EXT	ENDED-CAI	В						,	<u> </u>
FLEETSIDE LONG-BOX DUAL REAR WHEELS	CC30953/E63/ R05	6/5/3	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	3600/7500	<b>4573</b>	9000/1000 1 <b>0000/1000</b> 8000/950	9000/3000 12500/3000 8000/3000
C3500 CR	EW-CAB					•			
SINGLE REAR WHEELS	CC30943/E63	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9000	4100/6084	3491	7000/850 10000/1000 8000/950	7000/3000 10500/3000 <b>8000/300</b> 0
DUAL REAR WHEELS	CC30943/E63/ R05	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	4100/7500	•	8500/1000 10000/1000 8000/950	8500/3000 12500/3000 8000/3000



See the following pages for 4-wheel-drive models.

\*Please refer to the Weight section at the back of the Tech Guide to determine optional payloads.





#### **MODEL SELECTION SUMMARY**

Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from the GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1997 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED	MAXIMUM TRAILER WT. KINGPIN LOAD (LB) PROPERLY EQUIPPED
			TWO-W	HEEL-DRIV	E MOE	ELS			
C1500 REC	<b>SULAR-CAB</b>								
SPORTSIDE SHORT-BOX	CC10703/E62	3/2	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6100	3200/3686	2219	5000/600 6500/700 7000/850	5500/1200 7000/1200
FLEETSIDE SHORT-BOX WT 1500	CC10703/E63/ X81	3/-	4300 V6/M5	4300 V6/A4	6100	320 <b>0/3686</b>	**	5000/600	•
FLEETSIDE SHORT-BOX	CC10703/E63	3/2	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6100	3200/3686	2230	5000/600 5500/700 7000/850	5500/1200 7000/1200
FLEETSIDE LONG-BOX WT 1500	CC10903/E63/ X81	3/	4300 V6/M5	4300 V6/A4	6100	3200/3686	**	5000/600	•
FLEETSIDE LONG-BOX	CC10903/E63	3/2	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6100	3200/3686	2081	5000/600 5500/700 7000/850	5500/1200 7000/1200
C1500 EXT	ΓENDED-CA	<u></u> В		<u></u>				L	L
SPORTSIDE SHORT-BOX	CC10753/E62	6/5/3	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6200	3500/3686	2016	5000/600 5500/700 7000/850	5500/1200 7000/1200
FLEETSIDE SHORT-BOX	CC10753/E63	6/5/3	4300 V6/M5	4300 V6/A4 5000 V8/M5/A4 5700 V8/M5/A4	6200	3500/3686	2027	5000/600 5500/700 7000/850	5500/1200 7000/1200
FLEETSIDE LONG-BOX	CC10953/E63	6/5/3	5000 V8/M5	5000 V8/A4 5700 V8/M5/A4	6200	3500/3686	1804	5500/700 7000/850	5500/1200 7000/1200
C2500 REC	L GULAR-CAB		<u> </u>	1				<u> </u>	<u> </u>
FLEETSIDE LONG-BOX	CC20903/E63	3/2	5000 V8/M5	5000 V8/A4 5700 V8/M5/A4 6.5L V8/A4	7200 7200	3150/4670 3400/4800	2901	6500/800 7000/850 7500/900	6500/2000 7000/2000 7500/1600
FLEETSIDE LONG-BOX HD	CC20903/E63/ C6P/ YHH or YGK	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	3600/6000	**	8000/950 10000/1000 8500/1000	3000/3000 :1000/2500 8500/2500

See the following pages for additional 2- and 4-Wheel-Drive Models.

<sup>&</sup>quot;5th-wheel trailering is not recommended.
"Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.

#### **C/K PICKUP INTRODUCTION**



#### C/K PICKUP

The 1997 C/K Pickups are available in two trim levels: the "Cheyenne" (standard) and the "Silverado" (uplevel).

Changes on the C/K Pickup for 1997 include:

- New Passenger Side Air Bag with Suppression Switch to Deactivate Air Bag when Rear Facing Child Seat is used (8500# GVW or less)
- New Venture 4500 Manual Transmission (MW3)
- 4-Speed 4L60-E Automatic Transmission Enhancements (M30)
- 4-Speed 4L80-E Automatic Transmission Enhancements (MT1)
- Revised Keyless Entry System
- Improved Turn Radius (K1500 Series)
- New Electronic Variable Orifice (E.V.O.) Steering. Reduces low speed and static steering effort
- Three New Exterior Colors
- DEX-COOL<sup>™</sup> Extended Life Engine Coolant Change interval upgraded to 5 years/150.000 miles





#### **DIMENSIONS**

MODEL	C/K2500 CHASSIS- CAB REGULAR- CAB	C/K3 CHASSI REGULA	S-CAB	C/K3500 STRAIGHT FRAME CHASSIS-CAB		C 3500HD CHASSIS-CAB		RAIGHT FRAME CHASSIS-CAB			CREW-CAB CHASSIS-CAB	
MODEL NUMBER	CC/K20903/ ZW9	CC/K30903/ ZW9/R04	CC/K30903/ ZW9/R05	CC/K31003/ ZW9	CC/K31403/ ZW9	CC/31003/ ZW9/C5B	CC31403/ ZW9/C5B	CC31803/ ZW9	CC/K30943/ ZW9/R04	CC/K30943/ ZW9/R05		
			ΕX	TERIOR	DIMENS	IONS						
BODY Wheelbase (in.) L101	131.5	131.5	131.5	135.5	159.5	135.5	159.5	183.5	168.5	168.5		
Overall Length (in.) L103	208.6	208.6	208.6	221.9	245.9	224.5	248.5	272.6	246.1	246.1		
Overall Height (in.) 2WD 4WD H431	73.8 73.9	73.4 74.0	73.2 74.0	73.0 73.5	72.5 73.2	77.7	77.3 —	77.2 —	74.4 75.0	73.9 74.5		
Maximum Width (in.) W103	76.8	76.8	92.2	84.2	84.2	84.2	84.2	85.8	76.8	94.3		
Bumper to Axle Frt (in.) L104	35.4	35.4	35.4	35.4	35.4	37.9	37.9	37.9	35.4	35.4		
Rear Axle to End of Frame (in.) L105	41.7	41.7	41.7	51.0	51.0	51.0	51.0	51.0	41.7	41.7		
Cab to Rear Axle (in.) L404	55.9	55.9	55.9	60.0	84.0	60.0	84.0	108.0	55.9	55.9		
Cab to End of L103 Frame (in.) L403	97.6	97.6	97.6	111.0	135.0	111.0	135.0	159.0	97.6	97.6		
Bumper to Back of Cab (in.) L403	111.0	111.0	111.0	111.0	111.0	113.6	113.6	113.6	148.5	148.5		
Inside Metal Top of Frame (in.) <sup>1</sup> 2WD 4WD	32.2 32.1	32.1 32.1	32.0 31.7	31.6 30.9	31.7 30.9	31.7 —	31.5	31.7 —	31.3 31.6	30.8 31.0		
Ground Clearance (in.) Front-2WD Front-4WD H148 Rear-2WD Rear-4WD H153	7.1 8.7 7.3 7.3	8.4 6.3 6.4 6.4	8.4 6.3 6.4 6.4	8.9 5.8 6.4 6.4	8.9 5.8 6.4 6.4	8.9 — 6.4	8.9  6.4	10.8 — 6.4 —	7.5 7.3 6.4 6.4	7.5 7.3 6.4 6.4		
Frame Width (in.) Over Rails Front/Rear	45.3/36.7	45.3/36.7	45.3/36.7	45.3/34.0	45.3/34.0	41.3/34.0	41.3/34.0	41.3/34.0	45.3/36.7	45.3/36.7		
Turning Diameter Curb-to-Curb (ft) 2WD 4WD	43.4 45.0	43.4 45.0	43.4 45.0	44.5 46.2	51.4 53.0	46.0 —	52.9 —	59.9 —	53.8 55.7	53.8 55.7		
Track Width (in.) Front/Rear 2WD 4WD W101/102	63.3/63.9 68.6/65.1	63.3/64.3 68.6/64.9	64.4/72.9 69.2/69.2	64.4/64.9 69.2/64.9	64.4/64.9 69.2/64.9	69.7/66.8 —/	69.7/66.8 —/—	69.7/66.8 —/—	63.3/67.1 68.6/67.1	N/A/N/A N/A/N/A		
SIGN PANEL AREA (in.)	17 X 48.75	17 X 48.75	17 X 48.75	17 X 48.75	17 X 48.75	17 X 48.75	17 X 48.75	17 X 48.75	17 X 85	17 X 85		

<sup>&</sup>lt;sup>1</sup>Measured at center line of rear axle. N/A—Not Available at time of publication.

	INTERIOR DIMENSIONS										
CAB Headroom (in.) Front Rear	H61 H63	39.9	39.9 —	39.9 —	39.9 —	39.9 —	39.9	39.9 —	39.9 —	39.9 40.8	39.9 40.8
Legroom (in.) Front Rear	L34 L51	41.7	41.7 —	41.7	41.7	41.7	41.7	41.7	41.7	41.7 37.9	41.7 37.9
Shoulder Room Front Rear	(in.) W3 W4	65.4 —	65.4 —	65.4 —	65.4 —	65.4 —	65.4 —	65.4 —	65.4 —	65.4 64.9	65.4 64.9
Hip Room (in.) Front Rear	W5 W6	60.0	60.0	60.0	60.0	60.0	60.0	60.0 	60.0	60.0 59.3	60.0 59.3

#### PREFERRED EQUIPMENT GROUPS

Preferred Equipment Groups (PEGs) are convenient option packages that can save your customers money. They would pay appreciably more by buying all the options in a Preferred Equipment Group as individual options. (Savings based on a comparison of Manufacturer's Suggested Retail Price of option packages versus MSRP of individual options purchased separately.) See your 1997 Chevrolet Truck Order Guide and Vehicle Price Schedule for specific information and price.

#### OPTIONS

These options can be ordered individually in addition to the Preferred Equipment Groups if not already included. See your 1997 Chevrolet Truck Order Guide for specific availability and restrictions. The Option Code is listed in **bold type**.

Air Cleaner, High Capacity	K47
Air Conditioning	C60
Appearance Package (Includes	
Chrome Grille, Composite Haloge	n
Headlamps and Dual Horns)	V22
Axles, Rear	
3.73	GT4
4.10	GT5
4.56	HC4
4.63	GK9
5.13	HC7
Axle, Rear Locking Differential	
(N/A 3500 HD)	G80
Axle, Rear Wide Track, 92.2-in.	
AXIE, HEBT WICE TRACK, 92.2-III.	CTV
wide (C/K 31003,31403 only)	GII
Battery, Heavy-Duty Auxiliary	
(540 CCA) (N/A 3500 HD	TP2
or Diesel Engine)	IP2
Cold Climate Package	
(includes Engine Block Heater)	V10
Convenience Group	
Tilt-Wheel™ and Electronic	
Speed Control	ZQ3
Defogger, Rear Window	C49
Emissions	
Federal	
Massachusetts/New York	NG1
California	
Federal Emissions Override	NC7
Cal./Mass./N.Y. Emissions	
Override	NB8
Engines (see Powertrains)	
VORTEC 5700 SFI V8	. L31
VORTEC 7400 SFI V8	
6.5L V8 Turbo Diesel	. L65
Alternative Fuel (LPG and	
CNG conversion-ready)	KL5
Equipment, Heavy-Duty,	
available on C/K 31003/31403	
11,000 GVW only	. F44
Floor Covering, Full-Floor, Rubber,	
Color-Keyed (req YE9 )	BG9
Carpet (N/A Crew- Cab)	. B30
Front Floor Mats (N/A Crew-Cab)	. <b>B</b> 32
Fuel Tank, Delete (rear-mounted	
18-Gallon Capacity, available on	
C/K31003 and C/K31403 and	
3500HD only)	NQZ

Glass, Solar-Ray® Deep-Tinted,	
(includes Light-tinted rear window	•
when sliding rear window is	4 14
specified on Crew-Cab only)	AJI
GVWR:	
8600 lb	
9000 lb	C6U
9200 lb	C6W
10,000 lb	C7A
11,000 lb	C7E
12,000 lb	C7L
15,000 lb	C5B
Keyless Entry, Remote (requires	
YE9)	AUO
Locks, Power door	<b>EUA</b>
Lamps, Roof Marker (included w/	
Dual Rear Wheels R05)	U01
License Plate Bracket, Front	. <b>VK</b> 3
Marketing packages	
(see order guide for details):	
Convenience package	. R9A
Ambulance package	. YF2
Mirrors	
Electrochromic (includes	
light-sensitive rearview mirror	
and eight-point compass.	
requires YE9)	
N/A 3500 HD	DD7
Exterior below-eye-line type	
(LH and RH stainless steel. Mirror	
head: 9.0" x 6.5") (N/A on Crew	
Cab) (N/A C3500 HD) (available or	n
C/K 31003, C/K 31403 over	
10,000 GVW only)	D45
Exterior Camper Type	
(LH and RH stainless steel.	
Mirror head: 7.5" x 10.5")	DF2
Exterior West Coast Type	
(LH and RH stainless steel.	
Mirror head: 7.0" x 16.0")	
Paint, Exterior Solid	. ZY1
Radio Equipment	
Radio delete (N/A with YE9)	. UL5
ETR AM/FM Stereo	
w/Seek-Scan, Stereo Cassette,	
Digital Clock	UM6
ETR AM/FM Stereo with	
Seek-Scan with Automatic Tone	Control
Stereo Cassette, Digital Clock	

TheftLock™ and speed-compensions Volume (includes an enhanced	ated
performance speaker system) (N/A with 3500 HD) req. YE9	111.0
ETR AM/FM Stereo with	
Seek-Scan with Automatic Tone C Compact Disk Player, Digital Clock	ζ,
TheftLock™ and Speed-Compens Volume (includes an ennanced sp	sated
system) (N/A with 3500 i+D)	
req. YE9 ETR AM/FM Stereo with	UND
Seek-Scan with Automatic Tone C Compact Disc Player, Cassette,	ontrol
Digital Clock, TheftLock™ and Sp	eed-
Compensated Volume (includes an enhanced performance speake	<b>∌</b> r
system) (N/A with 3500 HD) reg. YE9	UPO
Seat Type	
Bench Seat	A52
(N/A 3500HD) Reclining High-Back Bucket Seat	AE7
(includes center consolia except w/YF2)	AGE
Seat, Power Driver's (Crew-Cab	
model with YE9) Skid Plate (4WD models only)	AG9
Snow Plow Prep Package	
(4WD Reg. Cab only) Springs (torsion bars), Front	VYU
Heavy-Duty (4x4 only)	F60
Stabilizer Shaft, Rear (C/K 31003,31403 only)	
Tow Hooks, Front (4 x 2 only) Transfer Case, Electronic Shift	V76
Control (reqs ZQ3 or YE9)	. NP1
Transmissions 5-Speed Manual with Deep Low	
Overdrive, HD Electronically Controlled	WW3
4-Speed Automatic, Overdrive, HD	MT1
Wheels	
Rally Trim (N/A C3500 HD) Dual Rear	P06
Single Rear	R04
Windows, Sliding Rear	. A28

	TIRES		<u></u>	
KEY: ALS = ALL-SEASON SBR = STE	EL-BELTED RADIAL PLY BW = BLAC	KWALL HWY = HIGHWA	Y OOR = ON-OFF	ROAD
TIRE DESCRIF	PTION	FRONT	REAR	SPARE
LT215/85R16D	HWY/SBR/BW	XYK	YYK	ZYK
LT215/85R16D	OOR/SBR/BW	XYL	YYL	ZYL
LT225/75R16D	ALS/SBR/BW	XHP	YHP	ZHP_
LT225/75R16D	OOR/SBR/BW	XHR	YHR	ZHR
LT245/75R16E	ALS/SBR/BW	хнн	YHH	ZHH
LT245/75R16E	OOR/SBR/BW	XGK	YGK	ZGK
225/70R 19.5F (C3500 HD)	HWY/SBR/BW	XTN	YTN	ZTN

	INTERIOR EQUIPMENT (CONT.)		
KEY: ■= Standard, —= Not	(STANDARD)	SILVERADO (YE9)	
DOOR TRIM	Vinyl color-keyed door trim panels with padded insert armrest, map pockets, large easily accessible door handles, and door reflectors. Color-keyed soft vinyl with cloth insert, map pockets with carpet trim, large easily accessible door handles, door reflectors with lights. NOTE: Scotchgard* Fabric Protection on all cloth panel and trim.	=	
DOORS	Side-door guard beams.		
DOOR LOCKS	Power.		
DRIVER'S CONVENIENCE GROUP	Speed Control, Tilt-Wheel™.	_	
FLOOR COVERING	Embossed color-keyed rubber mat on Regular-Cab models. Rubber mat is black on Crew-Cab models. Color-keyed carpeting with removable color-keyed rubber floor mats. NOTE: Scotchgard** Fabric Protector on all cloth floor coverings.	_	-
GAGES	Include fuel level, odometer, oil pressure, speedometer, telltale lights, engine temperature, voltmeter and tachometer.	•	•
GLOVE BOX	Latched door with light.	=	
HEADLINER	Cloth with matching retainer moldings, color-keyed.		8
HEADLAMP WARNING TONE	Headlamps on.		
HEATER	Includes heater with windshield and side window defogger.		•
HEATER DUCT	Rear seat area. Located on floor under front seats (Crew-Cab models only).		
INSULATION	Provided on dash panel, cowl top and sides, and doors. Extra insulation is provided with diesel engines. Plus insulation on headliners. Plus insulation on Regular -Cab panels.	■ †	
LIGHTING	Includes dome, reading, ashtray and glove box.		
MIRRORS	10-inch rearview. 10-inch rearview. Electrochromic (Crew-Cab Model only)	_	
RADIOS	ETR AM/FM stereo with Seek-Scan and digital clock. Includes two 6" diameter front door-mounted speakers and two 4" x 6" rear-mounted speakers located at rear above door (4 speakers in all).  ETR AM/FM stereo with Seek-Scan, digital clock, cassette.  Includes two 6" diameter front door mounted speakers, and two 4" x 6" rear-mounted speakers located at rear above door (4 speakers in all).	•	-
SEATS	Regular-Cab: Front 3-passenger bench with head restraints and folding backrest.  Regular-Cab: Front 3-passenger bench with head restraints and folding center armrest. Power lumbar and front seat-back storage pockets included.	•	
	Center armrest provides lift-up storage space that features a coin holder, a map strap on the Inside lid and a writing board.  Crew-Cab: Front 3-passenger bench with head restraints and folding backrest and rear 3-passenger bench with folding backrest.  Crew-Cab: Front 3-passenger bench with head restraints and folding center armrest. Power lumbar and front seat-back storage nets included. Center armrest provides lift-up storage space that features a coin holder, a map strap on the inside lid and a writing board. Also includes rear 3-passenger	<del>-</del>	-
CTEPONO UNITI	bench with folding backrest.  NOTE: Scotchgard™ Fabric Protector on all cloth seats and cloth door trim panels.	-	
STEERING WHEEL	Simulated leather. Leather.		
STORAGE TRAY	Full width behind seat on floor (N/A 3500HD).		
SUNSHADES	Color-keyed RH and LH padded with cloth covering, storage strap on LH unit and visor mirror on RH unit.  Crew-Cab: Padded, color-keyed RH and LH sunshades with extenders and illuminated mirrors. LH sunshade has storage strap.	-	•
TOOLS	Mechanical jack and wheel wrench located behind front seat or on rear compartment floor (N/A 3500HD).		
WINDOWS	Power.		
WINDSHIELD WIPERS	Intermittent.		

	CHASSIS EQUIPMENT (CONT.)	!	
KEY: = Standard, = Not included			SILVERADO (YE9)
SHOCK ABSORBERS	Front: 35mm: Rear: 32mm (35mm on C3500 HD).		_
STABILIZER BAR	4x2: Front 1.25". 4x4: Front 1.18".		
STEERING	Integral power. Speed-sensitive (E.V.O.) steering. (E.V.O. N/A 3500HD)		
SUSPENSION, FRONT	4x2: Independent with computer-selected coil springs (I-beam/leaf springs on C3500 HD). 4x4: Independent with computer-selected torsion bars.		=
SUSPENSION, REAR	Semi-elliptic two-stage multileaf springs on C/K 20903 models.  Semi-elliptic two-stage multileaf springs main/auxiliary on C/K 3500 models. (No auxiliary on C3500 HD).		•
TOW HOOKS	Two front on 4x4s.		

EXTERIOR EQUIPMENT		
Bright appearance. Bright appearance w/black rub strip and bright trim.	<b>=</b>	_
Solar-Ray <sup>s</sup> tinted glass.		•
Molded plastic painted argent with argent air intake areas.  Deluxe front appearance package with bright grille and bright trim with argent air intake areas.	-	_
Single rectangular halogen. Composite halogen.	_	-
Single electric low-note. Dual low- and high-note (standard C3500 HD).	-	_
Hood and cab-to-fender.		
Center high-mounted stop lamp/cargo lamp (N/A on 3500HD). Five amber roof marker lamps on dual rear-wheel models only.  Underhood (Fixed).	<b>a</b>	:
RH and LH below-eyeline type, painted black. Head size 8.5" x 5.0." RH and LH electric below-eyeline type, painted black. Head size 8.5" x 5.0" Models over 10.000lb GVWR use 9.0" x 6.5" mirrors.	E .	-
Daytime.		
Full-size (20903 and 30903 models only).		•
Winch-type carrier mounted under frame at rear (20903 and 30903 models only).		
Four on single rear-wheel models and six on dual rear-wheel models. C/K 20903, C/K 30903 and C/K 30943 w/R04: LT245/75R16E. C/K 3500 w/R05: LT225/75R16 C/D. 3500 HD: 225/70R19.5F (See Order Guide for details.)		
Silver-painted steel wheels with black hub ornament.  C/K 20903, C/K 30903 and C/K 30943 w/R04: 16.0" x 6.5"  C/K 3500 w/R05: 16.0" x 6.0"  3500 HD: 19.5" x 6.0"  Rally wheel trim.  Crew-Cab: Rally trim.		
Front (4WD models over 8600# and C3500HD)	. •	
Eight-wire namess for trailering purposes (20903 and 30903 models only)	· -	
	Bright appearance. Bright appearance w/black rub strip and bright trim.  Solar-Ray* tinted glass.  Molded plastic painted argent with argent air intake areas. Deluxe front appearance package with bright grille and bright trim with argent air intake areas.  Single rectangular halogen. Composite halogen. Single electric low-note. Dual low- and high-note (standard C3500 HD).  Hood and cab-to-fender.  Center high-mounted stop lamp/cargo lamp (N/A on 3500HD). Five amber roof marker lamps on dual rear-wheel models only. Underhood (Fixed).  RH and LH below-eyeline type, painted black. Head size 8.5* x 5.0* Models over 10,000lb GVWR use 9.0* x 6.5* mirrors.  Daytime.  Full-size (20903 and 30903 models only).  Winch-type camer mounted under frame at rear (20903 and 30903 models only).  Four on single rear-wheel models and six on dual rear-wheel models. C/K 20903, C/K 30903 and C/K 30943 w/R04: LT245/75R16E. C/K 3500 w/R05: LT225/75R16 C/D. 3500 HD: 225/70R 19.5F (See Order Guide for details.)  Silver-painted steel wheels with black hub ornament. C/K 20903, C/K 30903 and C/K 30943 w/R04: 16.0* x 6.5* C/K 3500 w/R05: 16.0* x 6.0* 3500 HD: 19.5* x 6.0* Rally wheel trim. Crew-Cab: Rally trim.	Bright appearance. Bright appearance w/black rub strip and bright trim.  Solar-Ray* tinted glass.  Molded plastic painted argent with argent air intake areas. Deluxe front appearance package with bright grille and bright trim with argent air intake areas. Single rectangular halogen. Composite halogen. Single electric low-note. Dual low- and high-note (standard C3500 HD).  Hood and cab-to-fender.  Center high-mounted stop lamp/cargo lamp (N/A on 3500HD). Five amber roof marker lamps on dual rear-wheel models only. Underhood (Fixed).  RH and LH below-eyeline type, painted black. Head size 8.5* x 5.0.* RH and LH electric below-eyeline type, painted black. Head size 8.5* x 5.0.* Models over 10,000lb GVWR use 9.0* x 6.5* mirrors.  Daytime.  Full-size (20903 and 30903 models only).  Winch-type carrier mounted under frame at rear (20903 and 30903 models only).  Four on single rear-wheel models and six on dual rear-wheel models. C/K 20903, C/K 30903 and C/K 30943 w/R04: LT245/75R16E. C/K 3500 w/R05: LT225/75R16 C/D. 3500 HD: 225/70R 19.5F (See Order Guide for details.)  Silver-painted steel wheels with black hub ornament. C/K 20903, C/K 30903 and C/K 30943 w/R04: 16.0* x 6.5* C/K 3500 w/R05: 16.0* x 6.0* 3500 HD: 19.5* x 6.0* Rally wheel trim. Crew-Cab: Rally trim.

	INTERIOR EQUIPMENT		
AIR CONDITIONING	Front.		
ARMRESTS	RH and LH padded integral with door panels.		
ASSIST HANDLES	Passenger side.		
CAB BACK PANELS	Color-keyed carpet.	_	•
CIGARETTE LIGHTER	Located on instrument panel. Includes ashtray light and two covered auxiliary power outlets.	•	
CUPHOLDERS	Two located in dash.		=
DOME LAMP	Switch in LH and RH door jamb (two lamps with front door-actuated switches on Crew-Cab). Dome lamp includes delayed illuminated entry feature.  Crew-Cab includes switches in all doors.		

	TRANSMISSIC	)NS
	MANUAL 5-SPEED W/OD, HD (NV4500)	ELECTRONICALLY CONTROLLED AUTOMATIC 4-SPEED W/OD AND TORQUE CONVERTER CLUTCH, HD (HM4L80-E)
Order Code	MW3	MT1
Availability	Ali Models	All Models
Synchronized Speeds	1/2/3/4/5	
Gear Ratios First Second Third Fourth Fifth Reverse	5.61 3.04 1.67 1.00 0.75 5.04	2.48 1.48 1.00 0.75 
Power Take-Off	Yes	No

			REAR	AXLES						
Make			Ameri	can Axle					Dana	
Capacity (lb)	6000 6084 Semi-Floating Full-Floating			7500 Full-Floating		8600 Full-Floating		ng	11,000 Full-Floating C3500 HD	
Availability	C/K	20903	03 C/K30903- C/K30903- 30943 W/R04 30943 W/R05		C/K31003-31403					
Pinion & Ring Gear Type	Ну	poid	Hypoid	Hypoid		Hypoid			Hypoid	
Axle Ratio Code	GT4	GT5	GT5	GT5	HC4	GT4	GT5	HC4	GK9	HC7
Ratio	3.73	4.10	4.10	4.10	4.56	3.73	4.10	4.56	4.63	5.13
Pinion Teeth	11	10	10	10	9	11	10	9	8	7
Ring Gear Teeth	41	41	41	41	41	41	41	41	37	37
Ring Gear Diameter (in.)	9.5	9.5	10.5	10.5	10.5	10.5	10.5	10.5	11.5	11.5

Note: Axle Ratio depends on model, powertrain and emissions selected.

		FRONTAXL	E (K MODEL:	S)			
Make	American Axle						
Capacity (lb)		4250			4500		
Availability		K20903/K30903		К	31003/31403/3094	3	
Pinion and Ring Gear Type		Hypoid			Hypoid		
Ratio	3.73	4.10	4.56	3.73	4.10	4.56	
Pinion Teeth	11	10	9	11	10	9	
Ring Gear Teeth	41	41	41	41	41	41	
Ring Gear Diameter (in.)	9.25	9.25	9.25	9.25	9.25	9.25	
Differential Type Bearings, Type		2-Pinion Tapered Roller			2-Pinion Tapered Roller		
Lubricant Capacity (pints)		4.9	_	<u> </u>	4.9		

Note: Axle Ratio depends on model, powertrain and emissions selected.

#### **TRIM LEVELS**

Chevrolet offers all Chassis-Cabs in two trim levels, "Cheyenne" and "Silverado." The following chart details major standard features. See your 1997 Chevrolet Truck Order Guide for more details.

	CHASSIS EQUIPMENT		
KEY: = STANDARD	, — = NOT INCLUDED	CHEYENNE (STANDARD)	SILVERADO (YE9)
BRAKES	Power-assisted, front disc, rear drum; self-adjusting. Four-wheel anti-lock system. Includes brake/transmission interlock.		=
EXHAUST	Single. Aluminized stainless steel,		<b>e</b>
FRAME	All-welded ladder type, channel design and boxed front-end section. Section modulus (cu in.): C/K20903/30903: 2WD-5.26 cu in.; 4WD-5.25 cu in. C/K31003/31403: 2WD-6.47 cu in.; 4WD-6.76 cu in. 3500 HD: 9.75 cu in. Crew-Cab: 7.49 cu in.		·.
FUEL TANK	34.0 gallon (approx.) capacity on C/K 20903, 30903 and Crew-Cab models. 40.0 gallon (approx.) capacity on C/K 31003, 31403 and 3500 HD. (Dual tank design, including 22 gallon side fuel tank and 18 gallon rear fuel tank.)		
REAR AXLE	Full-floating on C/K 3500 models. Semi-floating on C/K 20903.	-	

a. See

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUI: LOAD (LI3) PROPERI.Y EQUIPPED	MAXIMUM TRAILER WT./ KINGPIN LOAD (LB) PROPERLY EQUIPPED
			FOUR-W	IEEL-DRIV	Е МОЕ	ELS			
K2500 REGU	JLAR-CAB								
SINGLE REAR WHEELS	CK20903/ ZW9	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	4250/6000	3815	7500/900 10000/1000 8000/950	7500/2500 10500/2000 8000/2000
K3500 REGU	JLAR-CAB								
SINGLE REAR WHEELS	CK30903/ ZW9/ YGK or YHH	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9200	4250/6084	1352	7000/850 10000/1000 7500/900	7000/3000 10000/3000 7500/3000
DUAL REAR WHEELS	CK30903/ ZW9/R05	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	4250/7500	*	7000/850 1 <b>0000/1000</b> 7506/900	7000/3000 12000/3000 7500/3000
K3500 REGI	ULAR-CAB								
DUAL REAR WHEELS, "STRAIGHT FRAME"	CK31003/ ZW9/F44	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	12000	4500/8600	6666	7000/850 10000/1000 7500/900	7000/3000 12000/3000 7500/3000
DUAL REAR WHEELS, "STRAIGHT FRAME", LWB	CK31403/ ZW9/F44	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	12000	4500/8600	6617	7000/889 10000/1000 7500/900	7000/3000 12500/3000 7500/3000
K3500 CRE	W-CAB		<u> </u>	<u>.L</u>	L	· · · · · · · · · · · · · · · · · · ·			
SINGLE REAR WHEELS	CK30943/ ZW9	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9200	4500/6084	3658	6500/800 1 <b>0000/1000</b> 7500/900	6500/3000 10000/3000 7500/3000
DUAL REAR WHEELS	CK30943/ ZW9/R05	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4		4500/7500	•	8000/950 1 <b>0000/1000</b> 7500/900	8000/3000 12000/3000 7500/3000

<sup>\*</sup>Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.

#### **POWERTRAINS**

Chevrolet offers a variety of engines, transmissions and rear axle ratios for the C/K Chassis-Cab. The following charts detail basic engine, transmission and axle specifications. See your 1997 Chevrolet Truck Order Guide for details.

		<b>ENGINES</b>		
	VORTEC 5	700 V8 HD	VORTEC 7400 V8 HD	6.5L V8 TURBO DIESEL HD
Order Code	L	31	L29	L65
Availability	At or Under 10,000 GVW	Above 10,000 GVW	All Models	All Models
SAE Net Horsepower @ rpm	255 @ 4600	250 @ 4200	290 @ 4000	190@3400
SAE Net Torque ib-ft @ rpm	330 @ 2800	330 @ 2800	410 @ 3200	385 @ 1800
Fuel System	5	FI	SFI	Indirect Fuel Injection
Clutch Size (in.)		12	12	12
Standard Battery Cold Cranking Amps @ 0°F	6	00	600	2: @ 600 each
Standard Alternator Maximum Capacity (Amps)	1	00	124	100





Use the chart below to choose the model that fits your customer's needs. Please note that the Base Payloads shown reflect the maximum allowable weight of cargo that can be carried in a standard model, including occupants. (They are calculated by subtracting curb weight from the GVWR.) To calculate payloads for models with optional equipment, please refer to the WEIGHTS section in the back of this book or consult your 1997 GM PROSPEC. Also, the Maximum Trailer Weights shown below are based on vehicles that are properly equipped. See your Chevrolet Truck Order Guide for specific details.

SERIES	MODEL NUMBER/ BODY CODE/ OPTION CODE	PASSENGER CAPACITY (STD./OPT.)	STANDARD ENGINE/ TRANS.	OPTIONAL ENGINE/ TRANS.	GVWR (LB)	GAWR (LB) FRONT/ REAR	BASE PAYLOAD (LB)	MAXIMUM TRAILER WT./ TONGUE LOAD (LB) PROPERLY EQUIPPED	MAXIMUM TRAILER WTJ KINGPIN LOAD (LB) PROPERLY EQUIPPED
			TWO-WH	EEL-DRIVE	E MOD	ELS			
C2500 REG	ULAR-CAB								
SINGLE REAR WHEELS	CC20903/ ZW9	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	8600	3600/6000	1674	8000/950 10000/1000 8500/1000	8000/3000 11000/2500 8500/2500
C3500 REG	ULAR-CAB					, , , , , , ,			
SINGLE REAR WHEELS	CC30903/ ZW9/ YGK or YHH	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	9000	3600/6084	4533	7500/900 10000/1000 8000/950	7500/3000 10500/3000 8000/3000
DUAL REAR WHEELS	CC30903/ ZW9/R05	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	3600/7500	•	9000/1000 10000/1000 8000/950	9000/3000 12500/3000 8000/3000
DUAL REAR WHEELS, "STRAIGHT FRAME"	CC31003/ ZW9	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	3880/7500	5121	9000/1000 10000/1000 8000/950	9000/3000 12500/3000 8000/3000
DUAL REAR WHEELS, "STRAIGHT FRAME"	CC31003/ ZW9/F44	3/2	57C0 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	11000	4100/8250	•	9000/1000 1 <b>0000/1000</b> 8000/950	9000/3000 12500/3000 8000/3000
DUAL REAR WHEELS, "STRAIGHT FRAME", LWB	CC31403/ ZW9	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	10000	3880/7500	5051	9000/1000 10000/1000 8000/950	9000/3000 12500/3000 8000/3000
DUAL REAR WHEELS "STRAIGHT FRAME", LWB	CC31403/ ZW9/F44	3/2	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4	11000	4100/8250	•	9000/1000 10000/1000 8000/950	9000/3000 12500/3000 8000/3000
C3500 HD F	REGULAR-C	AB				<u> </u>			
DUAL REAR WHEELS	CC31003/ ZW9/C5B	3/	7400 V8/M5	7400 V8/A4 6.5L V8/M5/A4	15000	5000/11000	9036	10000/1000 10000/1000	12000/4000 10000/4000
DUAL REAR WHEELS	CC31403/ ZW9/C5B	3/—	7400 V8/M5	7400 V8/A4 6.5L V8/M5/A4	15000	5000/11000	8926	10000/1000 10000/1000	12000/4000 10000/4000
DUAL REAR WHEELS	CC31803/ ZW9	3/—	7400 V8/M5	7400 V8/A4 6.5L V8/M5/A4	15000	5000/11000	8587	10000/1000	12000/4000 10000/4000
C3500 CRE	W-CAB	<u> </u>	<del></del>						
SINGLE REAR WHEELS		6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4		4100/6084	3826	7000/850 10000/1000 8000/950	7000/3000 10500/3000 8000/3000
DUAL REAR WHEELS	CC30943/ ZW9/R05	6/5	5700 V8/M5	5700 V8/A4 7400 V8/M5/A4 6.5L V8/M5/A4		4100/7500	•	8500/1000 10000/1000 8000/950	8500/3000 12500/3000 8000/3000

<sup>\*</sup>Please refer to the Weights section at the back of the Tech Guide to determine optional payloads.

#### C/K CHASSIS-CAB INTRODUCTION

#### C/K CHASSIS-CAB

The C/K Chassis-Cab is available in two trim levels: the "Cheyenne" (standard) and the "Silveracio" (uplevel).

Changes on the C/K Chassis-Cab for 1997 include:

- New Venture 4500 Manual Transmission (MW3)
- New Electronic Variable Orifice (E.V.O.) Steering Reduces low speed and static steering effort (except 3500HD)
- 4-speed 4L80-E Automatic Transmission Enhancements (MT1)
- Optional Revised Keyless Entry System
- Three New Exterior Colors (except 31003, 31403 and 31803 w/15000# GVW)
- DEX-COOL<sup>™</sup> Extended Life Engine Coolant Change interval upgraded to 5 years/150,000 miles


## HEATER, VENTILATION, AND AIR CONDITIONING 1B-7

RELATIVE HUMIDITY	AMB AIR T		MAXIMUM LOW SIDE PRESSURE		LOW SIDE ENGINE CENTER AIR HIGH SI PRESSURE SPEED OUTLET TEMP PRESSU		SIDE		
(%)	·F	,C	PSIG	kPaG	(rpm)	°F	ဂဲ	PSIG	kPaG
20	70	21	24	165	2000	44	7	285	1965
	80	27	25	172		45	7	290	2000
1 i	90	32	28	193		49	9	314	2165
	100	38	28	193		50	10	320	2206
30	70	21	25	172	2000	43	6	287	1979
!	80	27	26	179	'	45	7	293	2020
1	90	32	28	193		50	9	320	2206
1	100	38	31	214		53	12	328	2262
40	70	21	25	172	2000	45	7	290	2000
1	80	27	28	193	1	49	9	315	2172
1	90	32	28	193	1	51	11	325	2241
ļ į	100	38	37	255		59	15	361	2489
50	70	21	26	179	2000	45	7	290	2000
1	80	27	28	193	1	50	10	320	2206
1 1	90	32	32	221	J.	54	12	330	2275
	100	38	40	276		64	_ 18	370	2551
60	70	21	27	186	2000	46	8	300	2069
1	80	27	28	193		50	10	320	2206
	90	32	36	248		58	14	355	2448
	100	38	45	310	<u> </u>	68	20	409	2820
70	70	21	28	193	2000	49	9	315	2172
1	80	27	28	193		51	11	325	2241
	90	32	38	262	<u> </u>	62	17	363	2503
80	70	21	28	193	2000	50	10	320	2206
1 1	80	27	32	221	'	54	12	330	2275
	90	32	41	283		65	18	377	2600
									T3204

Figure 4—System Performance Test

	<u>.</u>		

#### **EXTERIOR LAMPS**





# 1997 GENERAL MOTORS CORPORATION

INFORMATION REGARDING

# CONSUMER INFORMATION TRUCK—CAMPER LOADING

**REVISED MARCH 1996** 



CHEVROLET MOTOR DIVISION 30007 VAN DYKE AVENUE WARREN, MICHIGAN 48090



GMC DIVISION 31 E. JUDSON STREET PONTIAC. MICHIGAN 48342-2230

#### 1997 GENERAL MOTORS TRUCKS

#### Consumer Information

#### Truck - Camper Loading

CONSUMER INFORMATION REGULATION 575.103 issued by the National Highway Traffic Safety Administration requires manufacturers of trucks capable of accommodating slide—in camper bodies to provide information concerning proper load and proper load distribution in truck—camper applications.

This Consumer Information booklet is designed to provide basic information relating to load capabilities of 1997 General Motors truck models which are adaptable to slide—in camper applications. Information contained herein is applicable to the truck buyer who already owns a 1997 General Motors truck or to a prospective truck purchaser.

The regulation also provides that proper truck—camper loading information is to be maintained in truck dealersnips and be made available to all prospects on request. This booklet relates to the 1997 General Motors truck models recommended for slide—in camper applications and is to be used as a consumer information brochure.

Product specifications or data contained herein may change periodically. When a revision of this booklet is supplied to truck dealers, it is the dealers' responsibility to make the revised information available to the public.

Chevrolet's and GMC's 1988 and newer Full-Size C/K Pickups feature a styling that is more aerodynamic than prior models. Aftermarket manufacturers offer many products, such as slide-in campers, camper shells, and bedliners, designed to fit on the new pickups. However, some products designed for use on Chevrolet Full-Size Pickups, built prior to the 1988 model year or R-V models through the 1991 model year, may not fit in the bed of this vehicle. Please confirm the compatibility of any aftermarket product you intend to install on your new truck by consulting the product manufacturer.


Chevrolet's and GMC's 1994–1997 S/T Series Pickups feature new styling that is more aerodynamic than models from previous years. Some aftermarket items designed for 1993 and earlier S/T Series Pickups may not fit in the bed of this new vehicle. Please consult the product manufacturer for compatability prior to purchase.

All illustrations and specifications contained in this literature are based on the latest product information available at the time of publication approval. The right is reserved to make changes at any time in prices, colors, materials, equipment, specifications and models, and also to discontinue models.

Consumer Information Regulation 575.103 requires manufacturers of trucks capable of accommodating slide—in campers to specify the vehicles' Cargo Weight Rating (CWR) and the longitudinal limits within which the center of gravity for the cargo weight rating should be located.

Cargo Weight Rating (CWR)—The cargo weight rating of a vehicle means the value specified by the vehicle manufacturer as the cargo—carrying capacity of a vehicle in pounds, exclusive of (minus) the weight of occupants, computed as 150 pounds times the number of designated seating positions.

Longitudinal Center of Gravity (CG) Zone for CWR—The forward limit of the recommended CG Zone is determined by the application of dimension "A" measured in inches from the rear of the truck bed. The rearward limit of the recommended CG Zone is established by application of dimensions "B", also measured in inches from the rear of the truck bed. The recommended CG Zone lies between these points.



Model	Calculated Cargo Weight Rating
Dimension A	Dimension B

#### Limitations on Recommended CG Zones

#### **FORWARD LIMIT**

- 1) Must not extend beyond the inside surface of the pickup box.
- (2) Must not exceed the front gross axle weight rating (GAWR).

#### REARWARD LIMIT


- (1) Must be no farther rearward than the inside surface of the pickup box.
- (2) Must not exceed the gross axle weight rating (GAWR) of the rear axle.
- .3) Must not exceed rear axle load limits below:

	Series	Rear Axle Load Limits (% of GVWR)
S10/Sonoma	2WD 4600 lb. GVWR 2WD 4900 lb. GVWR	63% 59%
C/K 1500		60%
C/K 2500		65%
C/K 2500/C6P, C/k	C 3500	70%

Yehicle CG Identification—All Genera: Motors Corporation trucks that may be suitable for carrying a slide—in camper incorporate a Truck—Camper Loading information label located on the glove box floor on C/K and S/T 10/Sonoma models. The vehicle identification number (VIN), the as—manufactured cargo weight rating (CWR) of that vehicle plus the CG limits of dimension "A" and "B" for that vehicle in inches are included.

Vehicle and Truck-Camper Loading are also discussed at length in the Vehicle Owner's Manual.

Loading Instructions—When the truck is used to carry a slide—in camper, the total cargo load of the truck consists of the manufacturer's camper weight figure, the weight of installed additional camper equipment not included in the camper manufacturer's weight figure, the weight of camper cargo and the weight of passengers in the camper. The total cargo load should not exceed the truck's cargo weight rating (CWR) and the camper's center of gravity should fall within the truck's recommended center of gravity zone when installed.



Any accessories or other equipment added to this vehicle, after final date of manufacture, must be weighed or have their weight determined, and the weight deducted from the prescribed cargo weight rating (CWR) of this vehicle. This may decrease the permissible longitudinal zone of the center of gravity for this vehicle.

The longitudinal center of gravity zone has been determined for the full cargo weight rating of this truck. If a slide—in camper has a total weight less than the cargo weight rating (CWR), the permissible longitudinal zone of the center of gravity may be larger. However, individual axle loads should not exceed either of the gross axle weight ratings (GAWR).

Secure loose items to prevent weight shifts that could affect the balance of your vehicle. When the truck camper is loaded, drive to a scale and weigh on the front and on the rear separately to determine the axle loads. Individual axle loads should not exceed either of the gross axle weight ratings (GAWR). The total of the axle loads should not exceed the gross vehicle weight rating (GVWR). These ratings are given on the vehicle identification plate and on the vehicle certification label which are located on the left side of the vehicle, normally on the door latch post or door edge next to the driver. If weight ratings are exceeded, move or remove items to bring all weights below the ratings.

**CAUTION:** The longitudinal center of gravity is only one of the many factors which may affect the overall performance of a vehicle, including handling, steering and braking. The cargo load should be distributed on both sides of the centerline as equally as possible. The recommended logitudinal limits for the camper's center of gravity are based on the assumption that the vehicle will be operated with reasonable prudence in light of all of the existing conditions. Failure to do so could result in unsatisfactory vehicle performance and could make the vehicle unsafe to operate.

In this connection, refer to any recommendations by the slide—in camper manufacturer regarding installation and loading of the camper.

# TRUCK-CAMPER LOADING <u>DEFINITION OF TERMS</u>

For the purposes of calculating Truck-Camper Loading in this book, listed below are some common terms and abbreviations:

Cargo Weight Rating (CWR)— means the value specified by the vehicle manufacturer as the cargo—carrying capacity of a vehicle in pounds, exclusive of (minus) the weight of occupants, computed as 150 pounds times the number of designated seating positions.

Center of Gravity (CG)—point where the mass of a body is concentrated and if suspended at that point would balance front and rear.

**Curb Weight**—weight of a vehicle without driver, passengers or cargo but including maximum capacity of fuel, oil, coolant and other items of standard equipment.

Dimension A & B-front and rear limit of Center of Gravity (CG) zone.

Gross Vehicle Weight Rating or 'GVWR' means the value specified by the manufacturer as the loaded weight of a single vehicle.

**Gross Axle Weight Rating** or 'GAWR' means the value specified by the vehicle manufacturer as the load carrying capacity of a single axle system measured at the tire—ground interfaces.

**Model Weight**—weight of the vehicle with all items of standard equipment, 150 pounds per passenger in each designated seating position and maximum capacity of fuel, oil and coolant.

Payload Rating is the maximum allowable load (including the weight of the driver and all occupants) that the vehicle can carry based on all factory-installed equipment on the vehicle.

RPO-Regular Production Option.

Slide—in Camper—means a camper having a roof, floor, and sides, designed to be mounted on and removable from the cargo area of a truck by the user.

Weight Distribution-the amount of a vehicle's weight that rests on each axle.

Wheelbase (WB)-the distance from the centerline of the front axie to the centerline of the rear axie.

#### **LIMITATIONS**

The following General Motors truck models are not recommended for slide—in camper applications:

- Any pickup model with a cargo weight rating (CWR) of less than 500 lbs. A statement to
  this effect is imprinted on the Truck-Camper Loading information label which states
  whether that vehicle is recommended for use with a siide-in camper.
- S 10/Sonoma (2WD) Pickup with 4200 lb. GVWR.
- T 10/Sonoma (4x4) Pickup.
- S/T 10/Sonoma Pickup with 108.3" WB.
- S/T 10/Sonoma Extended Cab Pickup.

Note: C/K 1500 Pickups should not be used for larger, cab-over type slide-in campers.

#### S PICKUPS, C/K PICKUPS, EXTENDED/CLUB AND CREW CAB PICKUPS

# INSTRUCTIONS FOR PROSPECTIVE TRUCK PURCHASERS VEHICLE SELECTION AND WEIGHT ANALYSIS

For S 10/Sonoma Models.

You must order S 10803 (117.9" WB) model with one of the following GVWR Ratings:

S 10803 (2WD)

4600 lb. GVWR

Option C5D

S 10803 (2WD)

4900 lb. GVWR

Option C5A

if you intend to use a slide—in camper on your S 10/Sonoma Pickup. Record the model on page 3. Record the model GVWR, front GAWR, and rear GAWR on page 7. These ratings can be found in the 5 10/Sonoma section of the General Motors Light—Duty Truck Data Book or Chevrolet Light—Duty Technical Guide on the Specifications pages. This information is also available in the Chevrolet Spec Manager computer program.

#### For C/K Models

From the model selection pages of the C/K pickup section of the GMC Light–Duty Truck Data Book, Chevrolet Light–Duty Technical Guide or the Chevrolet Spec Manager System, select the pickup model you desire. Record this information on page 3. Refer to the Specification section for the selected model. Select the GVWR you require and note any minimum tire size and chassis equipment requirements for that GVWR. (To approximate the GVWR you require, add your loaded camper weight to the vehicle curb weight plus the occupants weight at 150 lbs. per designated seating position.) Record the GVWR and the Gross Axle Weight Rating (GAWR). Front and Rear (from the Specifications section), on line 1 of the camper loading worksheet, page 7.

- Record the front and rear curb weights of your selected vehicle on line 2, page 7.
- 3. Record the front and rear passenger weights on line 3, page 7.
- 4. List all factory-installed options you desire, including any options required by your selected GVWR, with their front and rear weights on the Pickup camper loading worksheet on page 7.
- 5. Total the front and rear weights of vehicle model and options to arrive at the total front and rear weight of the vehicle. Follow the directions on page 7, lines 5 through 5C to arrive at the adjusted total vehicle weight.
- 6. Subtract the adjusted total vehicle weight from the GVWR to arrive at the cargo weight rating (CWR) of your truck.\* Record this information on page 3.
- 7. Proceed to page 11 and calculate the center of gravity location limits using front and rear GAWRs, cargo weight rating (CWR), and front and rear weight of truck as determined above. Record this information on page 3.

<sup>\*</sup>The addition of any dealer-installed or other accessories will reduce the cargo-carrying capacity by the weight of the equipment installed.

# TRUCK-CAMPER LOADING S PICKUPS, C/K PICKUPS


#### **WORKSHEET-CARGO WEIGHT RATING**


÷.	Model GVWR	GAWR	FRONT	REAR	
2.	Curb Weights:		FRONT	SEAR	
3.	Passenger Weights:		FRONT		
4.	Other factory-installed options:		- NON1		
•	·····				
			=	<del></del>	
			•		
				<del></del>	
				<del></del>	
		· · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		
	4a.		TOTALS		
			•		
5.	Front and Rear Weights				
<u>.</u>	5a. Vehicie sub-total weight (add fr			<del></del> -	
	5b. Add 50 lbs. for all models*	Citt and tear	weight)		
	i			+50.0	
	5c. Adjusted total vehicle weight:			<del></del>	
ŝ.	Vehicle GVWR:				
	Adjusted total vehicle weight	·			
	Cargo Weight Rating		·····	Record	d on page 3.

If your vehicle is available, drive to a scale and weigh, with occupants, full fuel tank, and other factory—installed potions to determine the adjusted total vehicle weight. You will then be able to use your actual total vehicle weight and not have to add the 60=.


#### TRUCK-CAMPER LOADING DIMENSIONS

#### S PICKUP S 10/SONOMA Long Box (Model \$ 10803) G H Κ В 56.61 87.6 93.3 88.3 56.61 Long Box 52.00 40.35 67.91 16.81 36.25 Overall length of box . ř. Top of box At floor C/K PICKUPS FLEETSIDE/WIDESIDE Short Box (Models C/K 10703, 10753, 20753) Long Box (Models C/K 10903, 10953, 20903, 20953, 30903, 30943, 30953)





SPORTSIDE Short Box (Model C/K 10703, 10753&E62)




### TRUCK-CAMPER LOADING DIMENSIONS


#### C/K PICKUPS

#### STANDARD CAB PICKUPS

Short Box (Models C/K 10703) Long Box (Model C/K 10903, 20903, 30903)

	A	В	С	9	Ε	F
Short Box	111.0	77.2	35,4	117.5	47.3	200.2
Long Box	111.0	96.1	35.4	131.5	52.2	219.1







#### EXTENDED CAB PICKUPS

Short Box (Model C/K 10753, 20753) Long Box (Model C/K 10953, 20953, 30953)

	A	₿	С	D	Ē	F
Short Box	135.0	77.2	35.4	141.5	47.3	224.2
Long Box	135.0	96.1	35.4	155.5	52.2	243.1







#### CREW CAB PICKUPS

Long Box (Model C/K 30943)

	A	8	С	D	E	F
Long Box	148.5	96.1	35.9	168.5	52.2	256.6






#### MODEL CODES AND DIMENSIONS

SERIES	MODEL NUMBER	PICKUP BOX LENGTH	PICKUP STYLE	WB	"C" <del>*</del>
		RI	EGULAR CAB MODELS		
S 10/ Sonoma	S 10803	7.4'	Fleetside/Wideside (E63)	117.9"	42.90"
C/K 1500	C/K 10703	6.5'	Fleetside/Wideside (E63) Sportside (E62)	117.5" 117.5"	38.53" 38.48"
O/IC 1000	C/K 10903	8'	Fleetside/Wideside (E63)	131.5"	43.46"
C/K 2500	C/K 20903	8'	Fleetside/Wideside (E63)	131.5"	43.46"
C/K 3500	C/K 30903	8'	Fleetside/Wideside (E63)	131.5"	43.46"
		EXTE	NDED/CLUB CAB MODELS		
C/K 1500	C/K 10753	6.5'	Fleetside/Wideside (E63) Sportside (E62)	141.5" 141.5"	38.53" 38.48"
O/K 1500	C/K 10953	8'	Fleetside/Wideside (E63)	155.5"	43.46"
	C/K 20753	6.5'	Fleetside/Wideside (E63)	141.5"	38.53"
C/K 2500	C/K 20953	8'	Fleetside/Wideside (E63)	155.5"	43.46"
C/K 3500	C/K 30953	8'	Fleetside/Wideside (E63)	155.5"	43.46"
	<u>,                                     </u>		CREW CAB MODELS		
C/K 3500	C/K 30943	8'	Fleetside/Wideside (E63)	168.5"	43.46"

Dimension "C" is the distance from the centerline of the rear axis to the end of the pickup box floor. Dimension A and B can be calculated by using the formula on page 11.



# CALCULATIONS TO DETERMINE FORWARD (A) AND REARWARD (B) LOCATION OF CENTER OF GRAVITY FOR CARGO WEIGHT RATING

Calculations for Dimension A

<b>A</b> :	= { Front GAWR - 1.05 x Front Weight* of Truck   Cargo Weight Rating	- > x WB + C
	Cargo Weight Rating	J
Enter Front GAWR		
Subtract Front Weight*	of Truck x 1.05	
An	nswer	<u></u>
Divide Answer by Carg	ρο Weight Rating (CWR)÷	
An	nswer	
Multiply Answer by Wh	neelbase (See Chart on page 10)	
An	nswer	
Add C Dimension to Ar	nswer (See Chart on page 10)	
Dia	mension A (in inches)	
To calculate Dimension	n A in millimeters, Multiply Dimension A by 25.4	
-	than oickup box length, use box length for "A" dimension.  Calculations for Dimension B	
-	Calculations for Dimension B	} x wb + c
B =	Calculations for Dimension B  Rear GAWR – 1.1 x Rear Weight* of Truck  Cargo Weight Rating	
<b>B =</b> Enter Rear GAWR	Calculations for Dimension B	x WB + C
<b>B</b> =  Enter Rear GAWR  Subtract Rear Weight*	Calculations for Dimension B  Rear GAWR – 1.1 x Rear Weight* of Truck  Cargo Weight Rating	- } x WB + C
<b>B</b> =  Enter Rear GAWR  Subtract Rear Weight*  Ar	Calculations for Dimension B  Rear GAWR – 1.1 x Rear Weight* of Truck  Cargo Weight Rating  of Truck x 1.1	x wb + c
B =  Enter Rear GAWR  Subtract Rear Weight*  Ar  Divide Answer by Carg	Calculations for Dimension B  Rear GAWR – 1.1 x Rear Weight* of Truck Cargo Weight Rating  of Truck x 1.1	x WB + C
B =  Enter Rear GAWR  Subtract Rear Weight*  Ar  Divide Answer by Carg	Calculations for Dimension B  The Rear GAWR - 1.1 x Rear Weight* of Truck  Cargo Weight Rating  of Truck x 1.1  nswer  go Weight Rating (CWR)	- } x WB + C
B =  Enter Rear GAWR  Subtract Rear Weight*  Ar  Divide Answer by Carg  Ar  Subtract Answer from	Calculations for Dimension B  The Rear GAWR - 1.1 x Rear Weight* of Truck Cargo Weight Rating  of Truck x 1.1	x wb + c
B =  Enter Rear GAWR  Subtract Rear Weight*  Ar  Divide Answer by Carg  Ar  Subtract Answer from  Multiply Answer by Wh	Calculations for Dimension B  The Rear GAWR - 1.1 x Rear Weight* of Truck  Cargo Weight Rating  of Truck x 1.1	
B =  Enter Rear GAWR  Subtract Rear Weight*  Ar  Divide Answer by Carg  Ar  Subtract Answer from  Multiply Answer by Wh	Calculations for Dimension B  The Rear GAWR - 1.1 x Rear Weight* of Truck  Cargo Weight Rating  of Truck x 1.1	
B =  Enter Rear GAWR  Subtract Rear Weight*  Ar  Divide Answer by Carg  Ar  Subtract Answer from  Multiply Answer by Wh  Ar  Add C Dimension to Ar	Calculations for Dimension B  Rear GAWR – 1.1 x Rear Weight* of Truck Cargo Weight Rating  of Truck x 1.1 ——  nswer  po Weight Rating (CWR) ——  nswer  1.000 ——  neelbase (See Chart on page 10) — x  nswer	

If "B" dimension is greater than "A" dimension, camper usage is not recommended at the Calculated Cargo Weight Rating. Camper usage may be possible for a lighter camper. Substitute known specific camper weight (less than Cargo Weight Rating) for Cargo Weight Rating in calculations above to determine "A" to "B" range for that specific camper.

Record dimension A and 9 on page 3.

\* Front page 7 line 4a.

Note: #"8" dimension is negative, use 0 (zero) for "8" dimension.



CHEVROLET MOTOR DIVISION 30007 VAN DYKE AVENUE WARREN. MICHIGAN 48090



GMC DIVISION 31 E. JUDSON STREET PONTIAC, MICHIGAN 48342-2230